

Illness and Accidents Policy

If you require this document in an alternative format please contact office@tssmat.staffs.sch.uk or 01543 472245

| Last review date: | | October 2020 | | |
|-------------------|---------|---|--|------------------------|
| Next Review date: | | October 2023 | | |
| Review Cycle: | | 3 years | | |
| Statutory Policy: | | No | | |
| Publication: | | Website. <u>G/Policies</u> | | |
| Date | Version | Reason for change | Overview of changes made | Source |
| 10.09.2020 | 0.1 | Scheduled Review by Internal Lead | Information added re pandemic situations. J Bowman | Existing TSSMAT policy |
| 05.10.20 | 0.2 | Scheduled Review by Board Lead | No Changes | |
| 16.10.20 | 1.0 | Scheduled Review | Ratified by Board | |

Illness & Accidents Policy

At The Staffordshire Schools Multi Academy Trust we will deal promptly and effectively with any illnesses or injuries that occur while children are in our care. We take all practical steps to keep staff and children safe from communicable diseases.

All parents or carers must complete the **Medical Form** when their child joins the Trust and/or Care Club, requesting permission for emergency medical treatment for their child in the event of a serious accident or illness.

We will record any accidents or illnesses, together with any treatment given, on an **Incident Record** or **Accident Record** sheet as appropriate, which the parent or carer will be asked to sign when they collect the child.

The Staffordshire Schools Multi Academy Trust cannot accept children who are ill. If any children are ill when they first arrive we will immediately notify their parents or carers to come and collect them. Any children who have been ill should not return to the Trust until they have fully recovered, or until after the minimum exclusion period has expired (see table at the end of this policy).

In times of pandemic, children showing relevant symptoms should not be sent to school, and will be sent home if symptoms develop once in school, in line with the Pandemic Flu policy where relevant, and any Government guidance.

First aid

All Trust Schools, and Care Club have designated First Aiders on site at all times. The designated First Aider has a current first aid certificate and has attended a 12 hour paediatric first aid course. We will take into account the number of children and layout of the premises to ensure that first aiders are able to respond quickly to any incident.

The location of the first aid box and a list of qualified first aiders are clearly displayed within each Trust school. A designated First Aider regularly checks the contents of the first aid boxes to ensure that they are up to date, appropriate for children, and comply with the Health and Safety (First Aid) Regulations 1981.

The Headteacher or Care Club Supervisor will ensure that a first aid kit is taken on all outings and that at least one member of staff on the outing holds a current paediatric first aid certificate.

Procedure for a minor injury or illness

The first aider present will decide upon the appropriate action to take if a child becomes ill or suffers a minor injury.

- If a child becomes ill, the parent or carer will be asked to collect the child as soon as possible. The child will be kept comfortable and will be closely supervised while awaiting collection.
- If a child complains of illness which does not impair their overall wellbeing, the child will be monitored for the rest of the session and the parent or carer will be notified when the child is collected.
- If a child suffers a minor injury, first aid will be administered and the child will be monitored for the remainder of the session. If necessary, the child's parent will be asked to collect the child as soon as possible.

Procedure for a major injury or serious illness

In the event of a child becoming seriously ill or suffering a major injury, the first aider present will decide whether the child needs to go straight to hospital or whether it is safe to wait for their parent or carer to arrive.

- If the child needs to go straight to hospital, we will call an ambulance and a member of staff will go to the hospital with the child. The staff member will take the child's **Medical Form** with them and will consent to any necessary treatment (as approved by the parents on the **Medical Form**).
- We will contact the child's parents or carers with all urgency, and if they are unavailable we will call the other emergency contacts that we have on file for the child.
- After a major incident the manager and staff will review the events and consider whether any changes need to be made to the Trust's policies or procedures.
- We will notify Ofsted and child protection agencies in the event of any serious accident or injury to a child in our care as soon as reasonably possible and within 14 days at the latest.
- We will notify HSE under RIDDOR in the case of a death or major injury on the premises (e.g. broken limb, amputation, dislocation, etc. see the HSE website for a full list of reportable injuries).

Communicable diseases and conditions

If a case of head lice is found, the child's parents or carers will be discreetly informed when they collect the child. Other parents will be warned to check their own children for head lice, but care will be taken not to identify the child affected.

If an infectious or communicable disease is detected on the Trust's premises, we will inform parents and carers as soon as possible.

If there is an incident of food poisoning affecting two or more children attending a Trust school, or Care Club, the Trust will inform Ofsted as soon as possible and within 14 days at the latest.

If there is an outbreak of a notifiable disease at the Trust, we will inform the local health protection unit, HSE under RIDDOR (if appropriate), and Ofsted.

<u>Useful contacts</u>

Health Protection Unit: 0344 225 3560 option 2

Ofsted: 0300 123 1231

RIDDOR Incident Contact Unit: 0845 300 99 23

Written in accordance with the Statutory Framework for the Early Years Foundation Stage (2014): Safeguarding and Welfare Requirements: Accident or injury [3.50-3.51] and Food and drink [3.49].

Minimum exclusion periods for infectious conditions and diseases

| Disease/Condition | Exclusion period |
|-------------------|--------------------------------------|
| Chicken Pox | 5 days from first appearance of rash |

| Cold Sores None. Avoid contact with sores Conjunctivitis 24 hours or until the discharge from eyes has stopped Diphtheria* Until certified well by doctor Diarrhoea and Vomiting 48 hours after symptoms cleared Glandular Fever Until fully recovered Gastro-enteritis, E. Coli, Food Poisoning, Salmonella and Dysentery Until certified well by doctor Hand, Foot and Mouth disease While rash and ulcers are present Hepatitis A* Until certified well Hepatitis B* and C* None Hilly AlDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Scabies 5 days from start | | |
|---|---------------------------------------|---|
| Diphtheria* Until certified well by doctor Diarrhoea and Vomiting 48 hours after symptoms cleared Glandular Fever Until fully recovered Gastro-enteritis, E. Coll, Food Poisoning, Salmonella and Dysentery Hand, Foot and Mouth disease While rash and ulcers are present Hepatitis A* Until certified well Hepatitis B* and C* None High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Putil treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from set of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Tonsillitis None Tuberculosis* Until certified well by doctor | Cold Sores | None. Avoid contact with sores |
| Diarrhoea and Vomiting 48 hours after symptoms cleared Glandular Fever Until fully recovered Gastro-enteritis, E. Coli, Food Poisoning, Salmonella and Dysentery Hand, Foot and Mouth disease While rash and ulcers are present Hepatitis A* Until certified well Hepatitis B* and C* None High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Putil treatment has been given Scalet (German Measles) 5 days from onset of rash Scales Until treatment has been given Scarlet fever* 5 days from sart of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor Until certified well by doctor | Conjunctivitis | 24 hours or until the discharge from eyes has stopped |
| Glandular Fever Gastro-enteritis, E. Coli, Food Poisoning, Salmonella and Dysentery Hand, Foot and Mouth disease While rash and ulcers are present Hepatitis A* Until certified well Hepatitis B* and C* None High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) antibiotic treatment Pollomyelitis Until certified well by doctor Ringworm of scalp Rubella* (German Measles) S days from onset of rash Carlet fever* 5 days from onset of rash Conce rash has stopped weeping Slapped Check, Fifth Disease None Tonsillitis None Tuberculosis* Until certified well by doctor | Diphtheria* | Until certified well by doctor |
| Gastro-enteritis, E. Coli, Food Poisoning, Salmonella and Dysentery Hand, Foot and Mouth disease While rash and ulcers are present Hepatitis A* Until certified well Hepatitis B* and C* None High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Until treatment has been given S days from onset of rash Until treatment has been given Until treatment has been given S days from onset of rash Until treatment has been given S days from onset of rash Concerash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Diarrhoea and Vomiting | 48 hours after symptoms cleared |
| Poisoning, Salmonella and Dysentery Hand, Foot and Mouth disease While rash and ulcers are present Hepatitis A* Until certified well Hepatitis B* and C* None High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from onset of frash Scabies Until treatment has been given Scarlet fever* 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from onset of rash Scaped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Glandular Fever | Until fully recovered |
| Hepatitis A* Until certified well Hepatitis B* and C* None High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from onset of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tuberculosis* Until certified well by doctor | | Until certified well by doctor |
| Hepatitis B* and C* High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from onset of rash Scales Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None | Hand, Foot and Mouth disease | While rash and ulcers are present |
| High temperature 24 hours HIV/AIDS None Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Hepatitis A* | Until certified well |
| Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from onset of rash Scalet fever* 5 days from onset of rash Scaped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Hepatitis B* and C* | None |
| Impetigo Until the skin has healed Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until cured Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | High temperature | 24 hours |
| Influenza Until recovered Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | HIV/AIDS | None |
| Measles* 5 days from onset of rash Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Impetigo | Until the skin has healed |
| Meningitis* Until recovered Molluscum Contagiosum None Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until cured Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Until certified well by doctor | Influenza | Until recovered |
| Molluscum Contagiosum Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until treatment has been given Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Measles* | 5 days from onset of rash |
| Mumps* 5 days from onset of swollen glands Pediculosis (lice) Until treatment has been given Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until cured Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Meningitis* | Until recovered |
| Pediculosis (lice) Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until cured Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tuberculosis* Until certified well by doctor | Molluscum Contagiosum | None |
| Pertussis* (Whooping cough) 21 days from the onset or 5 days from commencing antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until cured Ringworm of the body Until treatment has been given Scables Until treatment has been given Scabies Until treatment has been given Scarlet fever* 5 days from onset of rash Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Until certified well by doctor | Mumps* | 5 days from onset of swollen glands |
| antibiotic treatment Poliomyelitis Until certified well by doctor Ringworm of scalp Until cured Ringworm of the body Until treatment has been given Rubella* (German Measles) 5 days from onset of rash Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Pediculosis (lice) | Until treatment has been given |
| Ringworm of scalp Ringworm of the body Until treatment has been given Rubella* (German Measles) Scabies Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Pertussis* (Whooping cough) | |
| Ringworm of the body Rubella* (German Measles) Scabies Until treatment has been given Scarlet fever* 5 days from onset of rash Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Poliomyelitis | Until certified well by doctor |
| Rubella* (German Measles) 5 days from onset of rash Until treatment has been given 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Until certified well by doctor | Ringworm of scalp | Until cured |
| Scables Until treatment has been given Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Until certified well by doctor | Ringworm of the body | Until treatment has been given |
| Scarlet fever* 5 days from start of the treatment Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Rubella* (German Measles) | 5 days from onset of rash |
| Shingles Once rash has stopped weeping Slapped Check, Fifth Disease None Streptococcal infection of the throat Threadworms None Tonsillitis None Until certified well by doctor | Scabies | Until treatment has been given |
| Slapped Check, Fifth Disease Streptococcal infection of the throat Threadworms None Tonsillitis None Until certified well by doctor | Scarlet fever* | 5 days from start of the treatment |
| Streptococcal infection of the throat 3 days from the start of the treatment Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Shingles | Once rash has stopped weeping |
| Threadworms None Tonsillitis None Tuberculosis* Until certified well by doctor | Slapped Check, Fifth Disease | None |
| Tonsillitis None Tuberculosis* Until certified well by doctor | Streptococcal infection of the throat | 3 days from the start of the treatment |
| Tuberculosis* Until certified well by doctor | Threadworms | None |
| • | Tonsillitis | None |
| Typhoid*, Paratyphoid* Until certified well by doctor | Tuberculosis* | Until certified well by doctor |
| | Typhoid*, Paratyphoid* | Until certified well by doctor |

None. Verruca sufferers should keep feet covered

If in any doubt contact local health services for further information.

^{*} Denotes a notifiable disease.