

## Mathematics overview: Stage 6\*

Unit	Hours	KNOWLEDGE
<a href="#">Numbers and the number system</a>	6	<ul style="list-style-type: none"> <li>identify the value of each digit in numbers given to three decimal places and multiply and divide numbers by 10, 100 and 1000 giving answers up to three decimal places (ALSO 7*)</li> <li>read, write, order and compare numbers up to 10 000 000 and determine the value of each digit</li> </ul>
<a href="#">Calculating</a>	6	<ul style="list-style-type: none"> <li>use negative numbers in context, and calculate intervals across zero (including addition and subtraction of negative numbers)</li> <li>identify common factors, common multiples and prime numbers</li> </ul>
<a href="#">Calculating: division</a>	6	<ul style="list-style-type: none"> <li>use positive integer powers and associated real roots (square, cube and higher), recognise powers of 2,3,4,5 (ALSO 7* AND NEW)</li> <li>perform mental calculations, including with mixed operations and large numbers</li> </ul>
<a href="#">Visualising and constructing</a>	6	<ul style="list-style-type: none"> <li>solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why (also 7*)</li> <li>multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication</li> <li>solve problems involving addition, subtraction, multiplication and division (ALSO 7*)</li> <li>apply the four operations, including formal written methods, to integers and decimals. (NEW)</li> <li>use the symbols =, ≠, &lt;, &gt;, ≤, ≥ (ALSO 7*)</li> </ul>
<a href="#">Investigating properties of shapes</a>	9	<ul style="list-style-type: none"> <li>divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division; interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context</li> <li>use written division methods in cases where the answer has up to two decimal places</li> <li>use their knowledge of the order of operations to carry out calculations involving the four operations</li> <li>recognise, describe and build simple 3-D shapes, including making nets</li> <li>use conventional terms and notations: points, lines, vertices, edges, planes, parallel lines, perpendicular lines, right angles, polygons, regular polygons and polygons with reflection and/or rotation symmetries (ALSO 7*)</li> <li>use the standard conventions for labelling and referring to the sides and angles of triangles (ALSO 7*)</li> <li>compare and classify geometric shapes based on their properties and sizes and find unknown angles in any triangles, quadrilaterals, and regular polygons (ALSO 7*)</li> <li>draw 2-D shapes using given dimensions and angles (NEW)</li> <li>draw diagrams from written descriptions (NEW, ALSO 7*)</li> <li>illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius</li> <li>identify properties of the faces, surfaces, edges and vertices of: cubes, cuboids, prisms, cylinders, pyramids, cones and spheres</li> <li>understand and use the concepts and vocabulary of expressions, equations, formulae, terms and factors (ALSO 7*)</li> <li>use and interpret algebraic notation, including: <math>ab</math> in place of <math>a \times b</math>, <math>3y</math> in place of <math>y + y + y</math> and <math>3 \times y</math>, <math>a^2</math> in place of <math>a \times a</math>, <math>a^3</math> in place of <math>a \times a \times a</math>, <math>a/b</math> in place of <math>a \div b</math>, brackets (ALSO 7*)</li> <li>simplify and manipulate algebraic expressions by collecting like terms and multiplying a single term over a bracket (ALSO 7*)</li> <li>substitute numerical values into formulae and expressions</li> <li>use conventional notation for priority of operations, including brackets</li> <li>use common factors to simplify fractions; use common multiples to express fractions in the same denomination</li> <li>compare and order fractions, including fractions <math>&gt; 1</math></li> <li>associate a fraction with division and calculate decimal fraction equivalents [for example, 0.375] for a simple fraction [for example, 3/8] (ALSO 7*)</li> <li>recall and use equivalences between simple fractions, decimals and percentages, including in different contexts (ALSO 7*)</li> <li>solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts</li> <li>solve problems involving similar shapes where the scale factor is known or can be found</li> <li>solve problems involving unequal sharing and grouping using knowledge of fractions and multiples</li> <li>use ratio notation, including reduction to simplest form (ALSO 7*)</li> <li>divide a given quantity into two parts in a given part:part or part:whole ratio (ALSO 7*)</li> </ul>
<a href="#">Algebraic proficiency: tinkering</a>	9	
<a href="#">Exploring fractions, decimals and percentages</a>	9	
<a href="#">Proportional reasoning</a>	6	
<a href="#">Pattern sniffing</a>	3	
<a href="#">Measuring space</a>	3	
<a href="#">Investigating angles</a>	3	
<a href="#">Calculating fractions, decimals and percentages</a>	9	



<a href="#"><u>Solving equations and inequalities</u></a>	3	<ul style="list-style-type: none"> <li>generate and describe linear number sequences</li> <li>generate terms of a sequence from a term-to-term rule</li> <li>use, read, write and convert between standard units, converting measurements of length, mass, volume and time from a smaller unit of measure to a larger unit, and vice versa, using decimal notation to up to three decimal places (ALSO 7*)</li> </ul>
<a href="#"><u>Calculating space</u></a>	9	<ul style="list-style-type: none"> <li>convert between miles and kilometres (NEW, ALSO 7*)</li> <li>use standard units of mass, length, time, money and other measures using decimal quantities where appropriate (ALSO 7*)</li> </ul>
<a href="#"><u>Checking, approximating and estimating</u></a>	3	<ul style="list-style-type: none"> <li>recognise angles where they meet at a point, are on a straight line, or are vertically opposite, and find missing angles</li> <li>apply the properties of angles at a point, angles at a point on a straight line, vertically opposite angles (ALSO 7*)</li> <li>add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions (ALSO 7*)</li> <li>multiply simple pairs of proper fractions, writing the answer in its simplest form [for example, <math>1/4 \times 1/2 = 1/8</math>] (ALSO 7*)</li> <li>divide proper fractions by whole numbers [for example, <math>1/3 \div 2 = 1/6</math>] (also 7*)</li> <li>multiply one-digit numbers with up to two decimal places by whole numbers (ALSO 7*)</li> </ul>
<a href="#"><u>Mathematical movement</u></a>	3	<ul style="list-style-type: none"> <li>solve problems involving the calculation of percentages [for example, of measures, and such as 15% of 360] and the use of percentages for comparison</li> <li>enumerate possibilities of combinations of two variables</li> <li>express missing number problems algebraically</li> </ul>
<a href="#"><u>Presentation of data</u></a>	3	<ul style="list-style-type: none"> <li>find pairs of numbers that satisfy an equation with two unknowns</li> <li>recognise that shapes with the same areas can have different perimeters and vice versa</li> <li>calculate the area of parallelograms and triangles</li> </ul>
<a href="#"><u>Measuring data</u></a>	3	<ul style="list-style-type: none"> <li>calculate, estimate and compare volume of cubes and cuboids using standard units, including cubic centimetres (cm<sup>3</sup>) and cubic metres (m<sup>3</sup>), and extending to other units [for example, mm<sup>3</sup> and km<sup>3</sup>]</li> </ul>
<a href="#"><u>Understanding Risk 1</u></a>	3	<ul style="list-style-type: none"> <li>recognise when it is possible to use formulae for area and volume of shape</li> <li>solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate</li> <li>calculate perimeters of 2D shapes (ALSO 7*)</li> <li>calculate surface area of cuboids</li> <li>solve problems which require answers to be rounded to specified degrees of accuracy</li> <li>use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy</li> <li>round any whole number to a required degree of accuracy</li> <li>describe positions on the full coordinate grid (all four quadrants)</li> <li>work with co-ordinates in all four quadrants (NEW)</li> <li>draw and translate simple shapes on the coordinate plane, and reflect them in the axes</li> <li>solve geometric problems on coordinate axes</li> <li>describe translations as 2D vectors (ALSO 7*)</li> <li>interpret and construct pie charts and line graphs and use these to solve problems</li> <li>calculate and interpret the mean as an average</li> <li>interpret, analyse and compare the distributions of data sets from univariate empirical distributions through appropriate measures of central tendency (median, mean and mode) and spread (range) (ALSO 7*)</li> <li>Relate relative expected frequencies to theoretical probability, using appropriate language and the 0-1 probability scale (NEW)</li> <li>apply the property that the probabilities of an exhaustive set of outcomes sum to one</li> </ul>



<b>KNOWLEDGE</b>	<b>The Big Picture:</b> <a href="#">Number and Place Value progression map</a>
<ul style="list-style-type: none"> <li>• identify the value of each digit in numbers given to three decimal places and multiply and divide numbers by 10, 100 and 1000 giving answers up to three decimal places (ALSO 7*)</li> <li>• read, write, order and compare numbers up to 10 000 000 and determine the value of each digit</li> <li>• use negative numbers in context, and calculate intervals across zero (including addition and subtraction of negative numbers)</li> <li>• identify common factors, common multiples and prime numbers</li> <li>• use positive integer powers and associated real roots (square, cube and higher), recognise powers of 2,3,4,5 (ALSO 7* AND NEW)</li> </ul>	

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>• Understand place value in numbers with up to three decimal places</li> <li>• Multiply whole numbers by 10 (100, 1000)</li> <li>• Divide whole numbers by 10 (100, 1000) when the answer is a whole number</li> <li>• Multiply (divide) numbers with up to three decimal places by 10 (100, 1000)</li> <li>• Understand (order, write, read) place value in numbers with up to eight digits</li> <li>• Understand and use negative numbers when working with temperature</li> <li>• Understand and use negative numbers when working in other contexts</li> <li>• Know the meaning of a common multiple (factor) of two numbers</li> <li>• Identify common multiples (factors) of two numbers</li> </ul> <p>Know how to test if a number up to 120 is prime</p>	<p>KM: <a href="#">Maths to infinity: Directed numbers</a></p> <p>KM: Extend the idea of <a href="#">Eratosthenes' sieve</a> to a 12 by 12 grid</p> <p>KM: <a href="#">Exploring primes activities</a>: Artistic Eratosthenes sieve</p> <p>KM: Use <a href="#">Powers of ten</a> to demonstrate connections.</p> <p>NRICH: <a href="#">Factor-multiple chains</a></p> <p>NRICH: <a href="#">The Moons of Vuvv</a></p> <p>NRICH: <a href="#">Round and round the circle</a></p> <p>NRICH: <a href="#">Counting cogs</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Understand and use place value in numbers with up to seven digits</li> <li>• Multiply and divide whole numbers by 10, 100, 1000</li> <li>• Multiply and divide numbers with one decimal place by 10, 100, 1000</li> <li>• Know the meaning of 'factor' and 'multiple' and 'prime'</li> </ul> <p><b>Bring on the Maths*: Moving on up!</b>                      Number and Place Value: v1                      Solving problems: v3</p>	Place value Digit Negative number (Common) multiple (Common) factor Divisible Prime number, Composite number	Zero is neither positive nor negative. When multiplying and dividing by powers of ten, the decimal point is fixed and it is the digits that move. Ensure that pupils can deal with large numbers that include zeros in the HTh and/or H column (e.g. 43 006 619) NCETM: <a href="#">Glossary</a>  <b>Common approaches</b> <i>The following definition of a prime number should be used in order to minimise confusion about 1: A prime number is a number with exactly two factors.</i> Every classroom has a set of <a href="#">number classification posters</a> , a place chart and a <a href="#">negative number washing line</a> on the wall.
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Convince me that 109 is a prime number</li> <li>• Jenny writes <math>2.54 \times 10 = 25.4</math>. Kenny writes <math>2.54 \times 10 = 25.40</math>. Who do you agree with? Explain why.</li> <li>• Look at this number (24 054 028). Show me another number (with 4, 5, 6, 7 digits) that includes a 5 with the same value. And another. And another ...</li> </ul>		<ul style="list-style-type: none"> <li>• Some pupils can confuse the language of large (and small) numbers since the prefix 'milli-' means 'one thousandth' (meaning that there are 1000 millimetres in a metre for example) while one million is actually a thousand thousand.</li> <li>• Some pupils may not realise that degrees (°) and degrees Celsius (°C) are two different and distinct units of measurement</li> <li>• Some pupils may think that 1 is a prime number</li> </ul>



## KNOWLEDGE

The Big Picture: [Calculation progression map](#)

- perform mental calculations, including with mixed operations and large numbers
- solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why (also 7\*)
- multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication
- solve problems involving addition, subtraction, multiplication and division (ALSO 7\*)
- apply the four operations, including formal written methods, to integers and decimals. (NEW)
- use the symbols =, ≠, <, >, ≤, ≥ (ALSO 7\*)

SKILLS	Suggested resources	
<ul style="list-style-type: none"> <li>• Combine addition and subtraction when multiplying mentally</li> <li>• Multiply a two-digit number by a single-digit number mentally</li> <li>• Add a three-digit number to a two-digit number mentally (when bridging of hundreds is required)</li> <li>• Multiply a four-digit number by a two-digit number using long multiplication</li> <li>• Identify when addition, subtraction or multiplication is needed as part of solving multi-step problems</li> <li>• Explain why addition or subtraction is needed at any point when solving multi-step problems</li> <li>• Solve multi-step problems involving addition, subtraction and/or multiplication</li> <li>• Know that addition and subtraction have equal priority</li> <li>• Know that multiplication and division have equal priority</li> </ul> Know that multiplication and division take priority over addition and subtraction	KM: <a href="#">Long multiplication template</a> KM: <a href="#">Maximise, minimise</a> . Adapt ideas to fit learning intentions. KM: <a href="#">Maths to Infinity: Complements</a> KM: <a href="#">Maths to Infinity: Multiplying and dividing</a> NRICH: <a href="#">Become Maths detectives</a> NRICH: <a href="#">Exploring number patterns you make</a> NRICH: <a href="#">Reach 100</a>  <b>Learning review</b> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>	
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Recall multiplication facts for multiplication tables up to <math>12 \times 12</math></li> <li>• Recall division facts for multiplication tables up to <math>12 \times 12</math></li> <li>• Understand the commutativity of multiplication and addition</li> <li>• Multiply a three-digit number by a two-digit number using short multiplication</li> <li>• Use column addition and subtraction for numbers with more than four digits</li> </ul> <b>Bring on the Maths+: Moving on up!</b> Calculating: v1 Solving problems: v1	Addition Subtraction Sum, Total Difference, Minus, Less Column addition Column subtraction Operation Multiply, Multiplication, Times, Product Commutative Factor Short multiplication Long multiplication Estimate	The grid method is promoted as a method that aids numerical understanding and later progresses to multiplying algebraic statements. Use a basic and a scientific calculator to work out $2 + 3 \times 5$ . Why are the answers different? KM: <a href="#">Calculation overview</a> NCETM: <a href="#">The Bar Model I</a> : addition and subtraction NCETM: <a href="#">The Bar Model II</a> : multiplication and division NCETM: <a href="#">Subtraction</a> and <a href="#">multiplication</a> NCETM: <a href="#">Multiplicative reasoning</a> NCETM: <a href="#">Glossary</a>  <b>Common approaches</b> <i>To avoid confusion with language, all teachers use 'sum' to refer only to the result of an addition. Teachers say 'complete these calculations' instead of 'complete these sums'</i> <i>Long multiplication is promoted as the 'most efficient method'.</i> <i>If any acronym is promoted to help remember the order of operations, then BIDMAS is used to strengthen progression as the I stands for indices.</i>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Find missing digits in otherwise completed long multiplication calculations</li> <li>• Convince me that <math>2472 \times 12 = 29664</math></li> <li>• Why have you chosen to add (subtract, multiply)?</li> </ul>		<ul style="list-style-type: none"> <li>• Some pupils may write statements such as <math>140 - 190 = 50</math></li> <li>• When subtracting mentally some pupils may deal with columns separately and not combine correctly; e.g. <math>180 - 24</math>: <math>180 - 20 = 160</math>. Taking away 4 will leave 6. So the answer is 166.</li> <li>• The use of BIDMAS (or BODMAS) can imply that division takes priority over multiplication, and that addition takes priority over subtraction. This can result in incorrect calculations.</li> </ul>



<b>KNOWLEDGE</b>	<b>The Big Picture:</b> <a href="#">Calculation progression map</a>
<ul style="list-style-type: none"> <li>divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division; interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context</li> <li>use written division methods in cases where the answer has up to two decimal places</li> <li>use their knowledge of the order of operations to carry out calculations involving the four operations</li> </ul>	

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>Use short division to divide a four-digit number by a one-digit number</li> <li>Use short division to divide a three- (or four-) digit number by a two-digit number</li> <li>Understand the method of long division</li> <li>Use long division to find the remainder at each step of the division</li> <li>Know how to write, and use, the remainder at each step of the division</li> <li>Use long division to divide a three- (or four-) digit number by a two-digit number</li> <li>Write the remainder to a division problem as a remainder</li> <li>Write the remainder to a division problem as a fraction</li> <li>Extend beyond the decimal point to write the remainder as a decimal</li> <li>Identify when division is needed to solve a problem</li> <li>Extract the correct information from a problem and set up a written division calculation</li> </ul> <p>Interpret a remainder when carrying out division</p>	<p>KM: <a href="#">Dividing (lots)</a>                  KM: <a href="#">Maths to Infinity: Multiplying and dividing</a>                  KM: <a href="#">Interactive long division</a>                  NRICH: <a href="#">Interactive division</a>                  NRICH <a href="#">Dicey Operations</a>. Game 6.</p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li><a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>Use knowledge of multiplication tables when dividing</li> <li>Know how to use short division</li> </ul>	<p>Commutative                  Divide, Division, Divisible                  Divisor, Dividend, Quotient, Remainder                  Factor                  Short division                  Long division                  Remainder                  Operation                  Estimate</p> <p><b>Notation</b>                  Remainders are often abbreviated to 'r' or 'rem'</p>	<p>Long division is a method of division that formalises how to find a remainder at each step. Short division is a compact method that uses pupils' abilities to find this remainder without the need for a formal written method.</p> <p>An alternative to both these methods is 'Galley division'.                  KM: <a href="#">Calculation overview</a>                  NCETM: <a href="#">The Bar Model</a>                  NCETM: <a href="#">Division</a>                  NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b>  <i>The use of long multiplication is promoted as the 'most efficient method'.                  Short division is promoted as the 'most efficient method'.                  When dealing with remainders in division problems, use the notation 'r'</i></p>

Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>Find missing digits in otherwise completed long / short division calculations</li> <li>Show me a calculation that is connected to <math>147 \times 26 = 3822</math>. And another, and another ...</li> <li>Show me a division calculation that has no remainder. Now show me a division by a two-digit number that has no remainder. And now, a four-digit number divided by a two-digit number that has no remainder. And now, with a remainder of 3 ...</li> </ul>		<ul style="list-style-type: none"> <li>Some pupils may write statements such as <math>12 \div 132 = 11</math></li> <li>Formal written methods of addition, subtraction and multiplication work from right to left. Formal division works from left to right.</li> <li>When using short division many pupils will at first struggle to deal correctly with any division where the divisor is greater than the first digit of the dividend; for example:</li> </ul> <div style="text-align: center;"> <math display="block">\begin{array}{r} 0 \quad 10 \quad 7 \quad r5 \\ 8 \overline{) 3 \quad 6 \quad 1} \end{array}</math> </div> <p><math>3 \div 8 = 0</math> remainder 3, and so the 3 should be moved across. Instead, the 8 has been 'moved across' and therefore everything that follows has been correctly carried out based on an early misunderstanding.</p>



<b>KNOWLEDGE</b>	The Big Picture: <a href="#">Properties of Shape progression map</a>
<ul style="list-style-type: none"> <li>recognise, describe and build simple 3-D shapes, including making nets</li> <li>use conventional terms and notations: points, lines, vertices, edges, planes, parallel lines, perpendicular lines, right angles, polygons, regular polygons and polygons with reflection and/or rotation symmetries (ALSO 7*)</li> <li>use the standard conventions for labelling and referring to the sides and angles of triangles (ALSO 7*)</li> </ul>	

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>Use a protractor to measure and draw angles up to 180°</li> <li>Use a protractor to measure and construct reflex angles</li> <li>Use a ruler to draw lines to the nearest millimetre</li> <li>Use squared paper to guide construction of 2D shapes</li> <li>Complete tessellations of given shapes</li> <li>Know the names of common 3D shapes</li> <li>Use mathematical language to describe 3D shapes</li> <li>Construct 3D shapes from given nets</li> <li>Draw accurate nets for common 3D shapes</li> <li>Find all the nets for a cube</li> </ul> <p>Use a net to visualise the edges (vertices) that will meet when folded</p>	<p>KM: <a href="#">Visualising 3D shapes</a>                  KM: <a href="#">Tessellating Tess</a>                  KM: <a href="#">Fibonacci's disappearing squares</a>                  KM: <a href="#">Unravelling dice</a>                  NRICH: <a href="#">Making spirals</a>                  NRICH: <a href="#">Cut nets</a>                  NRICH: <a href="#">Making cuboids</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li><a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>Know the names of common 2D shapes</li> <li>Know the names of common 3D shapes</li> <li>Use a protractor to measure and draw angles</li> </ul>	<p>Protractor                  Measure                  Nearest                  Construct                  Sketch                  Cube, Cuboid, Cylinder, Pyramid, Prism                  Net                  Edge, Face, Vertex (Vertices)                  Visualise</p> <p><b>Notation</b>                  Dash notation to represent equal lengths in shapes and geometric diagrams                  Right angle notation</p>	<p>A prism must have a polygonal cross-section, and therefore a cylinder is not a prism. Similarly, a cone is not a pyramid.                  A cube is a special case of a cuboid, and a cuboid is a special case of a prism.                  Many pupils struggle to sketch 3D shapes. A good strategy for any type of prism is to draw the cross-section (using squares for guidance), and then draw a second identical shape offset from the first. The matching corners can then be joined with straight lines. Some dotted lines (or rubbing out of lines) will be required.                  NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b>  <i>Every classroom has a set of <a href="#">3D shape posters</a> on the wall                  Models of 3D shapes to be used by all students during this unit of work                  All pupils to use 'Polydron' to explore nets of 3D shapes during this unit of work</i></p>

Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>Show me an example of a net of a cube. And another. And another ...</li> <li>What is wrong with this attempt at a net of a cuboid? How can it be changed?</li> </ul> <div style="text-align: center;"> </div> <ul style="list-style-type: none"> <li>How many different ways are there to <a href="#">complete these nets</a>?</li> </ul>		<ul style="list-style-type: none"> <li>Some pupils will read the wrong way round the scale on a typical semi-circular protractor, therefore using 180° - required angle</li> <li>Some pupils may measure from the end of a ruler, rather than the start of the measuring scale</li> <li>Some pupils may think that several repeats of a shape in any pattern constitutes a tessellation</li> <li>When given a net of a 3D shape some pupils may think that the number of vertices of the 3D shape is found by counting the number of 'corners' on the net</li> </ul>



<b>KNOWLEDGE</b>	The Big Picture: <a href="#">Properties of Shape progression map</a>
<ul style="list-style-type: none"> <li>compare and classify geometric shapes based on their properties and sizes and find unknown angles in any triangles, quadrilaterals, and regular polygons (ALSO 7*)</li> <li>draw 2-D shapes using given dimensions and angles (NEW)</li> <li>draw diagrams from written descriptions (NEW, ALSO 7*)</li> <li>illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius</li> <li>identify properties of the faces, surfaces, edges and vertices of: cubes, cuboids, prisms, cylinders, pyramids, cones and spheres</li> </ul>	

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>Know the definitions of special triangles</li> <li>Know the definitions of special quadrilaterals</li> <li>Classify 2D shapes using given categories; e.g. number of sides, symmetry</li> <li>Know the angle sum of a triangle</li> <li>Know the angle sum of a quadrilateral</li> <li>Know how to find the angle sum of any polygon</li> <li>Use the angle sum of a triangle to find missing angles</li> <li>Find the missing angle in an isosceles triangle when only one angle is known</li> <li>Use the angle sum of a quadrilateral to find missing angles</li> <li>Know how to find the size of one angle in any regular polygon</li> </ul>	<p>KM: <a href="#">Shape work</a>: Many of the activities are suitable for this unit.</p> <p>KM: <a href="#">Dotty activities</a></p> <p>KM: <a href="#">Investigating polygons</a>. Tasks one and two.</p> <p>KM: <a href="#">Special polygons</a></p> <p>NRICH: <a href="#">Where Are They?</a></p> <p>NRICH: <a href="#">Round a Hexagon</a></p> <p>NRICH: <a href="#">Quadrilaterals</a></p> <p>KM: <a href="#">6 point circles</a>, <a href="#">8 point circles</a> and <a href="#">12 point circles</a> can be used to support and extend the above idea</p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li><a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>Know the properties of rectangles</li> <li>Know the difference between a regular and an irregular polygon</li> <li>Add and subtract numbers up to three digits</li> </ul>	<p>Quadrilateral, Square, Rectangle, Parallelogram, (Isosceles) Trapezium, Kite, Rhombus, Delta, Arrowhead</p> <p>Triangle, Scalene, Right-angled, Isosceles, Equilateral</p> <p>Polygon, Regular, Irregular</p> <p>Pentagon, Hexagon, Octagon, Decagon, Dodecagon</p> <p>Circle, Radius, Diameter, Circumference, Centre</p> <p>Parallel</p> <p>Diagonal</p> <p>Angle</p> <p><b>Notation</b></p> <p>Dash notation to represent equal lengths in shapes and geometric diagrams</p> <p>Right angle notation</p>	<p>Ensure that pupils do not use the word 'diamond' to describe a kite, or a square that is 45° to the horizontal. 'Diamond' is not the mathematical name of any shape.</p> <p>A square is a special case of a rectangle. An oblong is a rectangle that is not a square.</p> <p>A rhombus is a special case of a parallelogram.</p> <p>All polygons up to 20 sides have names, although many have alternatives based on either Latin or Greek.</p> <p>Splitting any polygon into triangles (by drawing all diagonals from one vertex) will allow pupils to find the angle sum of the polygon.</p> <p>NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b></p> <p><i>All teachers refer to a 'delta' instead of an 'arrowhead'</i></p> <p><i>Every classroom has a set of <a href="#">triangle posters</a> and <a href="#">quadrilateral posters</a> on the wall</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>Convince me that a rhombus is a parallelogram</li> <li>Jenny writes that 'Diameter = 2 × Radius'. Kenny writes that 'Radius = 2 × Diameter'. Who is correct?</li> <li>What is the same and what is different: a square and a rectangle?</li> </ul>		<ul style="list-style-type: none"> <li>Some pupils may think that a 'regular' polygon is a 'normal' polygon</li> <li>Some pupils may think that all polygons have to be regular</li> <li>Some pupils may think that a square is only square if 'horizontal', and even that a 'non-horizontal' square is called a diamond</li> <li>The equal angles of an isosceles triangle are not always the 'base angles' as some pupils may think</li> </ul>



<b>KNOWLEDGE</b>	<b>The Big Picture:</b> <a href="#">Algebra progression map</a>
<ul style="list-style-type: none"> <li>understand and use the concepts and vocabulary of expressions, equations, formulae, terms and factors (ALSO 7*)</li> <li>use and interpret algebraic notation, including: <math>ab</math> in place of <math>a \times b</math>, <math>3y</math> in place of <math>y + y + y</math> and <math>3 \times y</math>, <math>a^2</math> in place of <math>a \times a</math>, <math>a^3</math> in place of <math>a \times a \times a</math>, <math>a/b</math> in place of <math>a \div b</math>, brackets (ALSO 7*)</li> <li>simplify and manipulate algebraic expressions by collecting like terms and multiplying a single term over a bracket (ALSO 7*)</li> <li>substitute numerical values into formulae and expressions</li> <li>use conventional notation for priority of operations, including brackets</li> </ul>	

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>Know the meaning of expression, term, formula, equation, function</li> <li>Know basic algebraic notation (the rules of algebra)</li> <li>Use letters to represent variables</li> <li>Identify like terms in an expression</li> <li>Simplify an expression by collecting like terms</li> <li>Know how to multiply a (positive) single term over a bracket (the distributive law)</li> <li>Substitute positive numbers into expressions and formulae</li> <li>Given a function, establish outputs from given inputs</li> <li>Given a function, establish inputs from given outputs</li> <li>Use a mapping diagram (function machine) to represent a function</li> <li>Use an expression to represent a function</li> <li>Use the order of operations correctly in algebraic situations</li> </ul>	<p>KM: <a href="#">Pairs in squares</a>. Prove the results algebraically.</p> <p>KM: <a href="#">Algebra ordering cards</a></p> <p>KM: <a href="#">Spiders and snakes</a>. See the 'clouding the picture' approach</p> <p>KM: Use <a href="#">number patterns</a> to develop the multiplying out of brackets</p> <p>KM: <a href="#">Maths to Infinity: Brackets</a></p> <p>NRICH: <a href="#">Your number is ...</a></p> <p>NRICH: <a href="#">Crossed ends</a></p> <p>NRICH: <a href="#">Number pyramids</a> and <a href="#">More number pyramids</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li><a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>Use symbols (including letters) to represent missing numbers</li> <li>Substitute numbers into worded formulae</li> <li>Substitute numbers into simple algebraic formulae</li> <li>Know the order of operations</li> </ul> <p><b>Bring on the Maths+: Moving on up!</b> Algebra: v1</p>	<p><b>Algebra</b></p> <p>Expression, Term, Formula (formulae), Equation, Function, Variable</p> <p>Mapping diagram, Input, Output</p> <p>Represent</p> <p>Substitute</p> <p>Evaluate</p> <p>Like terms</p> <p>Simplify / Collect</p> <p><b>Notation</b></p> <p>See key concepts above</p>	<p>Pupils will have experienced some algebraic ideas previously. Ensure that there is clarity about the distinction between representing a variable and representing an unknown.</p> <p>Note that each of the statements <math>4x</math>, <math>42</math> and <math>4\frac{1}{2}</math> involves a different operation after the 4, and this can cause problems for some pupils when working with algebra.</p> <p>NCETM: <a href="#">Algebra</a></p> <p>NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b></p> <p><i>All pupils are expected to learn about the connection between mapping diagrams and formulae (to represent functions) in preparation for future representations of functions graphically.</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>Show me an example of an expression / formula / equation</li> <li>Always / Sometimes / Never: <math>4(g+2) = 4g+8</math>, <math>3(d+1) = 3d+1</math>, <math>a^2 = 2a</math>, <math>ab = ba</math></li> <li><a href="#">What is wrong?</a></li> <li>Jenny writes <math>2a + 3b + 5a - b = 7a + 3</math>. Kenny writes <math>2a + 3b + 5a - b = 9ab</math>. What would you write? Why?</li> </ul>		<ul style="list-style-type: none"> <li>Some pupils may think that it is always true that <math>a=1</math>, <math>b=2</math>, <math>c=3</math>, etc.</li> <li>A common misconception is to believe that <math>a^2 = a \times 2 = a2</math> or <math>2a</math> (which it can do on rare occasions but is not the case in general)</li> <li>When working with an expression such as <math>5a</math>, some pupils may think that if <math>a=2</math>, then <math>5a = 52</math>.</li> <li>Some pupils may think that <math>3(g+4) = 3g+4</math></li> <li>The convention of not writing a coefficient of 1 (i.e. '1x' is written as 'x' may cause some confusion. In particular some pupils may think that <math>5h - h = 5</math></li> </ul>





<b>KNOWLEDGE</b>	<b>The Big Picture:</b> <a href="#">Fractions, decimals and percentages progression map</a>
<ul style="list-style-type: none"> <li>• use common factors to simplify fractions; use common multiples to express fractions in the same denomination</li> <li>• compare and order fractions, including fractions <math>&gt; 1</math></li> <li>• associate a fraction with division and calculate decimal fraction equivalents [for example, 0.375] for a simple fraction [for example, <math>\frac{3}{8}</math>] (ALSO 7*)</li> <li>• recall and use equivalences between simple fractions, decimals and percentages, including in different contexts (ALSO 7*)</li> </ul>	

SKILLS	Suggested resources	
<ul style="list-style-type: none"> <li>• Understand that two fractions can be equivalent</li> <li>• Identify a common factor of two numbers</li> <li>• Simplify a fraction</li> <li>• Write a fraction in its lowest terms</li> <li>• Confirm that a fraction is written in its lowest terms</li> <li>• Compare two fractions by considering diagrams</li> <li>• Compare two fractions by considering equivalent fractions</li> <li>• Compare two top-heavy fractions</li> <li>• Understand that a fraction is also a way of representing a division</li> <li>• Know standard fraction / decimal equivalences (e.g. <math>\frac{1}{2} = 0.5</math>, <math>\frac{1}{4} = 0.25</math>, <math>\frac{1}{10} = 0.1</math>)</li> <li>• Work out the decimal equivalents of fifths, eighths and tenths (without using a calculator)</li> <li>• Work out the decimal equivalents of fifths, eighths and tenths and other fractions (using a calculator)</li> <li>• Know standard fraction / decimal / percentage equivalences (e.g. 10%, 25%, 50%, 75%)</li> <li>• Work out the percentage equivalents of fifths, eighths and tenths</li> </ul> <p>Use the equivalence between fractions, decimals and percentages when solving problems</p>	<p>KM: <a href="#">Fraction action</a>            KM: <a href="#">FDP conversion</a>            KM: <a href="#">Carpets</a>            KM: <a href="#">Fraction and decimal tables</a>            NRICH: <a href="#">Matching fractions</a>            NRICH: <a href="#">Fractions made faster</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>	
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Understand the concept of a fraction as a proportion</li> <li>• Understand the concept of equivalent fractions</li> <li>• Understand the concept of fractions, decimals and percentages being equivalent</li> <li>• Know that a percentage means 'out of 100'</li> </ul>	Fraction Improper fraction, Proper fraction, Vulgar fraction, Top-heavy fraction Percentage Decimal Proportion Simplify Equivalent Lowest terms  <b>Notation</b> Diagonal fraction bar / horizontal fraction bar	<p>Use language carefully to avoid later confusion: when simplifying fractions, the language 'divide by 4' should not be used in place of 'divide the top and bottom by 4'. A fraction can be divided by 4, but that is not the same as cancelling a common factor of the numerator and denominator by dividing them by 4.</p> <p>NRICH: <a href="#">Teaching fractions with understanding</a>            NCETM: <a href="#">Teaching fractions</a>            NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b>  <i>All pupils are made aware that 'per cent' is derived from Latin and means 'out of one hundred'</i>  <i>Teachers use the horizontal fraction bar notation at all times</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Show me another fraction that is equivalent to this one. And another. And another ...</li> <li>• Convince me that <math>\frac{3}{8} = 0.375</math></li> <li>• If you know that <math>\frac{1}{10} = 0.1 = 10\%</math>, what else can you work out?</li> <li>• Jenny is simplifying fractions. She has the fraction <math>\frac{16}{64}</math>. Jenny says, 'if I cancel out the sixes then <math>\frac{16}{64} = \frac{1}{4}</math>'. Do you agree with Jenny? Why?</li> </ul>		<ul style="list-style-type: none"> <li>• A fraction can be visualised as divisions of a shape (especially a circle) but some pupils may not recognise that these divisions must be equal in size, or that they can be divisions of any shape.</li> <li>• Pupils may not make the connection that a percentage is a different way of describing a proportion</li> <li>• Some pupils may think that simplifying a fraction just requires searching for, and removing, a factor of 2 (repeatedly)</li> </ul>



**KNOWLDGE**

- solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts
- solve problems involving similar shapes where the scale factor is known or can be found
- solve problems involving unequal sharing and grouping using knowledge of fractions and multiples
- use ratio notation, including reduction to simplest form (ALSO 7\*)
- divide a given quantity into two parts in a given part:part or part:whole ratio (ALSO 7\*)

[Return to overview](#)

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>• Identify when a comparison problem can be solved using multiplication</li> <li>• Identify when a comparison problem can be solved using division</li> <li>• Identify when a comparison problem requires both division and multiplication</li> <li>• Find the value of a single item in a comparison problem</li> <li>• Use the value of a single item to solve a comparison problem</li> <li>• Use knowledge of fractions to solve a sharing (or grouping) problem</li> <li>• Use knowledge of multiples to solve a sharing (or grouping) problem</li> <li>• Understand the meaning of enlargement</li> <li>• Understand the meaning of scale factor</li> <li>• Recognise when one shape is an enlargement of another</li> <li>• Use a scale factor to complete an enlargement</li> <li>• Find the scale factor for a given enlargement</li> </ul>	<p>NRICH: <a href="#">Orange Drink</a></p> <p>NRICH: <a href="#">Pumpkin Pie Problem</a></p> <p>NRICH: <a href="#">Jumping</a></p> <p>NCETM: <a href="#">Activity Set A</a></p> <p>NCETM: <a href="#">Activity Set B</a></p> <p>NCETM: <a href="#">Activity Set C</a></p> <p>NCETM: <a href="#">Activity Set D</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Recall multiplication facts for multiplication tables up to <math>12 \times 12</math></li> <li>• Recall division facts for multiplication tables up to <math>12 \times 12</math></li> <li>• Find fractions of an amount</li> <li>• Find multiples of a given number</li> </ul>	Proportion Quantity Integer Similar (shapes) Enlargement Scale factor Group Share Multiples	Any work on enlargement should only include enlargements using a scale factor. The concept of a centre of enlargement is a future development. NCETM: <a href="#">The Bar Model</a> NCETM: <a href="#">Multiplicative reasoning</a> NCETM: <a href="#">Glossary</a>  <b>Common approaches</b> <i>All pupils are explicitly taught to use the bar model as a way to represent a problem involving proportional reasoning</i>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• (Given a recipe for 4 people) show me an amount of food that is needed for 8 people, 6 people, 9 people. Show me an amount of food that is needed for a number of people of your choice. And another. And another ...</li> <li>• Convince me that the second shape is an enlargement of the first shape</li> <li>• Kenny has no sweets. Jenny gives <math>\frac{1}{3}</math> of her sweets to Kenny. Kenny now has 18 sweets. Kenny thinks that Jenny had 54 sweets to start with. Kenny is wrong. Explain why.</li> </ul> <p>NCETM: <a href="#">Ratio and Proportion Reasoning</a></p>		<ul style="list-style-type: none"> <li>• Many pupils will want to identify an additive relationship between two quantities that are in proportion and apply this to other quantities in order to find missing amounts</li> <li>• When finding a fraction of an amount some pupils may try to use a rule formed without the necessary understanding. As a result they will muddle the operations, dividing by the numerator and multiplying by the denominator.</li> <li>• When constructing an enlargement some pupils may only apply the scale factor in one dimension; for example, 'enlarging' a 2 by 4 rectangle by a scale factor of 2 and drawing a 2 by 8 rectangle.</li> </ul>



<b>KNOWLDGE</b>	<b>The Big Picture:</b> <a href="#">Algebra progression map</a>
<ul style="list-style-type: none"> <li>generate and describe linear number sequences</li> <li>generate terms of a sequence from a term-to-term rule</li> </ul>	

[Return to overview](#)

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>Use the vocabulary of sequences</li> <li>Recognise a linear sequence</li> <li>Describe a number sequence</li> <li>Find the next term in a linear sequence</li> <li>Find a missing term in a linear sequence</li> </ul> <p>Generate a linear sequence from its description (Introduce the nth term)</p>	<p>KM: <a href="#">Maths to Infinity: Sequences</a></p> <p>NRICH: <a href="#">Times Tables Shifts</a></p> <p>NRICH: <a href="#">Domino Sets</a></p> <p>NCETM: <a href="#">Activity B: Sticky Triangles</a></p> <p>NCETM: <a href="#">Activity D: Generating Sequences</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li><a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>Count forwards and backwards in tens (hundreds, thousands) from any positive number up to 10 000 (100 000, 1 000 000)</li> <li>Count forwards and backwards through zero</li> </ul>	<p>Pattern</p> <p>Sequence</p> <p>Linear</p> <p>Term</p> <p>Ascending</p> <p>Descending</p>	<p>Pupils have counted forwards and backwards in previous years and units, but this is the first time that the concept of sequences appears specifically.</p> <p>The language 'term-to-term rule' should not be introduced until Stage 7.</p> <p>NCETM: <a href="#">Algebra</a></p> <p>NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b></p> <p><i>Teachers and pupils refer to numbers less than zero as 'negative' numbers and not 'minus' numbers</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>Show me a (ascending/descending) linear sequence. And another. And another.</li> <li>Kenny thinks that 2, 4, 8, 16, ... is a linear example. Do you agree? Explain your answer.</li> <li>Create a linear sequence with a 3<sup>rd</sup> term of '8'.</li> <li>Show me a linear sequence where the rule to get from one term to the next is 'add 3'. And another. And another.</li> </ul> <p>NCETM: <a href="#">Algebra Reasoning</a></p>		<ul style="list-style-type: none"> <li>Some pupils may think linear sequences are only ascending.</li> <li>Some pupils may think that any sequence that can be described by a rule to get from one term to the next is a linear sequence, e.g. 2, 4, 8, 16, ...</li> <li>Some pupils may not appreciate that both a starting number and a rule to find the next term are required in order to describe a sequence in full.</li> </ul>



<b>KNOWLEDGE</b>	<b>The Big Picture:</b> <a href="#">Measurement and mensuration progression map</a>
<ul style="list-style-type: none"> <li>• use, read, write and convert between standard units, converting measurements of length, mass, volume and time from a smaller unit of measure to a larger unit, and vice versa, using decimal notation to up to three decimal places (ALSO 7*)</li> <li>• convert between miles and kilometres (NEW, ALSO 7*)</li> <li>• use standard units of mass, length, time, money and other measures using decimal quantities where appropriate (ALSO 7*)</li> </ul>	

[Return to overview](#)

SKILLS	Suggested resources	
<ul style="list-style-type: none"> <li>• Convert between non-adjacent metric units; e.g. kilometres and centimetres</li> <li>• Use decimal notation up to three decimal places when converting metric units</li> <li>• Convert between Imperial units; e.g. feet and inches, pounds and ounces, pints and gallons</li> <li>• Solve problems involving converting between measures</li> </ul> <p>State conclusions using the correct notation and units</p>	<p>KM: <a href="#">Weighing up the options</a>                      NRICH: <a href="#">Place Your Orders</a>                      NRICH: <a href="#">Thousands and Millions</a>                      NCETM: <a href="#">Activity E : A little bit of history - Marco Polo</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>	
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Convert between adjacent metric units of length, mass and capacity</li> <li>• Know rough equivalents between inches and cm, feet and cm, kg and lb, pint and ml</li> <li>• Use decimal notation to two decimal places when converting between metric unit</li> </ul>	<p>Length, distance                      Mass, weight                      Volume                      Capacity                      Metre, centimetre, millimetre                      Tonne, kilogram, gram, milligram                      Litre, millilitre                      Hour, minute, second                      Inch, foot, yard                      Pound, ounce                      Pint, gallon</p> <p><b>Notation</b>                      Abbreviations of units in the metric system: m, cm, mm, kg, g, l, ml                      Abbreviations of units in the Imperial system: lb, oz</p>	<p>Weight and mass are distinct though they are often confused in everyday language. Weight is the force due to gravity, and is calculated as mass multiplied by the acceleration due to gravity. Therefore weight varies due to location while mass is a constant measurement. The prefix 'centi-' means one hundredth, and the prefix 'milli-' means one thousandth. These words are of Latin origin. The prefix 'kilo-' means one thousand. This is Greek in origin. Conversion of volumes will be covered in the 'calculating space' unit. NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b>  <i>Every classroom has a sack of sand (25 kg), a bag of sugar (1 kg), a cheque book (1 cheque is 1 gram), a bottle of water (1 litre, and also 1 kg of water) and a teaspoon (5 ml)</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Show me a metric (imperial) unit of measure. And another. And another.</li> <li>• Kenny thinks that 2.5km = 25 000 cm. Do you agree with Kenny? Explain your answer.</li> <li>• Convince me that 4.25kg does not equal 425g.</li> </ul> <p>NCETM: <a href="#">Measurement Reasoning</a></p>		<ul style="list-style-type: none"> <li>• Some pupils may apply an incorrect understanding that there are 100 minutes in a hour when solving problems</li> <li>• Some pupils may struggle when converting between 12- and 24-hour clock notation; e.g. thinking that 15:00 is 5 o' clock</li> <li>• Some pupils may apply incorrect beliefs about place value, such as <math>2.3 \times 10 = 2.30</math>.</li> <li>• Many conversions within the metric system rely on multiplying and dividing by 1000. The use of centimetres as an 'extra unit' within the system breaks this pattern. Consequently there is a frequent need to multiply and divide by 10 or 100, and this can cause confusion about the connections that need to be applied.</li> </ul>





**KNOWLEDGE**

The Big Picture: [Position and direction progression map](#)

- recognise angles where they meet at a point, are on a straight line, or are vertically opposite, and find missing angles
- apply the properties of angles at a point, angles at a point on a straight line, vertically opposite angles (ALSO 7\*)

[Return to overview](#)

SKILLS		Suggested resources	
<ul style="list-style-type: none"> <li>• Identify angles that meet at a point</li> <li>• Identify angles that meet at a point on a line</li> <li>• Identify vertically opposite angles</li> <li>• Know that vertically opposite angles are equal</li> <li>• Use known facts to find missing angles</li> </ul> Explain reasoning		KM: <a href="#">Maths to Infinity: Lines and Angles</a>  Learning review <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>	
Prerequisites	Mathematical language	Agreed Common Teaching Approaches	
<ul style="list-style-type: none"> <li>• Know that angles are measured in degrees</li> <li>• Know that angles in a full turn total <math>360^\circ</math>, and angle in half a turn must total <math>180^\circ</math></li> <li>• Estimate the size of angles</li> </ul>	Angle Degrees Right angle Acute angle Obtuse angle Reflex angle Protractor Vertically opposite  <b>Notation</b> Right angle notation Arc notation for all other angles The degree symbol ( $^\circ$ )	The exact reason for there being 360 degrees in a full turn is unknown. There are various theories including it being an approximation of the 365 days in a year and resultant apparent movement of the sun, and the fact that it has so many factors. The SI unit for measuring angles in the radian ( $2\pi$ radians in a full turn). Napoleon experimented with the decimal degree, or grad (400 grads in a full turn) NCETM: <a href="#">Glossary</a>  <b>Common approaches</b> <i>All pupils know how to use a <math>180^\circ</math> and a <math>360^\circ</math> protractor.</i>	
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions	
<ul style="list-style-type: none"> <li>• Show a pair of possible values for a and b. And another. And another.</li> <li>• Convince me that the sum of angles on a straight line is <math>180^\circ</math>.</li> <li>• Show a possible set of values for a, b, c and d. And another. And another.</li> <li>• Convince me that the sum of angles around a point is <math>360^\circ</math>.</li> <li>• Convince me that (vertically) opposite angles are equal.</li> <li>• Kenny thinks that the sum of opposite angles is <math>180^\circ</math>. Do you agree? Explain your answer.</li> </ul>		<ul style="list-style-type: none"> <li>• Some pupils may think that these angles are not equal as they are not 'vertical'.  </li> <li>• Some pupils may think that angles that are 'roughly' opposite are always equal, e.g. <math>a = c</math>  </li> </ul>	
NCETM: <a href="#">Geometry - Properties of Shapes Reasoning</a>			



<b>KNOWLEDGE</b>	<b>The Big Picture:</b> <a href="#">Fractions, decimals and percentages progression map</a>
<ul style="list-style-type: none"> <li>• add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions (ALSO 7*)</li> <li>• multiply simple pairs of proper fractions, writing the answer in its simplest form [for example, <math>\frac{1}{4} \times \frac{1}{2} = \frac{1}{8}</math>] (ALSO 7*)</li> <li>• divide proper fractions by whole numbers [for example, <math>\frac{1}{3} \div 2 = \frac{1}{6}</math>] (also 7*)</li> <li>• multiply one-digit numbers with up to two decimal places by whole numbers (ALSO 7*)</li> <li>• solve problems involving the calculation of percentages [for example, of measures, and such as 15% of 360] and the use of percentages for comparison</li> </ul>	

[Return to overview](#)

SKILLS	Suggested resources
<ul style="list-style-type: none"> <li>• Add (subtract) fractions with different denominators</li> <li>• Add (subtract) a mixed number and a fraction, including with different denominators</li> <li>• Add (subtract) mixed numbers, including with different denominators</li> <li>• Multiply a proper fraction by a proper fraction</li> <li>• Divide a proper fraction by a whole number</li> <li>• Simplify the answer to a calculation when appropriate</li> <li>• Multiply U.t by U</li> <li>• Multiply U.th by U</li> <li>• Find 10% of a quantity</li> <li>• Use non-calculator methods to find a percentage of an amount</li> <li>• Use decimal or fraction equivalents to find a percentage of an amount where appropriate</li> </ul> <p>Solve problems involving the use of percentages to make comparisons</p>	<p>NRICH: <a href="#">Fractions Jigsaw</a></p> <p>NRICH: <a href="#">Peaches Today, Peaches Tomorrow</a></p> <p>NRICH: <a href="#">Andy's Marbles</a></p> <p>NRICH: <a href="#">Would you Rather?</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>

Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Convert between mixed numbers and improper fractions</li> <li>• Find equivalent fractions</li> <li>• Add and subtract fractions when one denominator is a multiple of the other</li> <li>• Multiply a proper fraction by a whole number</li> <li>• Use the formal written method of short multiplication</li> <li>• Know the effect of multiplying and dividing by 10 and 100</li> <li>• Know percentage equivalents of <math>\frac{1}{2}</math>, <math>\frac{1}{4}</math>, <math>\frac{3}{4}</math>, <math>\frac{1}{5}</math>, <math>\frac{2}{5}</math>, <math>\frac{4}{5}</math></li> </ul> <p><b>Bring on the Maths*: Moving on up!</b> Fractions, decimals &amp; percentages: #5</p>	<p>Mixed number Equivalent fraction Simplify, cancel Lowest terms Proper fraction, improper fraction, top-heavy fraction, vulgar fraction Numerator, denominator Percent, percentage</p> <p><b>Notation</b> Mixed number notation Horizontal / diagonal bar for fractions</p>	<p>Use of a fraction wall to visualise multiplying fractions and dividing fractions by a whole number. For example, pupils need to read calculations such as <math>\frac{1}{4} \times \frac{1}{2}</math> as <math>\frac{1}{4}</math> multiplied by <math>\frac{1}{2}</math> and therefore, <math>\frac{1}{2}</math> of <math>\frac{1}{4} = \frac{1}{8}</math>; <math>\frac{4}{10} \div 2</math> as <math>\frac{4}{10}</math> divided by 2 and therefore <math>\frac{2}{10}</math>.</p> <p>NCETM: <a href="#">The Bar Model</a> NCETM: <a href="#">Teaching fractions</a> NCETM: <a href="#">Fractions videos</a> NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b> <i>When multiplying a decimal by a whole number pupils are taught to use the corresponding whole number calculation as a general strategy. When adding and subtracting mixed numbers pupils are taught to convert to improper fractions as a general strategy. Pupils are encouraged to find and use 10% of an amount.</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Show me an 'easy' ('difficult') pair of fractions to add (subtract). And another. And another.</li> <li>• Kenny thinks that <math>\frac{7}{10} - \frac{2}{7} = \frac{5}{3} = 1\frac{2}{3}</math>. Do you agree with Kenny?</li> <li>• Jenny thinks that you can only multiply fractions if they have the same common denominator. Do you agree with Jenny? Explain.</li> <li>• Benny thinks that <math>\frac{4}{10} \div 2 = \frac{4}{5}</math>. Do you agree with Kenny? Explain.</li> <li>• Lenny says '20% of £60 is £3 because <math>60 \div 20 = 3</math>'. Do you agree?</li> </ul> <p>NCETM: <a href="#">Fractions Reasoning</a> NCETM: <a href="#">Ratio and Proportion Reasoning</a></p>		<ul style="list-style-type: none"> <li>• Some pupils may think that you simply can simply add/subtract the whole number part of mixed numbers and add/subtract the fractional part of mixed numbers when adding/subtracting mixed numbers, e.g. <math>3\frac{1}{3} - 2\frac{1}{2} = 1\frac{-1}{6}</math></li> <li>• Some pupils may make multiplying fractions over complicated by applying the same process for adding and subtracting of finding common denominators.</li> <li>• Some pupils may think that as you divide by 10 to find 10%, you divided by 15 to find 15%, divide by 20 to find 20%, etc.</li> </ul>



## KNOWLEDGE

The Big Picture: [Algebra progression map](#)

- enumerate possibilities of combinations of two variables
- express missing number problems algebraically
- find pairs of numbers that satisfy an equation with two unknowns

[Return to overview](#)

SKILLS		Suggested resources
<ul style="list-style-type: none"> <li>• Solve missing number problems expressed in words</li> <li>• Find a solution to a missing number problem with two unknowns</li> <li>• Find all combinations of two variables that solve a missing number problem with two unknowns</li> <li>• Know the basic rules of algebraic notation</li> <li>• Express missing number problems algebraically</li> </ul> Solve missing number problems expressed algebraically		NRICH: <a href="#">Plenty of Pens</a> NRICH: <a href="#">Your Number Is...</a> NRICH: <a href="#">Number Pyramids</a> NCETM: <a href="#">Activity A: Racetrack and Design a board game</a> NCETM: <a href="#">Activity E: Matchbox Algebra</a>  <b>Learning review</b> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Use symbols to represent variables in a formula</li> </ul>	Algebra, algebraic, algebraically Symbol Expression Variable Substitute Equation Unknown Enumerate  <b>Notation</b> The lower case and upper case of a letter should not be used interchangeably when worked with algebra Juxtaposition is used in place of 'x'. $2a$ is used rather than $a2$ . Division is written as a fraction	The word 'algebra' comes from the title of a book by the Persian mathematician, al-Khwārizmī, who lived in modern-day Baghdad about 1200 years ago. Al-kitāb al-mukhtaṣar fī ḥisāb al-ğabr wa'l-muqābala was a book that promoted the idea of solving equations by a method of balancing. Avoid fruit salad algebra (see possible misconceptions). NCETM: <a href="#">The Bar Model</a> NCETM: <a href="#">Algebra</a> NCETM: <a href="#">Glossary</a>  <b>Common approaches</b> Use 'think of a number' problems to introduce the idea of 'n' standing for any number (a variable). For example: <ul style="list-style-type: none"> <li>• Think of a number, double it, add 8, halve it and finally subtract your starting number.                The answer is always 4. <math>n \rightarrow 2n \rightarrow 2n + 8 \rightarrow n + 4 \rightarrow 4</math>.</li> </ul> Encourage students to try again with different numbers, including large, small, negative, fractional or decimal. Also try varying the instructions to end up with a different number every time.
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• <math>a + b = 15</math>. Show me a pair of values for <math>a</math> and <math>b</math>. And another. And another.</li> <li>• <math>p + q = 7</math>. Show me a pair of values for <math>p</math> and <math>q</math> that no one else will think of. And another. And another.</li> <li>• Kenny thinks that '<math>b^2</math>' is the same as '<math>2b</math>' because when <math>b = 2</math>, <math>b^2 = 4</math> and <math>2b = 4</math>. Do you agree with Kenny? Explain your answer.</li> <li>• Jenny thinks that <math>7 + 2a = 9a</math>. Do you agree with Jenny? Explain your answer.</li> </ul> NCETM: <a href="#">Algebra Reasoning</a>		<ul style="list-style-type: none"> <li>• Some pupils may think that variables have a set value, such as <math>a = 1</math>, <math>b = 2</math>, <math>c = 3</math>, <math>d = 4</math>, etc. (especially if they have done lots of poorly designed treasure hunts/codes) – this will lead to problems such as thinking '<math>b^2</math>' is the same as '<math>2b</math>' because when <math>b = 2</math>, <math>b^2 = 4</math> and <math>2b = 4</math>.</li> <li>• Using the idea of 'apples' and 'bananas' to explain <math>a + b = 14</math> can lead to misconceptions about the use of letters as variables.</li> <li>• Some students may think that the variables have to be positive integers (whole numbers)</li> </ul>



**KNOWLEDGE**

The Big Picture: [Measurement and mensuration progression map](#)

- recognise that shapes with the same areas can have different perimeters and vice versa
- calculate the area of parallelograms and triangles
- calculate, estimate and compare volume of cubes and cuboids using standard units, including cubic centimetres (cm<sup>3</sup>) and cubic metres (m<sup>3</sup>), and extending to other units [for example, mm<sup>3</sup> and km<sup>3</sup>]
- recognise when it is possible to use formulae for area and volume of shape
- solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate
- calculate perimeters of 2D shapes (ALSO 7\*)
- calculate surface area of cuboids

[Return to overview](#)

**SKILLS**

- Recognise that shapes with the same areas can have different perimeters and vice versa
- Know that the area of a parallelogram is given by the formula area = base × height
- Know that the area of a triangle is given by the formula area = ½ × base × height = base × height ÷ 2 =  $\frac{bh}{2}$
- Know that the volume of a cuboid is given by the formula volume = length × width × height
- Calculate the area of a parallelogram (triangle)
- Recognise when it is possible to use a formula for the area of a shape
- Estimate the volume of cubes and cuboids
- Choose appropriate units of volume
- Calculate the volume of a cuboid
- Recognise when it is possible to use a formula for the volume of a shape
- Convert between metric units of area in simple cases
- Convert between metric units of volume in simple cases

**Suggested resources**

- KM: [Fibonacci's disappearing squares](#)  
 KM: [Dissections deductions](#)  
 NCETM: [Activity C: Through the window](#)
- Learning review**
- [www.diagnosticquestions.com](http://www.diagnosticquestions.com)

**Prerequisites Mathematical language Agreed Common Teaching Approaches**

- Know the meaning of perimeter (area, volume, capacity)
  - Know that the area of a rectangle is given by the formula area = length × width
  - Know that area can be measured using square centimetres or square metres, and the abbreviations cm<sup>2</sup> and m<sup>2</sup>
  - Know that volume is measured in cubes
- Bring on the Maths\*: Moving on up!**  
 Measures: #4, #5

Perimeter, area, volume, capacity  
 Square, rectangle, parallelogram, triangle  
 Composite rectilinear  
 Polygon  
 Cube, cuboid  
 Millimetre, Centimetre, Metre, Kilometre  
 Square millimetre, square centimetre, square metre, square kilometre  
 Cubic centimetre, centimetre cube  
 Formula, formulae  
 Convert  
 Length, breadth, depth, height, width

**Notation**  
 Abbreviations of units in the metric system: km, m, cm, mm, mm<sup>2</sup>, cm<sup>2</sup>, m<sup>2</sup>, km<sup>2</sup>, mm<sup>3</sup>, cm<sup>3</sup>, km<sup>3</sup>

In this unit, 'volumes of shapes' refers only to cubes and cuboids. Ensure that pupils make connections with the area of a rectangle work in Stage 5, in particular the importance of the perpendicular height. Note that there are several different ways of stating the area of a triangle and this can cause confusion  
 NCETM: [Glossary](#)

**Common approaches**  
*Pupils derive practically the formulae for area of parallelogram and triangle by dissecting rectangles*  
*Pupils derive the formula for the area of a parallelogram first. They then use this to help derive the formula for the area of an obtuse-angled triangle.*  
*Every classroom has a set of [area posters](#) on the wall*  
*Pupils use the area of a triangle as given by the formula area =  $\frac{bh}{2}$*

**Reasoning opportunities and probing questions Cross Curricular Links Possible misconceptions**

- 'Show me' an example of when you would measure volume using km<sup>3</sup>
- Convince me that the area of a parallelogram is found using base × height
- (Given a triangle with base labelled 8 cm, height 5 cm, slope height 6 cm) Kenny thinks that the area is 40 cm<sup>2</sup>, Lenny thinks it is 20 cm<sup>2</sup>, Jenny thinks it is 240 cm<sup>2</sup> and Benny thinks it is 24 cm<sup>2</sup>. Who do you agree with? Explain why.

**Cross Curricular Links**

- Some pupils may use the sloping height when finding the areas of parallelograms and triangles
- Some pupils may think that the area of a triangle is found using area = base × height
- Some pupils may think that you multiply all the numbers to find the area of a shape





**KNOWLEDGE**

The Big Picture: [Number and Place Value progression map](#)

- solve problems which require answers to be rounded to specified degrees of accuracy
- use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy
- round any whole number to a required degree of accuracy

[Return to overview](#)

SKILLS		Suggested resources
<ul style="list-style-type: none"> <li>• Approximate any number by rounding to the nearest 1 000 000</li> <li>• Approximate any number by rounding to a specified degree of accuracy; e.g. nearest 20, 50</li> <li>• Understand estimating as the process of finding a rough value of an answer or calculation</li> <li>• Use estimation to predict the order of magnitude of the solution to a (decimal) calculation</li> <li>• Check the order of magnitude of the solution to a (decimal) calculation</li> <li>• Estimate multiplication calculations that involve multiplying up to four-digit numbers by a two-digit number</li> <li>• Estimate division calculations that involve dividing up to a four-digit number by a two-digit number</li> </ul> <p>Estimate multiplication calculations that involve multiplying numbers with up to two decimal places by whole numbers</p>		<p>KM: <a href="#">Stick on the Maths CALC6: Checking results</a>                      KM: <a href="#">Maths to Infinity Rounding</a>                      NRICH: <a href="#">Four Go</a>                      NCETM: <a href="#">Activity A(i)</a>                      NCETM: <a href="#">Activity G</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Approximate any number by rounding to the nearest 10, 100 or 1000, 10 000 or 100 000</li> <li>• Approximate any number with one or two decimal places by rounding to the nearest whole number</li> <li>• Approximate any number with two decimal places by rounding to the one decimal place</li> <li>• Estimate addition (subtraction) calculations with up to four digits</li> </ul>	<p>Approximate (noun and verb)                      Round                      Decimal place                      Check                      Solution                      Answer                      Estimate (noun and verb)                      Order of magnitude                      Accurate                      Accuracy</p> <p><b>Notation</b>                      The approximately equal symbol (<math>\approx</math>)</p>	<p>This unit is an opportunity to develop and practice calculation skills with a particular emphasis on checking, approximating or estimating the answer.                      Pupils should use numbers up to 10 000 000 in this unit.                      Pupils should be able to round to other specified degrees of accuracy, but not to a specified number of significant figures, which is introduced in Stage 7.                      Also see big pictures: <a href="#">Calculation progression map</a> and <a href="#">Fractions, decimals and percentages progression map</a>                      NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b>  <i>All pupils are taught to visualise rounding through the use a number line</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Convince me that 67 rounds to 60 to the nearest 20</li> <li>• Convince me that 1 579 234 rounds to 2 million to the nearest million</li> <li>• Jenny writes <math>1359 \div 18 \approx 7.55</math>. Comment on Jenny's approximation.</li> <li>• Lenny writes <math>2.74 \times 13 \approx 26</math>. Do you agree with Lenny? Explain your answer.</li> </ul> <p>NCETM: <a href="#">Place Value Reasoning</a></p>		<ul style="list-style-type: none"> <li>• Some pupils may truncate instead of round</li> <li>• When checking the order of magnitude of a division calculation some pupils may apply incorrect reasoning about the effect of increasing the divisor by a factor of 10, thinking that it also makes the solution greater by a factor of 10; e.g. <math>1400 \div 20</math>: <math>1400 \div 2 = 700</math> so <math>1400 \div 20 = 7000</math>.</li> <li>• Some pupils may round down at the half way point, rather than round up.</li> </ul>



**KNOWLEDGE**

The Big Picture: [Position and direction progression map](#)

- describe positions on the full coordinate grid (all four quadrants)
- work with co-ordinates in all four quadrants (NEW)
- draw and translate simple shapes on the coordinate plane, and reflect them in the axes
- solve geometric problems on coordinate axes
- describe translations as 2D vectors (ALSO 7\*)

[Return to overview](#)

**SKILLS** Suggested resources

- Use coordinates to describe the position of a point in all four quadrants
  - Use coordinates to write the position of a point in all four quadrants
  - Construct a 2-D coordinate grid (all four quadrants)
  - Use coordinates to plot the position of a point in any of the four quadrants
  - Use coordinates to plot a set of points to construct a polygon
  - Solve problems involving coordinates
  - Carry out a translation
- Carry out a reflection using one of the axes as a mirror line

KM: [Stick on the Maths ALG2: Coordinates in four quadrants](#)  
 NRICH: [Cops and Robbers](#)  
 NRICH: [Eight Hidden Squares](#)  
 NRICH: [Coordinate Tan](#)  
 NRICH: [Transformation Tease](#)  
 NCETM: [Activity B - Battleships](#)

**Learning review**

- [www.diagnosticquestions.com](http://www.diagnosticquestions.com)

**Prerequisites** **Mathematical language** **Agreed Common Teaching Approaches**

- Use coordinates in the first quadrant
- Identify a translation
- Carry out a translation in the first quadrant
- Identify a reflection
- Carry out a reflection in the first quadrant using mirror lines parallel to the axes
- Know the meaning of ‘congruent’, ‘congruence’, ‘object’, ‘image’

**Bring on the Maths\*: Moving on up!**  
 Properties of shapes: #2  
 Position and direction: #1

2-D  
 Grid  
 Axis, axes, x-axis, y-axis  
 Origin  
 Quadrant  
 (Cartesian) coordinates  
 Point  
 Translation  
 Reflection  
 Transformation  
 Object, Image  
 Congruent, congruence

**Notation**  
 Cartesian coordinates should be separated by a comma and enclosed in brackets (x, y)

The main focus of this unit is to develop understanding of coordinates in all four quadrants  
 Note that pupils are not yet expected to use an algebraic description of a mirror line (such as  $x = 3$ ).  
 The French mathematician Rene Descartes introduced Cartesian coordinates in the 17<sup>th</sup> century. It is said that he thought of the idea while watching a fly moving around on his bedroom ceiling.  
 Other coordinate systems include grid references, polar coordinates and spherical coordinates.  
 There are other types of mathematical movement that pupils will learn about in future stages. The group name for these movements is ‘transformations’.  
 NCETM: [Glossary](#)


**Common approaches**  
*Teachers do not use the phrase ‘along the corridor and up the stairs’ as it can encourage a mentality of only working in the first quadrant. Later, pupils will have to use coordinates in all four quadrants. A more helpful way to remember the order of coordinates is ‘x is a cross, wise up!’ Teachers use the language ‘negative number’, and not ‘minus number’, to avoid future confusion with calculations.*

**Reasoning opportunities and probing questions** **Cross Curricular Links** **Possible misconceptions**

- (Given a grid with the point (-3, 4) indicated) Benny describes this point as (-3, 4). Jenny describes the point as (4, -3). Who do you agree with? Why?
- Two vertices of a rectangle are (-1, 2) and (4, -2). What could the other two vertices be? How many solutions can you find?
- Convince me that (-2, 3) is in the second quadrant)

NCETM: [Geometry: Position Direction and Movement Reasoning](#)

- When describing or carrying out a translation, some pupils may count the squares between the two shapes rather than the squares that describe the movement between the two shapes.
- When reflecting a triangle some students may draw a translation
- When carrying out a reflection some pupils may think that the object and image should be an equal distance from the edge of the grid, rather than an equal distance from the mirror line.
- Some pupils will confuse the order of x-coordinates and y-coordinates
- When constructing axes, some pupils may not realise the importance of equal divisions on the axes





**KNOWLEDGE**

The Big Picture: [Statistics progression map](#)

- interpret and construct pie charts and line graphs and use these to solve problems

[Return to overview](#)

SKILLS		Suggested resources
<ul style="list-style-type: none"> <li>Understand that pie charts are used to show proportions</li> <li>Make statements about proportions shown in a pie charts</li> <li>Make statements to compare proportions in pie charts</li> <li>Use additional information to make statements about frequencies in pie charts</li> <li>Use a table of frequencies to work out the angle for a slice in a pie chart</li> <li>Construct a pie chart by measuring angles</li> <li>Identify the scale used on the axes of a graph</li> <li>Read values from a line graph involving scaling</li> <li>Use scaling when constructing line graphs</li> </ul> <p>Answer two-step questions about data in line graphs (e.g. 'How much more?')</p>		<p>KM: <a href="#">Stick on the Maths HD6: Graphs and diagrams</a></p> <p>NRICH: <a href="#">Match the Matches</a></p> <p>NRICH: <a href="#">Graphing Number Patterns</a></p> <p>NCETM: <a href="#">A little bit of history (Britain since 1945)</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li><a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>Measure and construct angles using a protractor</li> <li>Interpret and construct a simple line graph</li> </ul>	Data Scale Axis, axes Graph Frequency Time graph, Time series Line graph Pie chart Sector Angle Protractor Degrees Maximum, minimum	<p>In Stage 6, when constructing pie charts the total of the frequencies is always a factor of 360 More complex cases are included in later stages.</p> <p>William Playfair, a Scottish engineer and economist, introduced the line graph in 1786. He also introduced the pie chart in 1801.</p> <p>NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b></p> <p><i>Pie charts are constructed by calculating the angle for each section by dividing 360 by the total frequency, and not using percentages. The angle for the first section is measured from a vertical radius. Subsequent sections are measured using the boundary line of the previous section.</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>Show me a pie chart representing the following information: Blue (25%), Red (over 50%), Yellow (the rest). And another. And another.</li> <li>Always / Sometimes / Never: Pie charts are constructed in a clockwise direction</li> <li>Always / Sometimes / Never: The larger the size of the pie chart, the greater the total frequency</li> <li>Kenny says 'If two pie charts have the same section then the amount of data the section represents is the same in each pie chart.' Do you agree with Kenny? Explain your answer.</li> </ul> <p>NCETM: <a href="#">Statistics Reasoning</a></p>		<ul style="list-style-type: none"> <li>Some pupils may think that a line graph is appropriate for discrete data</li> <li>Some pupils may think that each square on the grid used represents one unit</li> <li>Some pupils may confuse the fact that the sections of the pie chart total 100% and 360°</li> </ul>



## KNOWLEDGE

The Big Picture: [Statistics progression map](#)

- calculate and interpret the mean as an average
- interpret, analyse and compare the distributions of data sets from univariate empirical distributions through appropriate measures of central tendency (median, mean and mode) and spread (range) (ALSO 7\*)

[Return to overview](#)

SKILLS		Suggested resources
<ul style="list-style-type: none"> <li>• Understand the meaning of 'average' as a typicality (or location)</li> <li>• Understand the mean as a measure of typicality (or location)</li> <li>• Interpret the mean as a way of levelling the data</li> <li>• Calculate the mean of a set of data</li> <li>• Choose an appropriate approximation when required</li> </ul> Use the mean to find a missing number in a set of data		KM: <a href="#">Maths to Infinity: Averages, Charts and Tables</a> NRICH: <a href="#">Birdwatch</a> NRICH: <a href="#">Probably ...</a> NRICH: <a href="#">Same or Different?</a> NCETM: <a href="#">A little bit of history (Britain since 1945)</a>  <b>Learning review</b> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Approximate a number by rounding to a given number of decimal places</li> </ul>	Average Mean Measure Data Statistic Statistics Approximate Round	The word 'average' is often used synonymously with the mean, but it is only one type of average. In fact, there are several different types of mean (the one in this unit properly being named as the 'arithmetic mean'). Other types of average, including the mode and the median, are introduced in later stages.  NCETM: <a href="#">Glossary</a>  <b>Common approaches</b> <i>Always use brackets when writing out the calculation for a mean, e.g. <math>(2 + 3 + 4 + 5) \div 4 = 14 \div 4 = 3.5</math></i>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Always / Sometimes / Never: The mean is a whole number.</li> <li>• Kenny is working out the mean of 2, 3, 4 and 5. He calculates <math>2 + 3 + 4 + 5 \div 4 = 10.25</math>. Do you agree with Kenny? Explain your answer.</li> <li>• The average number of children per family (Married Couples, 2012) is 1.8. Convince me that this statement makes sense.</li> </ul> NCETM: <a href="#">Statistics Reasoning</a>		<ul style="list-style-type: none"> <li>• If using a calculator some pupils may not use the '=' symbol (or brackets) correctly; e.g. working out the mean of 2, 3, 4 and 5 as <math>2 + 3 + 4 + 5 \div 4 = 10.25</math>.</li> <li>• Some pupils may think the average is always the middle number</li> <li>• Some pupils may think that the mean must be a whole number</li> <li>• Some pupils may not realise that the mean must lie within the range of the data set.</li> </ul>



**KNOWLEDGE**

The Big Picture: [Probability progression map](#)

- Relate relative expected frequencies to theoretical probability, using appropriate language and the 0-1 probability scale (NEW)
- apply the property that the probabilities of an exhaustive set of outcomes sum to one

SKILLS		Suggested resources
<ul style="list-style-type: none"> <li>• Know that probability is a way of measuring likeliness</li> <li>• Know and use the vocabulary of probability</li> <li>• Understand the use of the 0-1 scale to measure probability</li> <li>• Assess likeliness and place events on a probability scale</li> <li>• Work out theoretical probabilities for events with equally likely outcomes</li> <li>• Know how to represent a probability</li> <li>• Know that the sum of probabilities for all outcomes is 1</li> </ul> <p>Apply the fact that the sum of probabilities for all outcomes is 1</p>		<p>KM: <a href="#">Probability scale</a> and <a href="#">slideshow version</a></p> <p>KM: <a href="#">Probability loop cards</a></p> <p>NRICH: <a href="#">Dice and spinners interactive</a></p> <p><b>Learning review</b></p> <ul style="list-style-type: none"> <li>• <a href="http://www.diagnosticquestions.com">www.diagnosticquestions.com</a></li> </ul>
Prerequisites	Mathematical language	Agreed Common Teaching Approaches
<ul style="list-style-type: none"> <li>• Understand the equivalence between fractions, decimals and percentages</li> <li>• Compare fractions, decimals or percentages</li> <li>• Simplify a fraction by cancelling common factors</li> </ul>	<p>Probability, Theoretical probability</p> <p>Event</p> <p>Outcome</p> <p>Impossible, Unlikely, Evens chance, Likely, Certain</p> <p>Equally likely</p> <p>Mutually exclusive</p> <p>Exhaustive</p> <p>Possibility space</p> <p>Experiment</p> <p><b>Notation</b></p> <p>Probabilities are expressed as fractions, decimals or percentage. They should not be expressed as ratios (which represent odds) or as words</p>	<p>It is not immediately apparent how to use words to label the middle of the probability scale. ‘Evens chance’ is a common way to do so, although this can be misleading as it could be argued that there is an even chance of obtaining any number when rolling a fair die.</p> <p>NRICH: <a href="#">Introducing probability</a></p> <p>NRICH: <a href="#">Why Do People Find Probability Unintuitive and Difficult?</a></p> <p>NCETM: <a href="#">Glossary</a></p> <p><b>Common approaches</b></p> <p><i>Every classroom has a display of a probability scale labeled with words and numbers. Pupils create events and outcomes that are placed on this scale.</i></p>
Reasoning opportunities and probing questions	Cross Curricular Links	Possible misconceptions
<ul style="list-style-type: none"> <li>• Show me an example of an event and outcome with a probability of 0. And another. And another...</li> <li>• Always / Sometimes / Never: if I pick a card from a pack of playing cards then the probability of picking a club is <math>\frac{1}{4}</math></li> <li>• Label this (eight-sided) spinner so that the probability of scoring a 2 is <math>\frac{1}{4}</math>.</li> </ul>		<ul style="list-style-type: none"> <li>• Some pupils will initially think that, for example, the probability of it raining tomorrow is <math>\frac{1}{2}</math> as it either will or it won't.</li> <li>• Some students may write a probability as odds (e.g. 1:6 or '1 to 6'). There is a difference between probability and odds, and therefore probabilities must only be written as fractions, decimals or percentages.</li> <li>• Some pupils may think that, for example, if they flip a fair coin three times and obtain three heads, then it must be more than likely they will obtain a head next.</li> </ul>

