



## **Brookfields Primary School**

## 2023-2024

Power Maths White Rose Edition calculation policy, Upper KS2

Power Maths © Pearson 2022

Copying permitted for purchasing institution only. This material is not copyright free. Pearson is not responsible for the quality, accuracy or fitness for purpose of the materials contained in the Word files once edited.





## **KEY STAGE 2**

In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.

Key language: decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number

| <ul> <li>Addition and subtraction: Children build on their column methods to add and subtract numbers with up to seven digits, and they adapt the methods to calculate efficiently and effectively with decimals, ensuring understanding of place value at every stage.</li> <li>Children compare and contrast methods, and they select mental methods or jottings where appropriate and where these are more likely to be efficient or accurate when compared with formal column methods.</li> <li>Bar models are used to represent the calculations required to solve problems and may indicate where efficient methods can be chosen.</li> </ul> | <ul> <li>Multiplication and division: Building on their understanding, children develop methods to multiply up to 4-digit numbers by single-digit and 2-digit numbers.</li> <li>Children develop column methods with an understanding of place value, and they continue to use the key skill of unitising to multiply and divide by 10, 100 and 1,000.</li> <li>Written division methods are introduced and adapted for division by single-digit and 2-digit numbers and are understood alongside the area model and place value. In Year 6, children develop a secure understanding of how division is related to fractions.</li> <li>Multiplication and division of decimals are also introduced and refined in Year 6.</li> </ul> | <ul> <li>Fractions: Children find fractions of amounts, multiply a fraction by a whole number and by another fraction, divide a fraction by a whole number, and add and subtract fractions with different denominators. Children become more confident working with improper fractions and mixed numbers and can calculate with them.</li> <li>Understanding of decimals with up to 3 decimal places is built through place value and as fractions, and children calculate with decimals in the context of measure as well as in pure arithmetic.</li> <li>Children develop an understanding of percentages in relation to hundredths, and they understand how to work with common percentages: 50%, 25%, 10% and 1%.</li> </ul> |
|---|--|--|
|---|--|--|





|   |   | Year 5   |   |
|---|---|--|---|
|   | Concrete  | Pictorial  | Abstract  |
| Year 5<br>Addition                          |   |  |   |
| Column<br>addition with<br>whole<br>numbers | Use place value equipment to represent<br>additions.<br>Add a row of counters onto the place value grid<br>to show 15,735 + 4,012 | Represent additions, using place value<br>equipment on a place value grid alongside<br>written methods.<br>TTh Th H T O<br>OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO | Use column addition, including exchanges.   |
| Representing<br>additions                   |   | Bar models represent addition of two or<br>more numbers in the context of problem<br>solving.  | Use approximation to check whether<br>answers are reasonable.<br>TTh Th H T O         2 3 4 0 5         + 7 8 9 2         2 0 2 9 7         3 1 2 9 7 |
|   |   |  | l will use 23,000 + 8,000 to check.   |





| Adding tenths                                  | Link measure with addition of decimals.<br>Two lengths of fencing are 0.6 m and<br>0.2 m.<br>How long are they when added together?<br>0.6 m 0.2 m | Jen $f2,600$<br>Holly $f2,600$ $f1,450$<br>f4,050<br>Th H T O<br>2 6 0 0<br>+ 1 4 5 0<br>4 0 5 0<br>1<br>Use a bar model with a number line to add tenths.<br>Use a bar model with a number line to add tenths.<br>0.6  m $0.2  m0.1  m 0.1  m 0.1$ | Understand the link with adding fractions.<br>$\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$ $6 \text{ tenths } + 2 \text{ tenths } = 8 \text{ tenths}$ $0.6 + 0.2 = 0.8$   |
|--|--|---|---|
| Adding<br>decimals using<br>column<br>addition | Use place value equipment to represent additions.<br>Show 0.23 + 0.45 using place value counters.  | 6 tenths + 2 tenths = 8 tenths<br>Use place value equipment on a place<br>value grid to represent additions.<br>Represent exchange where necessary.<br>$\frac{0 \cdot \text{Tth}}{0 \cdot \text{Q}} + \frac{0 \cdot \text{Tth} \text{Hth}}{0 \cdot \text{Q}} + \frac{0 \cdot \text{Tth} \text{Hth}}{0 \cdot \text{Q}} + \frac{0 \cdot 3 \cdot 3}{1 \cdot 2 \cdot 5}$  | Add using a column method, ensuring that<br>children understand the link with place<br>value.<br>$\frac{0 \cdot \text{Tth Hth}}{0 \cdot 2  3}$ $+ \frac{0 \cdot 4  5}{0 \cdot 6  8}$ Include exchange where required,<br>alongside an understanding of place value. |





| Year 5  |  | Include examples where the numbers of decimal places are different.<br>$\begin{array}{c c} \hline 0 & \hline Tth & Hth \\ \hline 0 & \hline 0 & \hline Tth & Hth \\ \hline 0 & \hline $ | $\frac{0 \cdot \text{Tth Hth}}{0 \cdot 9 \cdot 2}$ + $\frac{0 \cdot 3 \cdot 3}{1 \cdot 2 \cdot 5}$ Include additions where the numbers of decimal places are different. $3.4 + 0.65 = ?$ $\frac{0 \cdot \text{Tth Hth}}{3 \cdot 4 \cdot 0}$ + $\frac{0 \cdot 6 \cdot 5}{-}$ |
|---|--|--|---|
| Subtraction<br>Column<br>subtraction<br>with whole<br>numbers | Use place value equipment to understand where exchanges are required.<br>2,250 - 1,070 = ? | Represent the stages of the calculation<br>using place value equipment on a grid<br>alongside the calculation, including<br>exchanges where required.<br>15,735 - 2,582 = 13,153<br>$\underbrace{\text{TTh}  \text{Th}  \text{H}  \text{T}  \text{O}}_{\texttt{OO}}$<br>Now subtract the I0s.<br>Exchange I hundred for I0 tens.<br>$\underbrace{\text{TTh}  \text{Th}  \text{H}  \text{T}  \text{O}}_{\texttt{OO}}$<br>Subtract the I0s, 1,000s and 10,000s.<br>$\underbrace{\text{TTh}  \text{Th}  \text{H}  \text{T}  \text{O}}_{\texttt{OO}}$  | Use column subtraction methods with<br>exchange where required.<br>$\boxed{17 \text{ Th} \text{ Th} \text{ H} \text{ T} \text{ O}} \\ 5 \text{ $ 5 \text{ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $   |





|  | TTh       Th       H       T       O         I       5       7       3       5         -       2       5       8       2         I       I       I       I       I       I         I       I       I       I       I       I         I       I       I       I       I       I         I       I       I       I       I       I         I       I       I       I       I       I         I       I       I       I       I       I |  |
|--|--|--|
|  | TTh       Th       H       T       O         I       5       67       13       5         -       2       5       8       2         I       I       5       3       5         I       I       I       5       3         I       I       I       I       I       I   |  |
|  | TTh       Th       H       T       O         I       5       67       13       5         -       2       5       8       2         I       3       I       5       3         -       2       5       8       2         I       3       I       5       3   |  |
| Checking<br>strategies and<br>representing<br>subtractions | Bar models represent subtractions in problem contexts, including 'find the difference'.  | Children can explain the mistake made<br>when the columns have not been ordered<br>correctly.<br>Use approximation to check calculations.  |
|  | Athletics Stadium 75,450<br>Hockey Centre 42,300<br>Velodrome 15,735 ?   | Bella's working         Correct method         TTh Th H T 0       TTh Th H T 0         1 7 8 7 7       1 7 8 7 7         + 4 0 1 2       + 4 0 1 2         5 7 9 9 7       1 8 8 9         1       1 1 |
|  |  |  |





|                                  |  |  | I calculated 18,000 + 4,000 mentally to check my subtraction.   |
|----------------------------------|--|--|---|
| Choosing<br>efficient<br>methods |  |  | To subtract two large numbers that are close, children find the difference by counting on.  |
|                                  |  |  | 2,002 - 1,995 = ?<br>+5<br>1,995<br>2,000<br>2,002<br>Use addition to check subtractions.<br><i>I calculated 7,546 - 2,355 = 5,191.</i><br><i>I will check using the inverse.</i>   |
| Subtracting<br>decimals          | Explore complements to a whole number by<br>working in the context of length.<br>0.49  m<br>1  m - 0  m = 0  m<br>1 - 0.49 = ? | Use a place value grid to represent the stages of column subtraction, including exchanges where required.<br>5.74 - 2.25 = ? | Use column subtraction, with an<br>understanding of place value, including<br>subtracting numbers with different numbers<br>of decimal places.<br>$3.921 - 3.75 = ?$ $\frac{0 \cdot \text{Tth } \text{Hth } \text{Thth}}{3 \cdot 9 2 \text{ I}}$ $-\frac{3 \cdot 7 5 \text{ 0}}{.}$ |





|                          |   | O         Tth         Hth         O         Tth Hth           • <td< th=""><th></th></td<> |  |
|--------------------------|---|--|--|
|                          |   | Exchange I tenth for I0 hundredths.  |  |
|                          |   | $\begin{array}{ c c c c c } \hline 0 & \bullet & Tth & Hth \\ \hline \bullet & \bullet \\ \bullet & \bullet &$   |  |
|                          |   | Now subtract the 5 hundredths.   |  |
|                          |   | $\begin{array}{ c c c c c c } \hline 0 & \bullet & Tth & Hth & 0 & Tth Hth \\ \hline \bullet & \bullet$  |  |
|                          |   | Now subtract the 2 tenths, then the 2 ones.  |  |
|                          |   | $\begin{array}{c c c c c c c c c c c c c c c c c c c $   |  |
| Year 5<br>Multiplication |   |  |  |
| Understanding factors    | Use cubes or counters to explore the meaning of 'square numbers'. | Use images to explore examples and non-<br>examples of square numbers.   | Understand the pattern of square numbers in the multiplication tables.                     |
|                          | 25 is a square number because it is made from 5 rows of 5.        |  | Use a multiplication grid to circle each<br>square number. Can children spot a<br>pattern? |
|                          | Use cubes to explore cube numbers.                                | $8 \times 8 = 64$ $8^2 = 64$   |  |





|   | 8 is a cube number.  | 12 is not a square number, because you cannot multiply a whole number by itself to make 12.   |  |
|---|--|---|--|
| Multiplying by<br>10, 100 and<br>1,000              | Use place value equipment to multiply by<br>10, 100 and 1,000 by unitising.<br>$4 \times I = 4 \text{ ones} = 4$ | Understand the effect of repeated<br>multiplication by 10.<br>$7 \times 10 = 70$<br>$7 \times 100 = 7,000$<br>$7 \times 1,000 = 70,000$ | Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000.<br>$\begin{array}{r rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$                              |
| Multiplying by<br>multiples of 10,<br>100 and 1,000 | Use place value equipment to explore multiplying by unitising.   | Use place value equipment to represent<br>how to multiply by multiples of 10, 100 and<br>1,000.   | Use known facts and unitising to multiply.<br>$5 \times 4 = 20$<br>$5 \times 40 = 200$<br>$5 \times 400 = 2,000$<br>$5 \times 4,000 - 20,000$<br>$5,000 \times 4 = 20,000$ |





|  | 5 groups of 3 ones is 15 ones.<br>5 groups of 3 tens is 15 tens.<br>So, I know that 5 groups of 3 thousands<br>would be 15 thousands. | $4 \times 3 = 12$ $6 \times 4 = 24$ $4 \times 300 = 1,200$ $6 \times 400 = 2,400$                       |  |
|--|---|---|--|
| Multiplying up<br>to 4-digit<br>numbers by a<br>single digit | Explore how to use partitioning to multiply efficiently.<br>$8 \times 17 = ?$   | Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 1,000s. | Use an area model and then add the part  |
|  | $8 \times 10 = 80$<br>$8 \times 10 = 136$<br>So, $8 \times 17 = 136$  |   | 5 100 × 5 = 500 60 × 5 = 300 3 × 5 = 15<br>Use a column multiplication, including any required exchanges.<br>1 3 6<br>× 6<br>$\frac{8 1 6}{2 3}$ |
| Multiplying 2-<br>digit numbers<br>by 2-digit<br>numbers     | Partition one number into 10s and 1s, then<br>add the parts.<br>$23 \times 15 = ?$  | Use an area model and add the parts.<br>$28 \times 15 = ?$  | Use column multiplication, ensuring<br>understanding of place value at each stag   |





| There are<br>23 × 1                          | $10 \times 15 = 150$<br>$3 \times 15 = 45$<br>$3 \times 345$ bottles of milk in to<br>15 = 345 | $H T O  I 0 \times I5 = I50  H T O  I 5 0  + 4 5  3 4 5  tal. I - I - I - I - I - I - I - I - I - I $ | $20 \text{ m} \qquad 8 \text{ m}$ $10 \text{ m} \qquad 20 \times 10 = 200 \text{ m}^2 \qquad 8 \times 10 = 80 \text{ m}^2$ $5 \text{ m} \qquad 20 \times 5 = 100 \text{ m}^2 \qquad 8 \times 5 = 40 \text{ m}^2$ $28 \times 15 = 420$ | H T O<br>2 0 0<br>1 0 0<br>8 0<br>+ 4 0<br>4 2 0<br>1               | $\begin{array}{c} 3 \ 4 \\ \times \ 2 \ 7 \\ 2 \ 3 \ 2 \\ 3 \ 2 \\ \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 \ 7 \\ \hline 3 \ 4 \\ \times \ 2 \ 7 \\ 2 \ 3 \ 2 \\ \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 \ 7 \\ 6 \ 8 \ 0 \\ \hline 3 \ 4 \\ \times \ 2 0 \\ \hline \hline 3 \ 4 \\ \times \ 2 7 \\ \hline 2 \ 3 \ 2 \\ \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 0 \\ \hline \hline 3 \ 4 \\ \times \ 2 7 \\ \hline 2 \ 3 \ 2 \\ \hline 3 \ 4 \\ \times \ 2 7 \\ \hline 1 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 7 \\ \hline 2 \ 3 \ 2 \\ \hline 3 \ 4 \\ \times \ 2 7 \\ \hline 1 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 7 \\ \hline 6 \ 8 \ 0 \\ \hline 3 \ 4 \\ \times \ 2 7 \\ \hline 1 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 7 \\ \hline 1 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 7 \\ \hline 1 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 7 \\ \hline 1 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ \times \ 2 7 \\ \hline 1 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ 3 \ 4 \\ \times \ 2 7 \\ \hline \end{array} \begin{array}{c} 3 \ 4 \\ 3 \ 4 \\ \times \ 2 7 \end{array}$ |
|--|--|---|---|---|--|
| Multiplying up<br>to 4-digits by<br>2-digits |  |   | Use the area model then add the part<br>10 40 3<br>10 10 10 10 10 10 10 10 10 10 10 10 10 1   | Th H T O<br>1 0 0 0<br>2 0 0<br>8 0<br>3 0<br>- 6<br>1 7 1 6<br>- 1 | Use column multiplication, ensuring<br>understanding of place value at each stage.<br>$ \begin{array}{r}                                     $   |





|  |   |  | $ \begin{array}{c}                                     $  |
|--|---|--|---|
| Multiplying<br>decimals by<br>10, 100 and<br>1,000 | Use place value equipment to explore and<br>understand the exchange of 10 tenths, 10<br>hundredths or 10 thousandths. | Represent multiplication by 10 as exchange<br>on a place value grid. | Understand how this exchange is<br>represented on a place value chart.<br>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| Year 5<br>Division                                 |   |  |   |





| Understanding<br>factors and<br>prime numbers | Use equipment to explore the factors of a given number.                                    | Understand that prime numbers are numbers with exactly two factors.                | Understand how to recognise prime and composite numbers.   |
|---|--|--|--|
| -   | 24 ÷ 3 = 8   | $13 \div 1 = 13 13 \div 2 = 6 r 1 13 \div 4 = 4 r 1$                               | I know that 31 is a prime number because is<br>can be divided by only 1 and itself without<br>leaving a remainder.<br>I know that 33 is not a prime number as it |
|   | $24 \div 8 = 3$  | ••••••   | can be divided by 1, 3, 11 and 33.   |
|   | 8 and 3 are factors of 24 because they divide 24 exactly.                                  | 1 and 13 are the only factors of 13.<br>13 is a prime number.                      | <i>I know that 1 is not a prime number, as it has only 1 factor.</i>   |
|   | 24 ÷ 5 = 4 remainder 4.  |  |  |
|   |  |  |  |
|   | 5 is not a factor of 24 because there is a remainder.                                      |  |  |
| Understanding<br>inverse<br>operations and    | Use equipment to group and share and to explore the calculations that are present.         | Represent multiplicative relationships and explore the families of division facts. | Represent the different multiplicative relationships to solve problems requiring inverse operations.   |
| the link with multiplication,                 | I have 28 counters.  |  | 12 ÷ 3 =   |
| grouping and<br>sharing                       | I made 7 groups of 4. There are 28 in total.   |  | $12 \div = 3$ $x = 12$ $x = 3$ $x = 12$ $x = 3$  |
|   | <i>I have 28 in total. I shared them equally into 7 groups. There are 4 in each group.</i> | $60 \div 4 = 15$<br>$60 \div 15 = 4$   | $\div$ 3 = 12  |
|   | I have 28 in total. I made groups of 4. There are 7 equal groups.                          | 00 - 13 = 4  | Understand missing number problems for<br>division calculations and know how to solve<br>them using inverse operations.<br>$22 \div ? = 2$<br>$22 \div 2 = ?$    |





|  |   |  | ? ÷ 2 = 22<br>? ÷ 22 = 2  |
|--|---|--|---|
| Dividing whole<br>numbers by<br>10, 100 and      | Use place value equipment to support unitising for division.              | Use a bar model to support dividing by unitising.                              | Understand how and why the digits change<br>on a place value grid when dividing by 10,<br>100 or 1,000.                 |
| 1,000  | 4,000 ÷ 1,000   | 380 ÷ 10 = 38  |   |
|  | 4,000   | 380<br>  | Th         H         T         O           3         2         0         0  |
|  |   | 380  | 3,200 ÷ 100 = ?   |
|  | 4,000 is 4 thousands.   |  | 3,200 is 3 thousands and 2 hundreds.  |
|  | 4 × 1,000= 4,000  | 10 ×   | $200 \div 100 = 2$<br>$3,000 \div 100 = 30$   |
|  | So, 4,000 ÷ 1,000 = 4   | 380 is 38 tens.  | $3,200 \div 100 = 32$   |
|  |   | $38 \times 10 = 380$<br>$10 \times 38 = 380$<br>So, $380 \div 10 = 38$         | So, the digits will move two places to the right.   |
| Dividing by<br>multiples of 10,<br>100 and 1,000 | Use place value equipment to represent known facts and unitising.         | Represent related facts with place value equipment when dividing by unitising. | Reason from known facts, based on<br>understanding of unitising. Use knowledge<br>of the inverse relationship to check. |
|  |   |  | $\begin{array}{l} 3,000 \div 5 = 600 \\ 3,000 \div 50 = 60 \\ 3,000 \div 500 = 6 \end{array}$                           |
|  | 15 ones put into groups of 3 ones. There are 5 groups.<br>15 $\div$ 3 = 5 | 180 is 18 tens.  | $5 \times 600 = 3,000$<br>$50 \times 60 = 3,000$<br>$500 \times 6 = 3,000$  |
|  | 15 tens put into groups of 3 tens. There are 5 groups.                    | 18 tens divided into groups of 3 tens. There are 6 groups.                     |   |





|   | 150 ÷ 30 = 5  | 180 ÷ 30 = 6   | 1   |
|---|---|--|---|
|   | 130 - 30 = 3  | $180 \div 30 = 0$ $1 1 1 1 1 1 0 0 00 00 00 00 00 00 00 00 $   |   |
| Dividing up to<br>four digits by a<br>single digit<br>using short<br>division | Explore grouping using place value<br>equipment.<br>268 ÷ 2 = ?<br>There is 1 group of 2 hundreds.<br>There are 3 groups of 2 tens.<br>There are 4 groups of 2 ones.<br>264 ÷ 2 = 134 | Use place value equipment on a place<br>value grid alongside short division.<br>The model uses grouping.<br>A sharing model can also be used, although<br>the model would need adapting.<br>$4 \overline{48} \qquad 1000000000000000000000000000000000000$ | Use short division for up to 4-digit numbers<br>divided by a single digit.<br>0 5 5 6<br>$7 3^3 8^3 9^4 2$<br>$3,892 \div 7 = 556$<br>Use multiplication to check.<br>$556 \times 7 = ?$<br>$6 \times 7 = 42$<br>$50 \times 7 = 350$<br>$500 \times 7 = 3500$<br>3,500 + 350 + 42 = 3,892 |





|                             |  | Work with divisions that require exchange.<br>$4 \boxed{q} 2$ $1 \xrightarrow{T} 0$ $9 \xrightarrow{9} 0 \xrightarrow{9} 0$ $4 \boxed{q} 2$ $2 \xrightarrow{T} 0$ $4 \boxed{q} 2$ $2 \xrightarrow{T} 0$ $3 \xrightarrow{9} 0 \xrightarrow{9} 0 \xrightarrow{9} 0$ $4 \xrightarrow{9} 2$ $2 \xrightarrow{7} 0$ $3 \xrightarrow{9} 0 \xrightarrow{9} 0 \xrightarrow{9} 0$ $4 \xrightarrow{9} 2$ $2 \xrightarrow{7} 0$ $3 \xrightarrow{9} 0 \xrightarrow{9} 0$ $4 \xrightarrow{9} 2$ $4 \xrightarrow{9} 2$ $2 \xrightarrow{7} 0$ $3 \xrightarrow{9} 0 \xrightarrow{9} 0$ |   |
|-----------------------------|--|---|---|
| Understanding<br>remainders | Understand remainders using concrete<br>versions of a problem.<br>80 cakes divided into trays of 6.<br>80 cakes in total. They make 13 groups of<br>6, with 2 remaining. | Use short division and understand<br>remainders as the last remaining 1s.<br>$\begin{bmatrix} 1 \\ 8 \\ 0 \end{bmatrix} = \begin{bmatrix} T \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$  | In problem solving contexts, represent<br>divisions including remainders with a bar<br>model.<br>$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ |





| Dividing<br>decimals by<br>10, 100 and                                       | Understand division by 10 using exchange.   | Represent division using exchange on a place value grid.  | Understand the movement of digits on a place value grid.  |
|--|---|---|---|
| 1,000  | 2 ones are 20 tenths.<br>20 tenths divided by 10 is 2 tenths.   | $\circ$ $Tth$ $Hth$ $\circ$ $\circ$ $Tth$ $Hth$ $\bullet$ $\circ$ </th <th><math display="block">\begin{array}{r llllllllllllllllllllllllllllllllllll</math></th> | $\begin{array}{r llllllllllllllllllllllllllllllllllll$  |
| Understanding<br>the<br>relationship<br>between<br>fractions and<br>division | Use sharing to explore the link between<br>fractions and division.<br><i>1 whole shared between 3 people.</i><br><i>Each person receives one-third.</i> | Use a bar model and other fraction<br>representations to show the link between<br>fractions and division.<br>$I \div 3 = \frac{1}{3}$   | Use the link between division and fractions<br>to calculate divisions.<br>$5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$ $11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$ |





|  |  | Year 6   |   |
|--|--|--|---|
|  | Concrete   | Pictorial  | Abstract  |
| Year 6<br>Addition                                 |  |  |   |
| Comparing<br>and selecting<br>efficient<br>methods | Represent 7-digit numbers on a place value grid and use this to support thinking and mental methods. | Discuss similarities and differences<br>between methods, and choose efficient<br>methods based on the specific calculation.<br>Compare written and mental methods<br>alongside place value representations.<br>$\frac{?}{40,365 3,572}$ $\frac{TTh}{40,365} Th}{1000} Th}{100$ | Use column addition where mental methods<br>are not efficient. Recognise common errors<br>with column addition.<br>$32,145 + 4,302 = ?$ $\frac{TTh Th H T 0}{3 2 1 4 5}$ $\frac{TTh Th H T 0}{3 2 1 4 5}$ $\frac{TTh Th H T 0}{3 2 1 4 5}$ $\frac{TTh Th H T 0}{3 2 1 4 5}$ $\frac{+ 4 3 0 2}{7 5 1 6 5}$ $Which method has been completedaccurately?$ What mistake has been made?<br>Column methods are also used for decimal<br>additions where mental methods are not<br>efficient.<br>$\frac{H T 0 \cdot Tth Hth}{1 4 0 \cdot 0 9}$ $\frac{H T 0 \cdot Tth Hth}{1 8 9 9 8}$ |





| Selecting<br>mental<br>methods for<br>larger numbers<br>where<br>appropriate | Represent 7-digit numbers on a place value<br>grid and use this to support thinking and<br>mental methods.<br>$\overrightarrow{\bullet}$ $\overrightarrow{\bullet}$ $\overrightarrow{\bullet}$ $\overrightarrow{\bullet}$ $\overrightarrow{\bullet}$ $\overrightarrow{\bullet}$ $\overrightarrow{\bullet}$ $\overrightarrow{\bullet}$<br>2,411,301 + 500,000 = ?<br>This would be 5 more counters in the HTh<br>place.<br>So, the total is 2,911,301.<br>2,411,301 + 500,000 = 2,911,301 | Use a bar model to support thinking in<br>addition problems.<br>257,000 + 99,000 = ?<br>?<br>f257,000 = 100,000<br>I added 100 thousands then subtracted<br>1 thousand.<br>257 thousands + 100 thousands = 357<br>thousands<br>257,000 + 100,000 = 357,000<br>357,000 - 1,000 = 356,000<br>So, 257,000 + 99,000 = 356,000 | Use place value and unitising to support<br>mental calculations with larger numbers.<br>195,000 + 6,000 = ?<br>195 + 5 + 1 = 201<br>195 thousands + 6 thousands = 201<br>thousands<br>So, 195,000 + 6,000 = 201,000                                |
|--|--|---|--|
| Understanding<br>order of<br>operations in<br>calculations                   | Use equipment to model different<br>interpretations of a calculation with more<br>than one operation. Explore different<br>results.<br>$3 \times 5 - 2 = ?$  | Model calculations using a bar model to<br>demonstrate the correct order of operations<br>in multi-step calculations.<br>$I_{6} \times 4$<br>cab $444444444444444444444444444444444444$   | Understand the correct order of operations<br>in calculations without brackets.<br>Understand how brackets affect the order of<br>operations in a calculation.<br>$4 + 6 \times 16$<br>4 + 96 = 100<br>$(4 + 6) \times 16$<br>$10 \times 16 = 160$ |





| Year 6<br>Subtraction                              |  |   |  |
|--|--|---|--|
| Comparing<br>and selecting<br>efficient<br>methods | Use counters on a place value grid to<br>represent subtractions of larger numbers. | Compare subtraction methods alongside<br>place value representations.<br>2.679<br>7 534<br>Th H T O<br>2 6 7 9<br>- 5 3 4<br>2 1 4 5<br>Th H T O<br>2 2 7 9<br>- 5 3 4<br>2 1 4 5<br>Use a bar model to represent calculations, including 'find the difference' with two bars as comparison.<br><u>computer game</u><br>puzzle book <u>fl2:50</u> | Compare and select methods.<br>Use column subtraction when mental methods are not efficient.<br>Use two different methods for one calculation as a checking strategy.<br>$\frac{Th}{1} \frac{H}{8\pi} \frac{T}{12} \frac{O}{2}$ $-\frac{1}{1} \frac{5}{5} \frac{5}{8} \frac{8}{3} \frac{O}{4} \frac{1}{1} \frac{1}{552} \frac{O}{1,558} \frac{1}{1,952}$ Use column subtraction for decimal problems, including in the context of measure.<br>$\frac{H}{3} \frac{T}{0} \frac{O}{4} \frac{O}{6} \frac{O}{1} \frac{O}{3} \frac{O}{2} \frac{O}{2} \frac{O}{6} \frac{O}{4} \frac{O}{1} \frac{O}{1} \frac{O}{3} \frac{O}{2} \frac{O}{2} \frac{O}{6} \frac{O}{1} \frac{O}{1} \frac{O}{2} \frac{O}{2} \frac{O}{1} $ |





| Subtracting<br>mentally with<br>larger numbers                          |   | Use a bar model to show how unitising can<br>support mental calculations.<br>950,000 - 150,000<br>That is 950 thousands - 150 thousands<br>950<br>$150 \leftarrow 800$<br>So, the difference is 800 thousands.<br>950,000 - 150,000 = 800,000   | Subtract efficiently from powers of 10.<br>10,000 - 500 = ?   |
|---|---|---|---|
| Year 6<br>Multiplication  |   |   |   |
| Multiplying up<br>to a 4-digit<br>number by a<br>single digit<br>number | Use equipment to explore multiplications.<br>$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Use place value equipment to compare<br>methods.<br>Method I<br>$3 \ 2 \ 5 \ 5$<br>$3 \ 2 \ 2 \ 5$<br>$4 \ 3 \ 2 \ 2 \ 5$<br>$1 \ 2 \ 9 \ 0 \ 0$<br>Method 2<br>$4 \times 3,000 \ + \ 800 \ + \ 80 \ + \ 20 \ = \ 12,900$ | Understand area model and short<br>multiplication.<br>Compare and select appropriate methods<br>for specific multiplications.<br>Method 3<br>$3,000 \ 200 \ 20 \ 5$<br>$4 \ 12,000 \ 800 \ 80 \ 20$<br>12,000 + 800 + 80 + 20 = 12,900<br>Method 4<br>$1 \ 2 \ 9 \ 0 \ 1 \ 2 \ 9 \ 0 \ 1 \ 2 \ 1 \ 1$ |
| Multiplying up to a 4-digit   |   | Use an area model alongside written multiplication.   | Use compact column multiplication with understanding of place value at all stages.  |





| number by a<br>2-digit number  |   | $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$   | Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line       Image: symbol line         Ima |
|--|---|--|--|
| Using<br>knowledge of<br>factors and<br>partitions to<br>compare<br>methods for<br>multiplications | Use equipment to understand square numbers and cube numbers.<br>$5 \times 5 = 5^2 = 25$ $5 \times 5 \times 5 = 5^3 = 25 \times 5 = 125$ | Compare methods visually using an area<br>model. Understand that multiple<br>approaches will produce the same answer if<br>completed accurately. | Use a known fact to generate families of<br>related facts.<br>$170 \times 11$ $171 \times 11$ $171 \times 11$ $170 \times 12$ $170 \times 10$ Use factors to calculate efficiently.<br>$15 \times 16$ $= 3 \times 5 \times 2 \times 8$   |





|  |  | Represent and compare methods using a bar model.   | $ \begin{array}{r} = 3 \times 8 \times 2 \times 5 \\ = 24 \times 10 \\ = 240 \end{array} $   |
|--|--|--|--|
| Multiplying by<br>10, 100 and<br>1,000 | Use place value equipment to explore<br>exchange in decimal multiplication.<br>$ \frac{1}{100} \cdot 0.5 \times 10 = ? $ | Understand how the exchange affects decimal numbers on a place value grid.   | Use knowledge of multiplying by 10, 100<br>and 1,000 to multiply by multiples of 10, 100<br>and 1,000.<br>$8 \times 100 = 800$<br>$8 \times 300 = 800 \times 3$<br>= 2,400<br>$2.5 \times 10 = 25$<br>$2.5 \times 20 = 2.5 \times 10 \times 2$<br>= 50 |
|  | 0.3 is 3 tenths.<br>10 × 3 tenths are 30 tenths.<br>30 tenths are equivalent to 3 ones.                                  | $0.3 \times 10 = 3$  |  |
| Multiplying<br>decimals                | Explore decimal multiplications using place<br>value equipment and in the context of<br>measures.                        | Represent calculations on a place value<br>grid.<br>$3 \times 3 = 9$<br>$3 \times 0.3 = 0.9$<br>TOOTTH<br>000<br>000<br>000<br>000 | Use known facts to multiply decimals.<br>$4 \times 3 = 12$<br>$4 \times 0.3 = 1.2$<br>$4 \times 0.03 = 0.12$<br>$20 \times 5 = 100$<br>$20 \times 0.5 = 10$<br>$20 \times 0.05 = 1$<br>Find families of facts from a known multiplication.             |
|  | → → → → → → → → → → → → → → → → → → →  | Understand the link between multiplying decimals and repeated addition.  | I know that $18 \times 4 = 72$ .<br>This can help me work out:   |





|                       | $4 \times 1 cm = 4 cm$<br>$4 \times 0.3 cm = 1.2 cm$<br>$4 \times 1.3 = 4 + 1.2 = 5.2 cm$ |   | $1 \cdot 8 \times 4 = ?$ $18 \times 0 \cdot 4 = ?$ $180 \times 0 \cdot 4 = ?$ $18 \times 0 \cdot 04 = ?$ Use a place value grid to understand the effects of multiplying decimals.   |
|-----------------------|---|---|--|
|                       |   |   | 2 × 3 6 • 0<br>0·2 × 3 0 • 6   |
|                       |   |   | 0·02 × 3   |
| Year 6<br>Division    |   |   |  |
| Understanding factors | Use equipment to explore different factors of a number.                                   | Recognise prime numbers as numbers<br>having exactly two factors. Understand the<br>link with division and remainders.  | Recognise and know primes up to 100.<br>Understand that 2 is the only even prime,<br>and that 1 is not a prime number.   |
|                       | 24 ÷ 4 = 6  | Image: state stat | I       2       3       4       5       6       7       8       9       10         II       12       13       14       15       16       17       18       19       20         21       22       23       24       25       26       27       28       29       30         31       32       33       34       35       36       37       38       39       40         41       42       43       44       45       46       47       48       49       50 |





|                            | 30 ÷ 4 = 7 remainder 2<br>4 is a factor of 24 but is not a factor of 30. |  |  |
|----------------------------|--|--|--|
| Dividing by a single digit | Use equipment to make groups from a total.                               | HT0 $f$ $f$ $0$ $f$ $13$ $f$ $f$ $0$ $f$ $13$ $f$ $f$ $f$ $0$ $f$ $13$ $f$ $f$ $f$ $0$ $f$ $0$ $f$ $13$ $f$ < | Use short division to divide by a single digit.<br>$\boxed{0}$ $\boxed{6}$ $\boxed{1}$ $\boxed{3}$ $\boxed{2}$ $\boxed{6}$ $\boxed{1}$ $\boxed{3}$ $\boxed{2}$ $\boxed{6}$ $\boxed{1}$ $\boxed{3}$ $\boxed{2}$ $\boxed{2}$ $\boxed{6}$ $\boxed{1}$ $\boxed{3}$ $\boxed{2}$ $\boxed{2}$ $\boxed{6}$ $\boxed{1}$ |





|   | 1  |   |  |
|---|--|---|--|
| Dividing by a<br>2-digit number<br>using factors          | Understand that division by factors can be<br>used when dividing by a number that is not<br>prime. | Use factors and repeated division.<br>$1,260 \div 14 = ?$<br>1,260<br>$1,260 \div 2 = 630$<br>$630 \div 7 = 90$<br>$1,260 \div 14 = 90$ | Use factors and repeated division where<br>appropriate.<br>2,100 $\div$ 12 = ?<br>2,100 $\rightarrow$ $\begin{pmatrix} \div 2 \\ 2 \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\ - \\$   |
| Dividing by a<br>2-digit number<br>using long<br>division | Use equipment to build numbers from groups.  | Use an area model alongside written<br>division to model the process.<br>$377 \div 13 = ?$  | Use long division where factors are not<br>useful (for example, when dividing by a<br>2-digit prime number).<br>Write the required multiples to support the<br>division process.<br>$377 \div 13 = ?$<br>$\downarrow \downarrow $ |





| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$   |
|--|
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$   |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$   |
| $\begin{array}{c cccc} - & I & 3 & 0 \\ \hline & I & 7 & 7 \\ - & I & 7 & 7 \\ \hline & & 0 \end{array} \end{array} + \begin{array}{c ccccc} I & I & I & I \\ I & I & I & I \end{array}$   |
| I       7       7         -       I       7       7         I       7       7       7         I       I       7       7  |
| - 1 7 7<br>0   |
| 0  |
|  |
| 377 - 13 - 20  |
| $011 \pm 10 \pm 20$  |
| A slightly different layout may be used,   |
| the division completed above rather that   |
| the side.  |
| 3<br>21 7 9 8  |
| $-\frac{630}{168}$   |
|  |
| 3 8<br>21 7 9 8  |
| $-\frac{6}{1}\frac{3}{6}\frac{0}{8}$   |
| $-\frac{168}{0}$   |
| Divisions with a remainder explored in   |
| problem-solving contexts.  |
| Dividing by 10,<br>100 and 1,000Use place value equipment to explore<br>division as exchange.Represent division to show the relationship<br>with multiplication. Understand the effect of<br>multiples of 10, 100 and 1,000.Use knowledge of factors to divide by<br>multiples of 10, 100 and 1,000. |
|  |





|                   |   | dividing by 10, 100 and 1,000 on the digits                        |   |
|-------------------|---|--|---|
|                   | 0     •     Tth     Hth     Thth       0     •     Tth     Hth     Thth   | on a place value grid.   |   |
|                   |   | $\begin{array}{c c c c c c c c c c c c c c c c c c c $             | $40 \div 50 = $ $40 \longrightarrow (\div 10) \longrightarrow (\div 5) \longrightarrow ?$ $40 \longrightarrow (\div 5) \longrightarrow (\div 10) \longrightarrow ?$ |
|                   | Exchange each 0.1 for ten 0.01s. Divide 20 counters by 10.  | Understand how to divide using division by 10, 100 and 1,000.      | $40 \div 5 = 8$<br>$8 \div 10 = 0.8$  |
|                   | 0.2 is 2 tenths.<br>2 tenths is equivalent to 20 hundredths.<br>20 hundredths divided by 10 is 2<br>hundredths. | $12 \div 20 = ?$   | So, $40 \div 50 = 0.8$  |
|                   |   | ?<br>?<br>!2 + 10 = I-2 I-2 + 2 = 0-6                              |   |
| Dividing decimals | Use place value equipment to explore division of decimals.  | Use a bar model to represent divisions.                            | Use short division to divide decimals with up to 2 decimal places.  |
|                   |   | 0·8<br>? ? ? ?   | 8 4 · 2 4<br>0 ·  |
|                   | 8 tenths divided into 4 groups. 2 tenths in each group.   | $4 \times 2 = 8$<br>So, $4 \times 0.2 = 0.8$<br>$0.8 \div 4 = 0.2$ | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$   |
|                   |   |  | $ \begin{array}{cccccccccccccccccccccccccccccccccccc$   |