

Fylde Coast Academy Trust



The best we can be

FCAT Allergy and Anaphylaxis Policy 2026-2028

Issue	V1
Date of next review	September 2028
Person responsible for Policy / review	COO/Lead Health and Safety
Approved by	FCAT SLT
Date approved	14/07/2026

This policy sets out how FCAT will support pupils with allergies, to ensure they are safe and are not disadvantaged in any way whilst taking part in school life.

Contents

- Introduction
- Roles and responsibilities
- Allergy action plans
- Emergency treatment and management of anaphylaxis
- Supply, storage and care of medication
- 'Spare' adrenaline auto-injectors in school
- Staff training
- Inclusion and safeguarding
- Catering
- School trips
- Allergy awareness and nut bans
- Risk assessment

Introduction

An allergy is a reaction of the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more severe reaction called anaphylaxis.

Anaphylaxis is a serious, life-threatening allergic reaction. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes can include foods, insect stings, and drugs.

Most healthcare professionals consider an allergic reaction to be anaphylaxis when it involves difficulty breathing or affects the heart rhythm or blood pressure.

Anaphylaxis symptoms are often referred to as the ABC symptoms (Airway, Breathing, Circulation).

It is possible to be allergic to anything which contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK Allergens include (but are not limited to):-
Peanuts, Tree Nuts, Sesame, Milk, Egg, Fish, Latex, Insect venom, Pollen and Animal Dander.

Role and responsibilities

Parent/Carer Responsibilities

It is the parent's responsibility to inform the academy of any allergies. This information should include all previous serious allergic reactions, history of anaphylaxis and details of all prescribed medication.

Parents are to supply a copy of their child's Allergy Action Plan ([BSACI plans](#) preferred) to school. If they do not currently have an Allergy Action Plan this should be developed as soon as possible in collaboration with a healthcare professional e.g. School nurse/GP/allergy specialist.

Parents are responsible for ensuring any required medication is supplied, is in date and replaced as necessary.

Parents are requested to keep the academy up to date with any changes in allergy management. The Allergy Action Plan will be kept updated accordingly and also any individual HCP.

Staff Responsibilities

All staff will complete anaphylaxis training. Training is provided on a yearly basis and on an ad-hoc basis for any new members of staff.

Staff (regular or cover) will be aware of the pupils in their care who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.

Staff leading off-site activities and trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. All information must be submitted on EVOLVE and any applicable procedures or Risk Assessments attached.

Each academy will ensure that the up-to-date Allergy Action Plan is kept with the pupil's medication.

It is the parent's responsibility to ensure all medication is in date however the academy will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.

The academy will keep a register of pupils and staff who have been prescribed an adrenaline auto-injector (AAI) and a record of use of any AAI(s) and emergency treatment given.

FCAT will ensure that any reaction or near misses are recorded and reported internally on the online incident reporting system.

Employees (including Supply staff and Volunteers)

All academies within FCAT will carry out an individual workplace risk assessment for employees with allergies, find out about their reaction history and what steps can be taken to ensure they can avoid their allergen/s within the workplace taking practical steps to ensure the safety and wellbeing of staff members.

Employees have a duty to proactively share specific medical needs with management and outline reaction signs and treatment plans and always carry necessary personal medication (antihistamines, auto-injectors).

Pupil Responsibilities

Students are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction. Students who are trained and confident to administer their own AAI's will be encouraged to take responsibility for carrying them on their person at all times.

Allergy Action Plans

Allergy action plans are designed to function as individual healthcare plans for children with food allergies, providing medical and parental consent for schools to administer medicines in the event of an allergic reaction, including consent to administer a spare adrenaline auto-injector.

British Society of Allergy and Clinical Immunology (BSACI) Allergy Action Plans are produced by a medical professional and should not be created by school. These are a national plan that has been agreed by the BSACI, Anaphylaxis UK and Allergy UK. The allergy action plans are designed to function as an individual healthcare plan.

Emergency Treatment and Management of Anaphylaxis

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- a red raised rash (known as hives or urticaria) anywhere on the body
- a tingling or itchy feeling in the mouth
- swelling of lips, face or eyes

- stomach pain or vomiting.

More serious symptoms are often referred to as the ABC symptoms and can include:

AIRWAY - swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing).

BREATHING - sudden onset wheezing, breathing difficulty, noisy breathing.

CIRCULATION - dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness.

The term for this more severe reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

If the pupil has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. Adrenaline is the mainstay of treatment, and it starts to work within seconds.

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

As soon as anaphylaxis is suspected, adrenaline must be administered without delay. Action:

Keep the child where they are, call for help and do not leave them unattended.

LIE CHILD FLAT WITH LEGS RAISED – they can be propped up if struggling to breathe but this should be for as short a time as possible.

USE ADRENALINE AUTO-INJECTOR WITHOUT DELAY and note the time given. AAls should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device.

CALL 999 and state ANAPHYLAXIS (ana-fil-axis).

If no improvement after 5 minutes, administer a second AAI.

If no signs of life commence CPR.

Call parent/carer as soon as possible.

Whilst you are waiting for the ambulance, keep the child where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

Supply and Storage

Depending on their level of understanding and competence, pupils will be encouraged to take responsibility for and to carry their own two AAls on them at all times in a suitable bag/container which will be identified.

For younger children or those not ready to take responsibility for their own medication, there will be an anaphylaxis kit which is kept within 5 minutes of them, not locked away and accessible to all staff (student plan).

Medication should be stored in a suitable container and clearly labelled with the pupil's name. The pupil's medication storage container should contain:

Two AAls i.e. EpiPen® or Jext®

An up-to-date allergy action plan

Antihistamine as tablets or syrup (if included on allergy action plan)

Spoon if required

Asthma inhaler (if included on allergy action plan).

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however the academy will check medication on a termly basis and send a reminder to parents if medication is approaching expiry.

Older children and medication

Older children and teenagers should, whenever possible, assume responsibility for their emergency kit under the guidance of their parents. However, symptoms of anaphylaxis can come on very suddenly, so school staff need to be prepared to administer medication if the young person cannot.

Storage

AAls should be stored at room temperature, protected from direct sunlight and temperature extremes.

Disposal

AAls are single use only and must be disposed of as sharps. Used AAls can be given to ambulance paramedics on arrival or can be disposed of in the schools sharp bin.

'Spare' adrenaline auto-injectors

Each academy will purchase spare AAls for emergency use in children and staff who are at risk of anaphylaxis, but their own devices are not available or not working (e.g. because they are out of date) or are experiencing anaphylaxis for the first time stored in a designated area within the academy.

These will be stored clearly labelled 'Emergency Anaphylaxis Adrenaline Pen', kept safely, not locked away and accessible and known to all staff.

Delegated staff will be responsible for checking the spare medication is in date on a monthly basis and to replace as needed with the preferred FCAT supplier.

Written parental permission for use of the spare AAls is included in the pupil's allergy action plan / health care plan.

Staff Training

All staff will complete allergy and anaphylaxis training annually, and on an ad-hoc basis during induction of new staff through the National College. Academies may also conduct physical training through preferred provider and First Aid training.

Training includes:

- Knowing the common allergens and triggers of allergy

- Spotting the signs and symptoms of an allergic reaction and anaphylaxis
- Early recognition of symptoms is key, including knowing when to call for emergency services
- Administering emergency treatment (including AAls) in the event of anaphylaxis – knowing how and when to administer the medication/device
- Measures to reduce the risk of a child having an allergic reaction e.g. allergen avoidance, knowing who is responsible for what
- Managing allergy action plans and ensuring these are up to date

Each academy will arrange to undertake a practical, internal session using trainer devices.

Inclusion and safeguarding

FCAT is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

Catering

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

The school's menu is available for parents to view weekly/fortnightly/monthly in advance with all ingredients listed and allergens highlighted on the organisation website

The Allergy lead at each academy will liaise and inform the Catering Manager/Cook/Chef of pupils with food allergies.

Each academy will have a system in place to ensure catering staff can identify children with allergies e.g. a list with photographs for identifying children and who has responsibility for keeping this up to date.

Parents/carers are encouraged to meet with the allergy lead and Catering Manager/Cook/Chef (delete or substitute as appropriate) to discuss their child's needs.

The academy will follow the Department of Health guidance recommendations:

Bottles, other drinks and lunch boxes provided by parents for pupils with food allergies should be clearly labelled with the name of the child for whom they are intended.

If food is purchased from the school canteen/tuck shop, parents should check the appropriateness of foods by speaking directly to the catering manager.

The pupil should be taught to also check with catering staff, before purchasing food or selecting their lunch choice.

Where food is provided by the school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross contamination during the handling, preparation and serving of food.

Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils. For further information, parents/carers are encouraged to liaise with the Catering Manager.

Food should not be given to primary school age food-allergic children without parental engagement and permission (e.g. birthday parties, food treats).

Use of food in crafts, cooking classes, science experiments and special events (e.g. fetes, assemblies, cultural events) needs to be considered and may need to be restricted/risk assessed depending on the allergies of particular children and their age.

School trips

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. Pupils unable to produce their required medication will not be able to attend the excursion.

All the activities on the school trip will be risk assessed and recorded on EVOLVE to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Overnight school trips should be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged.

Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food (if provided by the venue).

Sporting Excursions

Allergic children should have every opportunity to attend sports trips to other schools. The school will ensure that the P.E. teacher/s are fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels that they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative/their own food.

Most parents are keen that their children should be included in the full life of the school where possible, and the school will need their co-operation with any special arrangements required.

Allergy awareness and nut bans

FCAT supports the approach advocated by Anaphylaxis UK towards nut bans/nut free schools. They would not necessarily support a blanket ban on any particular allergen in any establishment, including in schools. This is because nuts are only one of many allergens that could affect pupils, and no school could guarantee a truly allergen free environment for a child living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

A 'whole school awareness of allergies' is a much better approach, as it ensures teachers, support staff, pupils and all other staff are aware of what allergies are, the importance of avoiding the allergens, the signs & symptoms, how to deal with allergic reactions and to ensure policies and procedures are in place to minimise risk.

Risk Assessment

All academies within FCAT will conduct a detailed individual risk assessment for all new joining pupils with allergies and any pupils newly diagnosed.

(Blank)