

LANCASTER LANE PRIMARY AND PRE-SCHOOL



Allergy Safety Policy
Named Allergy Lead: Linsey Hankin

Contents

Page	Details
3	Introduction
3	Roles and Responsibilities
3-4	Allergy Action Plans
4	Emergency Treatment and Management of Anaphylaxis
5	Supply, Storage and Care of Medication
6	Staff Training
6	Inclusion and Safeguarding
6	Catering
7	School Trips
8	Allergy Awareness and Nut Bans
8	Risk Assessment
9	Review Schedule
10	Appendix 1: Allergy Action Plan Template

INTRODUCTION

An allergy is a reaction of the body's immune system to substances that are usually harmless. The reaction can cause minor symptoms such as itching, sneezing or rashes but sometimes causes a much more serious reaction called anaphylaxis.

Anaphylaxis is a serious, life-threatening allergic reaction. It is at the extreme end of the allergic spectrum. The whole body is affected often within minutes of exposure to the allergen, but sometimes it can be hours later. Causes can include food, insect stings and drugs.

Most healthcare professionals consider an allergic reaction to be anaphylaxis when it involves difficulty breathing or affects the heart rhythm or blood pressure. Anaphylaxis symptoms are often referred to as the ABC Symptoms (Airway, Breathing, Circulation).

It is possible to be allergic to anything that contains a protein, however most people will react to a fairly small group of potent allergens.

Common UK allergens include, but are not limited to: peanuts, tree nuts, sesame, milk, egg, fish, latex, insect venom, pollen and animal dander.

This policy sets out how Manor Road Primary School will support pupils with allergies to ensure they are safe and not disadvantaged in any way whilst taking part in school life.

ROLES AND RESPONSIBILITIES

Parent Responsibilities

- On entry to the school or pre-school, it is the parent's responsibility to inform the school of any allergies. This information should include all previous serious allergic reactions, history of anaphylaxis and details of all prescribed medication.
- Parents must supply a copy of their child's Allergy Action Plan to school. If they do not currently have an Allergy Action Plan, this should be developed as soon as possible in collaboration with a healthcare professional, eg. School Nurse / GP / Allergy Specialist.
- Parents are responsible for ensuring that any required medication is supplied, in date and replaced as necessary. At Lancaster Lane, we require this medication to be provided in a container that is clearly labelled with the child's name.
- Parents are required to keep the school up-to-date with any changes in allergy management and provide an updated Allergy Action Plan.

Staff Responsibilities

- All staff at Lancaster Lane, including regular volunteers, are requested to complete anaphylaxis training. Training is provided for all staff on an annual basis.
- Staff must be aware of the pupils in their care (regular or cover classes) who have known allergies as an allergic reaction could occur at any time and not just at mealtimes. Any food-related activities must be supervised with due caution.

- Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, are with the adult who is carrying their medication. Pupils unable to produce their required medication will not be able to attend the trip.
- The office staff will ensure that an up-to-date Allergy Action Plan is kept with the pupil's medication.
- It is the parent's responsibility to ensure that all medication is in date, however the office staff will check medication kept at school on a termly basis and send a reminder to parents if medication is approaching expiry.
- Lancaster Lane Primary and Pre-School keeps record of pupils who have been prescribed an adrenaline auto-injector (AAI) and a record of use of any AAIs and emergency treatment given.

Pupil Responsibilities:

- Pupils are encouraged to have a good awareness of their symptoms and to let an adult know as soon as they suspect they are having an allergic reaction.
- Pupils who are trained and confident to administer their own AAIs will be encouraged to take responsibility for carrying them on their person at all times.

ALLERGY ACTION PLANS

Allergy Action Plans are designed to function as individual health care plans for children with food allergies, providing medical and parental consent for schools to administer medications in the event of an allergic reaction. At Lancaster Lane, all children with known allergies will have an Allergy Action Plan, provided by a healthcare professional.

It is the parent / carer's responsibility to complete the Allergy Action Plan with help from a healthcare professional, eg School Nurse / GP / Allergy Specialist, and provide this to the school.

EMERGENCY TREATMENT AND MANAGEMENT OF ANAPHYLAXIS

What to look for:

Symptoms usually come on quickly, within minutes of exposure to the allergen.

Mild to moderate allergic reaction symptoms may include:

- A red raised rash (known as hives or urticarial) anywhere on the body
- A tingling or itchy feeling in the mouth
- Swelling of the lips, face or eyes
- Stomach pain or vomiting

More serious symptoms are often referred to as the ABC Symptoms and can include:

- **AIRWAY** – swelling in the throat, tongue or upper airways (tightening of the throat, hoarse voice, difficulty swallowing)
- **BREATHING** – sudden onset wheezing, breathing difficulty, noisy breathing

- **CIRCULATION** – dizziness, feeling faint, sudden sleepiness, tiredness, confusion, pale clammy skin, loss of consciousness

The term for this more serious reaction is anaphylaxis. In extreme cases there could be a dramatic fall in blood pressure. The person may become weak and floppy and may have a sense of something terrible happening. This may lead to collapse and unconsciousness and, on rare occasions, can be fatal.

If the pupil has been exposed to something they are known to be allergic to, then it is more likely to be an anaphylactic reaction.

Anaphylaxis can develop very rapidly, so a treatment is needed that works rapidly. **Adrenaline** is the mainstay of treatment and it starts to work within seconds.

What does adrenaline do?

- It opens up the airways
- It stops swelling
- It raises the blood pressure

As soon as anaphylaxis is suspected, adrenaline must be administered without delay.

Action:

- Keep the child where they are, call for help and do not leave them unattended
- **LIE THE CHILD FLAT WITH LEGS RAISED** – they can be propped up if struggling to breathe, but this should be for as short a time as possible
- **USE ADRENALINE AUTO-INJECTOR WITHOUT DELAY** and note the time given. AAls should be given into the muscle in the outer thigh. Specific instructions vary by brand – always follow the instructions on the device.
- **CALL 999** and state **ANAPHYLAXIS** (ana-fil-axis)
- If no improvement after 5 minutes, administer second AAI
- If no signs of life, commence CPR
- Call the child's parent / carer as soon as possible

Whilst you are waiting for the ambulance, keep the child where they are. Do not stand them up, or sit them in a chair, even if they are feeling better. This could lower their blood pressure drastically, causing their heart to stop.

All pupils must go to hospital for observation after anaphylaxis even if they appear to have recovered as a reaction can reoccur after treatment.

SUPPLY, STORAGE AND CARE OF MEDICATION

Supply

For children who have an AAI, this is kept in a container, within a blue bag on the bag of each classroom door. It will be taken on any outings from school and the member of staff carrying it will be with the child requiring it if necessary.

Medication should be supplied in a suitable container and clearly labelled with the child's name. The medication storage container should contain:

- AAls as prescribed, ie. EpiPen ®, or Jext ®
- An up-to-date Allergy Action Plan
- Antihistamine as tablets or syrup if this is included on the Allergy Action Plan
- Spoon if required
- Asthma inhaler if this is included on the Allergy Action Plan

It is the responsibility of the child's parents to ensure that the anaphylaxis kit is up-to-date and clearly labelled, however at Lancaster Lane, the office staff will check medication kept at school on a termly basis and send a reminder to parents if the medication is approaching expiry.

Parents can subscribe to expiry alerts for the relevant AAls their child is prescribed to make sure they can get replacement devices in good time.

Storage

AAls should be stored at room temperature, protected from direct sunlight and temperature extremes.

At Lancaster Lane, the spare anaphylaxis kits are stored in the main office. The kits are accessible to all staff. Copies of all Allergy Action Plans where appropriate, are kept in the child's classroom, in the main office and in the dining hall.

Disposal

AAls are single use only and must be disposed of as sharps. Used AAls can be given to ambulance paramedics on arrival or can be disposed of in a sharps bin.

STAFF TRAINING

At Lancaster Lane, all staff are requested to complete online training in how to administer an AAI at the start of every new academic year. Currently all AAls prescribed for children at Lancaster Lane are the EpiPen brand; therefore training will be accessed from the manufacturers' website: www.epipen.co.uk

In the event of an alternative brand of AAI being prescribed, staff will access training from the relevant manufacturers' website, eg. www.jext.co.uk

INCLUSION AND SAFEGUARDING

Lancaster Lane Primary and Pre-School is committed to ensuring that all children with medical conditions, including allergies, in terms of both physical and mental health, are properly supported in school so that they can play a full and active role in school life, remain healthy and achieve their academic potential.

CATERING

All food businesses (including school caterers) must follow the Food Information Regulations 2014 which states that allergen information relating to the 'Top 14' allergens must be available for all food products.

Details of the special diets available in school can be found by visiting:

www.lancashire.gov.uk/catering/food-solutions/special-diets/primary-school-allergen-and-special-diet-policy/

The kitchen staff are informed of all pupils with food allergies and intolerances at the start of every academic year and this information is updated as required throughout the school year. At Lancaster Lane, photos of all children with food allergies and intolerances are provided to the kitchen staff at the start of every academic year to ensure that catering staff can identify these children. The staff responsible for providing this information are Linsey Hankin (Headteacher) and Victoria Gronow (School Business Manager).

At Lancaster Lane, parents of children with food allergies are encouraged to speak directly with our kitchen staff who will advise on the procedures in place to ensure children are provided with food which is safe for them.

The school adheres to the following Department of Health guidance recommendations:

- Bottles, other drinks and lunch boxes provided by parents for children with food allergies should be clearly labelled with the name of the child for whom they are intended
- If food is purchased from the school, parents should check the appropriateness of foods by speaking directly to the school kitchen staff
- The pupil should be taught to also check with catering staff before selecting their lunch choice
- Where food is provided by school, staff should be educated about how to read labels for food allergens and instructed about measures to prevent cross-contamination during the handling, preparation and serving of food. Examples include: preparing food for children with food allergies first; careful cleaning (using warm soapy water) of food preparation areas and utensils.
- Food should not be given to primary school-aged food-allergic children without parental engagement and permission, eg. parties, food tasting.
- Use of food in crafts, cooking classes, science experiments and special events (eg. fetes, assemblies, cultural events) needs to be considered any may need to be restricted / risk assessed depending on the allergies of particular children and their age. A child with an allergy should never be excluded from these events, however due care must be taken prior so they can take part safely.

SCHOOL TRIPS

Staff leading school trips will ensure they carry all relevant emergency supplies. Trip leaders will check that all pupils with medical conditions, including allergies, carry their medication. If this is not appropriate, eg. due to age or ability, medication will be carried by the adult responsible for the individual child. If parents have not provided their child's required medication, the child will not be able to attend the trip.

All the activities on the school trip will be risk assessed to see if they pose a threat to allergic pupils and alternative activities planned to ensure inclusion.

Overnight school trips should be possible with careful planning and a meeting for parents with the lead member of staff planning the trip should be arranged. Staff at the venue for an overnight school trip should be briefed early on that an allergic child is attending and will need appropriate food if provided by the venue.

Sporting Excursions

Children with allergies should have every opportunity to attend sports trips to other schools. The school will ensure that the PE specialist is fully aware of the situation. The school being visited will be notified that a member of the team has an allergy when arranging the fixture. A member of staff trained in administering adrenaline will accompany the team. If another school feels they are not equipped to cater for any food-allergic child, the school will arrange for the child to take alternative / their own food.

Most parents are keen that their children should be included in the full life of the school where possible and the school will need their co-operation with any special arrangements required.

ALLERGY AWARENESS AND NUT BANS

Lancaster Lane Primary and Pre-School understands the approach advocated by Anaphylaxis UK towards nut bans / nut free schools. They would not necessarily support a blanket ban on any particular allergen in any establishment including in schools. This is because nuts are only one of many allergens that could affect pupils, and no school could guarantee a truly allergen free environment for a child living with food allergy. They advocate instead for schools to adopt a culture of allergy awareness and education.

However, we do consider our school to be a Nut Free School and ask that children do not bring in any food containing nuts.

We also highlight a 'whole school awareness of allergies' approach, as it ensures teachers, pupils and other staff are aware of what allergies are, the importance of avoiding the pupil's allergens, the signs and symptoms, how to deal with allergic reactions and to ensure that policies and procedures are in place to minimise risk.

RISK ASSESSMENTS

Lancaster Lane Primary and Pre-School will conduct a detailed individual meeting with parents, which will be recorded on CPOMS, for all new joining pupils with allergies and any pupils newly diagnosed, to help identify any gaps in our systems and processes for keeping children with allergies safe. This information is then shared with all relevant staff members.

POLICY REVIEW DETAILS		
Policy written by	Linsey Hankin	August 2026 Based on model policy from Anaphylaxis UK as advised by LCC in 'Guidance for Education Providers – Allergens'
Review schedule	As required	

This child has the following allergies:

Name:

DOB:

Photo

Mild/moderate reaction:

- Swollen lips, face or eyes
- Itchy/tingling mouth
- Hives or itchy skin rash
- Abdominal pain or vomiting
- Sudden change in behaviour

Action to take:

- Stay with the child, call for help if necessary
- Locate adrenaline autoinjector(s)
- Give antihistamine:

(If vomited,
can repeat dose)

- Phone parent/emergency contact

Watch for signs of ANAPHYLAXIS (life-threatening allergic reaction)

Anaphylaxis may occur without skin symptoms. ALWAYS consider anaphylaxis in someone with known food allergy who has **SUDDEN BREATHING DIFFICULTY**

A AIRWAY

- Persistent cough
- Hoarse voice
- Difficulty swallowing
- Swollen tongue

B BREATHING

- Difficult or noisy breathing
- Wheeze or persistent cough

C CONSCIOUSNESS

- Persistent dizziness
- Pale or floppy
- Suddenly sleepy
- Collapse/unconscious

IF ANY ONE (OR MORE) OF THESE SIGNS ABOVE ARE PRESENT:

- 1 Lie child flat with legs raised (if breathing is difficult, allow child to sit)



- 2 Use Adrenaline autoinjector without delay (eg EpiPen®) (Dose: mg)

- 3 Dial 999 for ambulance and say ANAPHYLAXIS ("ANA-FIL-AX-IS")

*** IF IN DOUBT, GIVE ADRENALINE ***

AFTER GIVING ADRENALINE:

- 1 Stay with child until ambulance arrives, do **NOT** stand child up
- 2 Commence CPR if there are no signs of life
- 3 Phone parent/emergency contact
- 4 If no improvement after 5 minutes, give a further adrenaline dose using a second autoinjectable device, if available

You can dial 999 from any phone, even if there is no credit left on a mobile. Medical observation in hospital is recommended after anaphylaxis.

Emergency contact details:

1) Name:



2) Name:



Parental consent: I hereby authorize school staff to administer the medication listed on this plan, including a 'spare' back-up adrenaline autoinjector (AAI) if available, in accordance with Department of Health guidance on the use of AAI in schools.

Signature:

Print name:

Date:


For more information about managing anaphylaxis in schools and "spare" back-up adrenaline autoinjectors, visit:
sparepensinschools.uk

© The British Society for Allergy & Clinical Immunology (BSACI)

How to give EpiPen®



PULL OFF BLUE SAFETY CAP and grasp EpiPen. Remember "blue to sky, orange to the thigh"



Hold leg still and PLACE ORANGE END against mid-outer thigh "with or without clothing"



PUSH DOWN HARD until a click is heard or felt and hold in place for 3 seconds. Remove EpiPen.

Additional instructions:

If wheezy, GIVE ADRENALINE FIRST, then asthma reliever (blue puffer) via spacer

This is a school document that can only be completed by the child's head teacher or professional. It must not be altered without their permission. This document provides medical authorisation for schools to administer a 'spare' back-up adrenaline autoinjector if needed, as permitted by the Human Medicines (Amendment) Regulations 2017. During travel, adrenaline auto-injector devices must be carried in hand luggage or on the person, and NOT in the luggage hold. This action plan and authorisation to travel with emergency medications has been prepared by:

Sign & print name:

Hospital/Clinic:



Date:

