



MANOR PARK PRIMARY SCHOOL

Soar to Success







Calculation Policy



*Maths*HUBS

This policy has been largely adapted from the White Rose Maths Hub Calculation Policy with further material added.
It is a working document and will be revised and amended as necessary.









Objective & Strategy	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part-whole model	 <p>Use part part whole model.</p> <p>Use cubes to add two numbers together as a group or in a bar.</p>	 <p>Use pictures to add two numbers together as a group or in a bar.</p>	$4 + 3 = 7$  <p>Use the part-part whole diagram as shown above to move into the abstract.</p>
Starting at the bigger number and counting on	 <p>Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.</p>	$12 + 5 = 17$  <p>Start at the larger number on the number line and count on in ones or in one jump to find the answer.</p>	$5 + 12 = 17$ <p>Place the larger number in your head and count on the smaller number to find your answer.</p>
Regrouping to make 10. <i>This is an essential skill for column addition later.</i>	 <p>Start with the bigger number and use the smaller number to make 10.</p> <p>Use ten frames.</p>	 <p>Use pictures or a number line. Regroup or partition the smaller number using the part part whole model to make 10.</p>	$7 + 4 = 11$ <p>If I am at seven, how many more do I need to make 10. How many more do I add on now?</p>
Represent & use number bonds and related subtraction facts within 20	 <p>2 more than 5.</p>	 <p>5 + 2 =</p>	<p>Emphasis should be on the language</p> <p>'1 more than 5 is equal to 6.'</p> <p>'2 more than 5 is 7.'</p> <p>'8 is 3 more than 5.'</p>

Y1

ADDITION +











Objective & Strategy	Concrete	Pictorial	Abstract
Adding multiples of ten	$50 = 30 + 20$  Model using dienes and bead strings	 $3 \text{ tens} + 5 \text{ tens} = \text{---} \text{ tens}$ $30 + 50 = \text{---}$ Use representations for base ten.	$20 + 30 = 50$ $70 = 50 + 20$ $40 + \square = 60$
Use known number facts <i>Part part whole</i>	 Children explore ways of making numbers within 20	 $\square + \square = 20$ $20 - \square = \square$ $\square + \square = 20$ $20 - \square = \square$	$\square + 1 = 16$ $16 - 1 = \square$ $1 + \square = 16$ $16 - \square = 1$
Using known facts	$\square\square + \square\square = \square\square\square\square$ 	 Children draw representations of H, T and O	$3 + 4 = 7$ <i>leads to</i> $30 + 40 = 70$ <i>leads to</i> $300 + 400 = 700$
Bar model	 $3 + 4 = 7$	 $7 + 3 = 10$	 $23 + 25 = 48$

Y2

ADDITION +










Objective & Strategy	Concrete	Pictorial	Abstract
Add a two digit number and ones	 <p> $17 + 5 = 22$ Use ten frame to make 'magic ten' </p> <p>Children explore the pattern.</p> <p> $17 + 5 = 22$ $27 + 5 = 32$ </p>	<p>Use part part whole and number line to model.</p>  <p> $17 + 5 = 22$ $16 + 7$ </p>	<p> $17 + 5 = 22$ Explore related facts $17 + 5 = 22$ $5 + 17 = 22$ $22 - 17 = 5$ $22 - 5 = 17$ </p> 
Add a 2 digit number and tens	 <p> $25 + 10 = 35$ Explore that the ones digit does not change </p>	 <p> $27 + 30$ $+10 +10 +10$ $27 \quad 37 \quad 47 \quad 57$ </p>	<p> $27 + 10 = 37$ $27 + 20 = 47$ $27 + \square = 57$ </p>
Add two 2-digit numbers	 <p>Model using dienes, place value counters and numicon</p>	 <p> $+20 \quad +5$ Or $+20 \quad +3 \quad +2$ $47 \quad 67 \quad 72$ </p> <p>Use number line and bridge ten using part whole if necessary.</p>	 <p> $25 + 47$ $20 + 40 = 60$ $5 + 7 = 12$ $60 + 12 = 72$ </p>
Add three 1-digit numbers	 <p>Combine to make 10 first if possible, or bridge 10 then add third digit</p>	 <p>Regroup and draw representation.</p> <p> $4 + 7 + 6 = 17$ </p>	 <p> $4 + 7 + 6 = 10 + 7$ $= 17$ </p> <p>Combine the two numbers that make/ bridge ten then add on the third.</p>

Y2

ADDITION +






Objective & Strategy	Concrete	Pictorial	Abstract
<p>Column Addition—no regrouping (friendly numbers)</p> <p>Add two or three 2 or 3-digit numbers.</p>	<p>Model using Dienes or numicon</p>  <p>Add together the ones first, then the tens.</p>  <p>7 9</p>  <p>Calculations $21 + 42 =$ 21 $+ 42$</p> <p>Move to using place value counters</p>	<p>Children move to drawing the counters using a tens and one frame.</p> 	$\begin{array}{r} 223 \\ + 114 \\ \hline 337 \end{array}$ <p>Add the ones first, then the tens, then the hundreds.</p>
<p>Column Addition with regrouping.</p>	 <p>5 4</p> <p>Exchange ten ones for a ten. Model using numicon and pv counters.</p>  <p>Calculations 146 $+ 527$</p>	 <p>5 1</p> <p>Children can draw a representation of the grid to further support their understanding, carrying the ten <u>underneath</u> the line</p>	$\begin{array}{r} 20 + 5 \\ 40 + 8 \\ 60 + 13 = 73 \end{array}$ <p>Start by partitioning the numbers before formal column to show the exchange.</p> $\begin{array}{r} 536 \\ + 85 \\ \hline 621 \\ 11 \end{array}$

Y3

ADDITION +









Objective & Strategy	Concrete	Pictorial	Abstract																									
<p>Y4—add numbers with up to 4 digits</p>	<p>Children continue to use dienes or pv counters to add, exchanging ten ones for a ten and ten tens for a hundred and ten hundreds for a thousand.</p> <table border="1" data-bbox="614 332 1065 518"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Hundreds	Tens	Ones							 <p>Draw representations using pv grid.</p>	 <p>Continue from previous work to carry hundreds as well as tens.</p> <p>Relate to money and measures.</p>																
Hundreds	Tens	Ones																										
<p>Y5—add numbers with more than 4 digits.</p> <p>Add decimals with 2 decimal places, including money.</p>	<p>As year 4</p> <table border="1" data-bbox="614 661 1065 832"> <thead> <tr> <th>tens</th> <th>ones</th> <th>tenths</th> <th>hundredths</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Introduce decimal place value counters and model exchange for addition.</p>	tens	ones	tenths	hundredths					<p>2.37 + 81.79</p> 	<p>72.8</p> <p>+ 54.6</p> <p><u>127.4</u></p> <p>1 1</p> <table border="1" data-bbox="1740 732 1995 875"> <tbody> <tr> <td>£</td> <td>23</td> <td>·</td> <td>59</td> </tr> <tr> <td>+</td> <td>£</td> <td>7</td> <td>·</td> <td>55</td> </tr> <tr> <td>£</td> <td>30</td> <td>·</td> <td>14</td> </tr> </tbody> </table>	£	23	·	59	+	£	7	·	55	£	30	·	14				
tens	ones	tenths	hundredths																									
£	23	·	59																									
+	£	7	·	55																								
£	30	·	14																									
<p>Y6—add several numbers of increasing complexity</p> <p>Including adding money, measure and decimals with different numbers of decimal points.</p>	<p>As Y5</p>	<p>As Y5</p>	<table border="1" data-bbox="1587 946 1816 1132"> <tbody> <tr><td>81,059</td></tr> <tr><td>3,668</td></tr> <tr><td>15,301</td></tr> <tr><td>+ 20,551</td></tr> <tr><td><u>120,579</u></td></tr> <tr><td>1 1 1 1</td></tr> </tbody> </table> <p>Insert zeros for place holders.</p> <table border="1" data-bbox="1791 1160 2020 1346"> <tbody> <tr><td>23</td><td>·</td><td>361</td></tr> <tr><td>9</td><td>·</td><td>080</td></tr> <tr><td>59</td><td>·</td><td>770</td></tr> <tr><td>+</td><td>1</td><td>·</td><td>300</td></tr> <tr><td><u>93</u></td><td>·</td><td><u>511</u></td></tr> <tr><td>2</td><td></td><td>2</td></tr> </tbody> </table>	81,059	3,668	15,301	+ 20,551	<u>120,579</u>	1 1 1 1	23	·	361	9	·	080	59	·	770	+	1	·	300	<u>93</u>	·	<u>511</u>	2		2
81,059																												
3,668																												
15,301																												
+ 20,551																												
<u>120,579</u>																												
1 1 1 1																												
23	·	361																										
9	·	080																										
59	·	770																										
+	1	·	300																									
<u>93</u>	·	<u>511</u>																										
2		2																										

Y4-6





ADDITION +



Objective & Strategy	Concrete	Pictorial	Abstract
Taking away ones.	<p>Use physical objects, counters, cubes etc to show how objects can be taken away.</p>  <p>$6 - 4 = 2$</p> <p>$4 - 2 = 2$</p>	 <p>$15 - 3 = 12$</p> <p>Cross out drawn objects to show what has been taken away.</p>	<p>$7 - 4 = 3$</p> <p>$16 - 9 = 7$</p>
Counting back	 <p>Move objects away from the group, counting backwards.</p> <p>Move the beads along the bead string as you count backwards.</p>	 <p>$5 - 3 = 2$</p> <p>Count back in ones using a number line.</p>	<p>Put 13 in your head, count back 4. What number are you at?</p>
Find the Difference	<p>Compare objects and amounts</p>  <p>'Seven is 3 more than four'</p> <p>'I am 2 years older than my sister'</p> <p>5 Pencils</p> <p>3 Erasers</p> <p>Lay objects to represent bar model.</p>	<p>Count on using a number line to find the difference.</p>  <p>+6</p>	<p>Hannah has 12 sweets and her sister has 5. How many more does Hannah have than her sister.?</p>

Y1 SUBTRACTION -







Objective & Strategy	Concrete	Pictorial	Abstract		
<p>Represent and use number bonds and related subtraction facts within 20</p> <p>Part Part Whole model</p>	 <p>Link to addition. Use PPW model to model the inverse.</p> <p>If 10 is the whole and 6 is one of the parts, what's the other part?</p> $10 - 6 = 4$	 <p>Use pictorial representations to show the part.</p>	<p>Move to using numbers within the part whole model.</p> 		
<p>Make 10</p>	<p>14—9</p>  <p>Make 14 on the ten frame. Take 4 away to make ten, then take one more away so that you have taken 5.</p>	<p>13—7</p>  <p>Jump back 3 first, then another 4. Use ten as the stopping point.</p>	<p>16—8</p> <p>How many do we take off first to get to 10? How many left to take off?</p>		
<p>Bar model</p>	 $5 - 2 = 3$		<table border="1" data-bbox="1600 996 2033 1072"> <tr> <td>8</td> <td>2</td> </tr> </table> $10 = 8 + 2$ $10 = 2 + 8$ $10 - 2 = 8$ $10 - 8 = 2$	8	2
8	2				

Y1







SUBTRACTION -



Objective & Strategy	Concrete	Pictorial	Abstract
Regroup a ten into ten ones	 <p>Use a PV chart to show how to change a ten into ten ones, use the term 'take and make'</p>	 $20 - 4 =$	$20 - 4 = 16$
Partitioning to subtract without regrouping. <i>'Friendly numbers'</i>	$34 - 13 = 21$  <p>Use Dienes to show how to partition the number when subtracting without regrouping.</p>	<p>Children draw representations of Dienes and cross off.</p>  $43 - 21 = 22$	$43 - 21 = 22$
Make ten strategy <i>Progression should be crossing one ten, crossing more than one ten, crossing the hundreds.</i>	 $34 - 28$ <p>Use a bead bar or bead strings to model counting to next ten and the rest.</p>	 <p>Use a number line to count on to next ten and then the rest.</p>	$93 - 76 = 17$

Y2 SUBTRACTION -









Objective & Strategy	Concrete	Pictorial	Abstract
Column subtraction without regrouping (friendly numbers)	 <p>47 - 32</p> <p>Use base 10 or Numicon to model</p>	 <p>Calculations</p> $\begin{array}{r} 47 \\ - 32 \\ \hline 15 \\ \hline 15 \end{array}$ <p>Darw representations to support understanding</p>	$47 - 24 = 23$ $\begin{array}{r} 40 + 7 \\ - 20 + 4 \\ \hline 20 + 3 \end{array}$ <p>Intermediate step may be needed to lead to clear subtraction understanding.</p> 
Column subtraction with regrouping	 <p>Begin with base 10 or Numicon. Move to pv counters, modelling the exchange of a ten into ten ones. Use the phrase 'take and make' for exchange.</p>	$\begin{array}{r} 45 \\ - 29 \\ \hline 16 \end{array}$ <p>Tens Ones</p>  <p>Children may draw base ten or PV counters and cross off.</p>	$836 - 254 = 582$  <p>Begin by partitioning into pv columns</p> $728 - 582 = 146$  <p>Then move to formal method.</p>

Y3

SUBTRACTION -









Objective & Strategy	Concrete	Pictorial	Abstract
Subtracting tens and ones Year 4 subtract with up to 4 digits. <i>Introduce decimal subtraction through context of money</i>	$234 - 179$  <p>Model process of exchange using Numicon, base ten and then move to PV counters.</p>	Children to draw pv counters and show their exchange—see Y3	 <p>Use the phrase 'take and make' for exchange</p>
Year 5- Subtract with at least 4 digits, including money and measures. <i>Subtract with decimal values, including mixtures of integers and decimals and aligning the decimal</i>	As Year 4	Children to draw pv counters and show their exchange—see Y3	 <p>Use zeros for place-holders.</p> 
Year 6—Subtract with increasingly large and more complex numbers and decimal values.			 

Y4-6

SUBTRACTION -







Objective & Strategy	Concrete	Pictorial	Abstract
Doubling	<p>Use practical activities using manipulatives including cubes and Numicon to demonstrate doubling</p>  <p>double 4 is 8 $4 \times 2 = 8$</p>	<p>Draw pictures to show how to double numbers</p> <p>Double 4 is 8</p> 	<p>Partition a number and then double each part before recombining it back together.</p>  <p>$20 + 12 = 32$</p>
Counting in multiples	<p>Count the groups as children are skip counting, children may use their fingers as they are skip counting.</p> 	 <p>Children make representations to show counting in multiples.</p> 	<p>Count in multiples of a number aloud.</p> <p>Write sequences with multiples of numbers.</p> <p>2, 4, 6, 8, 10</p> <p>5, 10, 15, 20, 25, 30</p>
Making equal groups and counting the total	 <p>Use manipulatives to create equal groups.</p> <p>$\square \times \square = 8$</p>	<p>Draw  to show $2 \times 3 = 6$</p> <p>Draw and make representations</p>	<p>$2 \times 4 = 8$</p>

Y1





MULTIPLICATION X

Y1

MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract
Repeated addition	 <p>Use different objects to add equal groups</p>	<p>Use pictorial including number lines to solve prob</p> <p>There are 3 sweets in one bag. How many sweets are in 5 bags altogether?</p>  $3+3+3+3+3 = 15$	<p>Write addition sentences to describe objects and pictures.</p>  $2+2+2+2+2 = 10$
Understanding arrays	<p>Use objects laid out in arrays to find the answers to 2 lots 5, 3 lots of 2 etc.</p> 	<p>Draw representations of arrays to show understanding</p> 	$3 \times 2 = 6$ $2 \times 5 = 10$







Objective & Strategy	Concrete	Pictorial	Abstract
Doubling	<p>Model doubling using dienes and PV counters.</p>  $40 + 12 = 52$	<p>Draw pictures and representations to show how to double numbers</p>	<p>Partition a number and then double each part before recombining it back together.</p>  $20 + 12 = 32$
<p>Counting in multiples of 2, 3, 4, 5, 10 from 0 (repeated addition)</p>	<p>Count the groups as children are skip counting, children may use their fingers as they are skip counting. Use bar models.</p>  $5 + 5 + 5 + 5 + 5 + 5 + 5 = 40$	<p>Number lines, counting sticks and bar models should be used to show representation of counting in multiples.</p> 	<p>Count in multiples of a number aloud.</p> <p>Write sequences with multiples of numbers.</p> <p>0, 2, 4, 6, 8, 10</p> <p>0, 3, 6, 9, 12, 15</p> <p>0, 5, 10, 15, 20, 25, 30</p> $4 \times 3 = \square$

Y2

MULTIPLICATION X









Objective & Strategy	Concrete	Pictorial	Abstract
<p>Multiplication is commutative</p>	<p>Create arrays using counters and cubes and Numicon.</p>  <p>Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.</p> 	<p>Use representations of arrays to show different calculations and explore commutativity.</p> 	<p>$12 = 3 \times 4$</p> <p>$12 = 4 \times 3$</p> <div style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p>Use an array to write multiplication sentences and reinforce repeated addition.</p>  <p>$5 + 5 + 5 = 15$</p> <p>$3 + 3 + 3 + 3 + 3 = 15$</p> <p>$5 \times 3 = 15$</p> <p>$3 \times 5 = 15$</p> </div>
<p>Using the Inverse</p> <p><i>This should be taught alongside division, so pupils learn how they work alongside each other.</i></p>		 <p><input type="text"/> \times <input type="text"/> = <input type="text"/></p> <p><input type="text"/> \times <input type="text"/> = <input type="text"/></p> <p><input type="text"/> \div <input type="text"/> = <input type="text"/></p> <p><input type="text"/> \div <input type="text"/> = <input type="text"/></p>	<p>$2 \times 4 = 8$</p> <p>$4 \times 2 = 8$</p> <p>$8 \div 2 = 4$</p> <p>$8 \div 4 = 2$</p> <p>$8 = 2 \times 4$</p> <p>$8 = 4 \times 2$</p> <p>$2 = 8 \div 4$</p> <p>$4 = 8 \div 2$</p> <p>Show all 8 related fact family sentences.</p>

Y2

MULTIPLICATION X



Objective & Strategy	Concrete	Pictorial	Abstract															
<p>Grid method</p>	<p>Show the links with arrays to first introduce the grid method.</p>  <p>4 rows of 10 4 rows of 3</p> <p>Move onto base ten to move towards a more compact method.</p>  <p>4 rows of 13</p> <p>Move on to place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows</p>  <p>Calculations 4×126</p> <p>Fill each row with 126</p>  <p>Calculations 4×126</p> <p>Add up each column, starting with the ones making any exchanges needed</p>  <p>Then you have your answer.</p>	<p>Children can represent their work with place value counters in a way that they understand.</p> <p>They can draw the counters using colours to show different amounts or just use the circles in the different columns to show their thinking as shown below.</p>  <p>Bar model are used to explore missing numbers</p> 	<p>Start with multiplying by one digit numbers and showing the clear addition alongside the grid.</p> <table border="1" data-bbox="1740 325 2046 418"> <tr> <td>X</td> <td>30</td> <td>5</td> </tr> <tr> <td>7</td> <td>210</td> <td>35</td> </tr> </table> <p>$210 + 35 = 245$</p> <p>Moving forward, multiply by a 2 digit number showing the different rows within the grid method.</p> <table border="1" data-bbox="1740 696 2046 889"> <tr> <td></td> <td>10</td> <td>8</td> </tr> <tr> <td>10</td> <td>100</td> <td>80</td> </tr> <tr> <td>3</td> <td>30</td> <td>24</td> </tr> </table>	X	30	5	7	210	35		10	8	10	100	80	3	30	24
X	30	5																
7	210	35																
	10	8																
10	100	80																
3	30	24																





Y3

MULTIPLICATION X



Y4

MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract																																															
<p>Grid method recap from year 3 for 2 digits x 1 digit</p> <p>Move to multiplying 3 digit numbers by 1 digit. (year 4 expectation)</p>	<p>Use place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows</p>  <p>Calculations 4×126</p> <p>Fill each row with 126</p>  <p>Add up each column making any exchanges needed</p> 	<p>Children can represent their work with place value counters in a way that they understand.</p> <p>They can draw the counters using colours to show different amounts or just use the circles in the different columns to show their thinking as shown below.</p> 	<p>Start with multiplying by one digit numbers and showing the clear addition alongside the grid.</p> <table border="1" data-bbox="1707 328 2012 428"> <tr> <td>x</td> <td>30</td> <td>5</td> </tr> <tr> <td>7</td> <td>210</td> <td>35</td> </tr> </table> <p>$210 + 35 = 245$</p>	x	30	5	7	210	35																																									
x	30	5																																																
7	210	35																																																
<p>Column multiplication</p>	<p>Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. $321 \times 2 = 642$</p> <table border="1" data-bbox="637 928 942 1299"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>It is important at this stage that they always multiply the ones first.</p> <p>The corresponding long multiplication is modelled alongside</p>	Hundreds	Tens	Ones													<table border="1" data-bbox="1197 813 1528 899"> <tr> <td>x</td> <td>300</td> <td>20</td> <td>7</td> </tr> <tr> <td>4</td> <td>1200</td> <td>80</td> <td>28</td> </tr> </table> <p>The grid method may be used to show how this relates to a formal written method.</p>  <p>Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods.</p>	x	300	20	7	4	1200	80	28	<table border="1" data-bbox="1758 799 1936 1156"> <tr> <td></td> <td>327</td> </tr> <tr> <td>x</td> <td>4</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td></td> <td>28</td> </tr> <tr> <td></td> <td>80</td> </tr> <tr> <td></td> <td>1200</td> </tr> <tr> <td></td> <td><hr/></td> </tr> <tr> <td></td> <td>1308</td> </tr> </table> <p>This may lead to a compact method.</p> <table border="1" data-bbox="1656 1185 1885 1356"> <tr> <td></td> <td>327</td> </tr> <tr> <td>x</td> <td>4</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td></td> <td>1308</td> </tr> </table>		327	x	4	<hr/>			28		80		1200		<hr/>		1308		327	x	4	<hr/>			1308
Hundreds	Tens	Ones																																																
x	300	20	7																																															
4	1200	80	28																																															
	327																																																	
x	4																																																	
<hr/>																																																		
	28																																																	
	80																																																	
	1200																																																	
	<hr/>																																																	
	1308																																																	
	327																																																	
x	4																																																	
<hr/>																																																		
	1308																																																	



Objective & Strategy	Concrete	Pictorial	Abstract																																																	
Column Multiplication for 3 and 4 digits x 1 digit.	<table border="1" style="display: inline-table; margin-bottom: 10px;"> <tr> <td style="background-color: red; color: white;">Hundreds</td> <td style="background-color: green; color: white;">Tens</td> <td style="background-color: blue; color: white;">Ones</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> <p>It is important at this stage that they always multiply the ones first.</p> <p>Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. $321 \times 2 = 642$</p>	Hundreds	Tens	Ones													<table border="1" style="display: inline-table; margin-bottom: 10px;"> <tr> <td>x</td> <td>300</td> <td>20</td> <td>7</td> </tr> <tr> <td>4</td> <td>1200</td> <td>80</td> <td>28</td> </tr> </table>	x	300	20	7	4	1200	80	28	$ \begin{array}{r} 327 \\ \times 4 \\ \hline 28 \\ 80 \\ 1200 \\ \hline 1308 \end{array} $ <table border="1" style="display: inline-table; margin-top: 10px;"> <tr><td>3</td><td>2</td><td>7</td></tr> <tr><td>x</td><td></td><td>4</td></tr> <tr><td>1</td><td>3</td><td>0</td><td>8</td></tr> <tr><td></td><td>1</td><td>2</td><td></td></tr> </table> <p>This will lead to a compact method.</p>	3	2	7	x		4	1	3	0	8		1	2													
Hundreds	Tens	Ones																																																		
x	300	20	7																																																	
4	1200	80	28																																																	
3	2	7																																																		
x		4																																																		
1	3	0	8																																																	
	1	2																																																		
Column multiplication	<p>Manipulatives may still be used with the corresponding long multiplication modelled alongside.</p>	<table border="1" style="display: inline-table; margin-bottom: 10px;"> <tr> <td></td> <td>10</td> <td>8</td> </tr> <tr> <td>10</td> <td>100</td> <td>80</td> </tr> <tr> <td>3</td> <td>30</td> <td>24</td> </tr> </table>		10	8	10	100	80	3	30	24	<table border="1" style="display: inline-table; margin-bottom: 10px;"> <tr><td></td><td>1</td><td>8</td></tr> <tr><td>x</td><td>1</td><td>3</td></tr> <tr><td></td><td>5</td><td>4</td></tr> <tr><td></td><td>2</td><td></td></tr> <tr><td>1</td><td>8</td><td>0</td></tr> <tr><td>2</td><td>3</td><td>4</td></tr> </table> <p>18 x 3 on the first row (8 x 3 = 24, carrying the 2 for 20, then 1 x 3) 18 x 10 on the 2nd row. Show multiplying by 10 by putting zero in units first</p> <table border="1" style="display: inline-table; margin-top: 10px;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>x</td><td></td><td></td><td>6</td></tr> <tr><td>7</td><td>4</td><td>0</td><td>4</td></tr> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>0</td></tr> <tr><td>1</td><td>9</td><td>7</td><td>4</td><td>4</td></tr> </table> <p>Continue to use bar modelling to support problem solving</p>		1	8	x	1	3		5	4		2		1	8	0	2	3	4	1	2	3	4	x			6	7	4	0	4	1	2	3	4	0	1	9	7	4	4
	10	8																																																		
10	100	80																																																		
3	30	24																																																		
	1	8																																																		
x	1	3																																																		
	5	4																																																		
	2																																																			
1	8	0																																																		
2	3	4																																																		
1	2	3	4																																																	
x			6																																																	
7	4	0	4																																																	
1	2	3	4	0																																																
1	9	7	4	4																																																

Y5-6

MULTIPLICATION X





Objective & Strategy	Concrete	Pictorial	Abstract
Multiplying decimals up to 2 decimal places by a single digit.			<p data-bbox="1625 211 2084 307">Remind children that the single digit belongs in the units column. Line up the decimal points in the question and the answer.</p> $\begin{array}{r} 3.19 \\ \times 8 \\ \hline 25.52 \end{array}$

Y6

MULTIPLICATION X









Objective & Strategy	Concrete	Pictorial	Abstract
<p>Division as sharing</p> <p><i>Use Gordon ITPs for modelling</i></p>	 <p>I have 10 cubes, can you share them equally in 2 groups?</p>	<p>Children use pictures or shapes to share quantities.</p>  <p>8 shared between 2 is 4</p> <p>Sharing:</p>  <p>12 shared between 3 is 4</p>	<p>12 shared between 3 is</p> <p>4</p>

Y1

DIVISION ÷







Objective & Strategy	Concrete	Pictorial	Abstract
Division as sharing	 <p>I have 10 cubes, can you share them equally in 2 groups?</p>	<p>Children use pictures or shapes to share quantities.</p>  <p>Children use bar modelling to show and support understanding.</p>  <p>$12 \div 4 = 3$</p>	$12 \div 3 = 4$
Division as grouping	<p>Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding.</p>  	<p>Use number lines for grouping</p>  <p>$12 \div 3 = 4$</p> <p>Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group.</p>  <p>$20 \div 5 = ?$ $5 \times ? = 20$</p>	$28 \div 7 = 4$ <p>Divide 28 into 7 groups. How many are in each group?</p>

Y2

DIVISION ÷







Objective & Strategy	Concrete	Pictorial	Abstract
Division as grouping	<p>Use cubes, counters, objects or place value counters to aid understanding.</p>  <p>24 divided into groups of 6 = 4</p> $96 \div 3 = 32$ 	<p>Continue to use bar modelling to aid solving division problems.</p>  $20 \div 5 = ?$ $5 \times ? = 20$	<p>How many groups of 6 in 24?</p> $24 \div 6 = 4$
Division with arrays	 <p>Link division to multiplication by creating an array and thinking about the number sentences that can be created.</p> <p>Eg $15 \div 3 = 5$ $5 \times 3 = 15$ $15 \div 5 = 3$ $3 \times 5 = 15$</p>	<p>Draw an array and use lines to split the array into groups to make multiplication and division sentences</p> 	<p>Find the inverse of multiplication and division sentences by creating eight linking number sentences.</p> $7 \times 4 = 28$ $4 \times 7 = 28$ $28 \div 7 = 4$ $28 \div 4 = 7$ $28 = 7 \times 4$ $28 = 4 \times 7$ $4 = 28 \div 7$ $7 = 28 \div 4$

Y3

DIVISION ÷








Objective & Strategy	Concrete	Pictorial	Abstract
Division with remainders.	<p>$14 \div 3 =$</p> <p>Divide objects between groups and see how much is left over</p> 	<p>Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder.</p>  <p>Draw dots and group them to divide an amount and clearly show a remainder.</p>  <p>Use bar models to show division with remainders.</p>  <p>Example without remainder: $40 \div 5$ Ask "How many 5s in 40?" $5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 = 8 \text{ fives}$</p>  <p>Example with remainder: $38 \div 6$</p>  <p>For larger numbers, when it becomes inefficient to count in single multiples, bigger jumps can be recorded using known facts.</p>	<p>Complete written divisions and show the remainder using r.</p> $29 \div 8 = 3 \text{ REMAINDER } 5$ <p>↑ ↑ ↑ ↑ dividend divisor quotient remainder</p>

Y3

DIVISION ÷



Objective & Strategy	Concrete	Pictorial	Abstract				
Divide at least 3 digit numbers by 1 digit. Short Division	<p>$96 \div 3$</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 5px;">Tens</td> <td style="padding: 5px;">Units</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">2</td> </tr> </table>  <p>Use place value counters to divide using the bus stop method alongside</p>  <p>$42 \div 3 =$</p> <p>Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.</p>   <p>We exchange this ten for ten ones and then share the ones equally among the groups.</p>  <p>We look how much in 1 group so the answer is 14.</p>	Tens	Units	3	2	<p>Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.</p>  <p>Encourage them to move towards counting in multiples to divide more efficiently.</p>	<p>Begin with divisions that divide equally with no remainder.</p> $\begin{array}{r} 218 \\ 3 \overline{) 872} \end{array}$ <p>Move onto divisions with a remainder.</p> $\begin{array}{r} 86 \text{ r } 2 \\ 5 \overline{) 432} \end{array}$ <p>Finally move into decimal places to divide the total accurately.</p> $\begin{array}{r} 14.6 \\ 35 \overline{) 511.0} \end{array}$ 
Tens	Units						
3	2						

Y4-6

DIVISION ÷



Long Division

Step 1—a remainder in the ones

$$\begin{array}{r} \text{h t o} \\ 041 \text{ R}1 \\ \hline 4 \overline{) 165} \end{array}$$

4 does not go into 1 (hundred). So combine the 1 hundred with the 6 tens (160).

4 goes into 16 four times.

4 goes into 5 once, leaving a remainder of 1.

$$\begin{array}{r} \text{th h t o} \\ 0400 \text{ R}7 \\ \hline 8 \overline{) 3207} \end{array}$$

8 does not go into 3 of the thousands. So combine the 3 thousands with the 2 hundreds (3,200).

8 goes into 32 four times ($3,200 \div 8 = 400$)

8 goes into 0 zero times (tens).

8 goes into 7 zero times, and leaves a remainder of 7.

Y6

DIVISION ÷