Year 6 Algebra

Algebra

A letter is used in place of a variable or unknown number.

Take a number double it add 3





let's (times it by 2) call this number 'n'

Linear Sequence

A sequence of numbers where each number increases or decreases by the same amount.

Each number in the sequence is called a term.

The change between the numbers is the term-to-term rule.

Missing Numbers

When a letter is used in algebra to represent a missing value, it is called a variable.

An equation shows when two things are equal using the equals sign.

An expression is a group of numbers, operations and variables on one side of an equation.

The multiplication sign is not used in algebra. The number is just written in front of the variable.

$$3y = 12$$

Expression

The division sign is not used in algebra. A fraction line is used to show that you divide the top by the bottom.

$$\frac{20}{g} = 5$$

Simple Formula

A formula is an equation showing a relationship or rule.

area = length × width

Satisfy Two Variables

In an equation with two unknown numbers, there can be more than one way to satisfy the equation.

$$\alpha + b = 25$$

We can record the pairs of numbers that satisfy an equation in a table.

α	24	23	22	21	20	
b	1	2	3	4	5	

Year 6 Fractions

Adding and Subtracting Fractions

When the denominators are the same, you simply add or subtract the numerators.

$$\frac{2}{5}$$
 + $\frac{1}{5}$ = $\frac{3}{5}$

When the denominators are not the same, find the lowest common denominator and rewrite the fractions. Then, add or subtract the numerators.

$$\frac{2}{5}$$
 + $\frac{1}{10}$ = $\frac{4}{10}$ + $\frac{1}{10}$ = $\frac{5}{10}$ = $\frac{1}{2}$

Adding and Subtracting Mixed Numbers

With mixed numbers, you could convert the mixed number into an improper fraction and then add or subtract as normal.

$$1\frac{1}{2} + 1\frac{1}{3}$$

$$\frac{3}{2} + \frac{4}{3} = \frac{9}{6} + \frac{8}{6} = \frac{17}{6}$$

Once you have your final answer, change the improper fraction back to a mixed number.

$$\frac{17}{6} = 2 \frac{5}{6}$$

Multiplying Fractions

$$\frac{2}{4}$$
 × $\frac{3}{6}$

$$\frac{2}{4} \times \frac{3}{6} = \frac{6}{24}$$

Multiply the numerators. Multiply the Denominators.

$$\frac{6}{24} = \frac{1}{4}$$

Simplify the fraction by dividing the numerator and denominator by their lowest common factor.

Dividing Fractions by a Whole Number

$$\frac{2}{3} \div 2$$



For $\frac{2}{3}$ we can imagine we have 2 out of 3 slices in a pizza.



Imagine the pizza without the plate.


Decimal Place Value Chart

	Millions	
	Hundred thousands	
	Ten thousands	<u>a</u>
3	Thousands	Whole
6	Hundreds	>
8	Tens	
4	Ones	
	Decimal Point	
2	Tenths	
6	Hundredths	
	Thousandths	Parts
	Ten-thousandths	Pa
	Hundred thousandths	
	Millionths	

Take these slices and share them between 2 plates.







Year 6 Decimals

Multiplying Decimals by Whole Numbers

1

Write the numbers above each other in the correct columns.

2

Multiply the hundredths digit in the decimal number by the one-digit number. 5 hundredths × 6 ones = 30 hundredths = 3 tenths and 0 hundredths. Write 0 in the answer section and regroup the 3 tenths by writing 3 above the tenths column.

3

Multiply the tenths digit in the decimal by the one-digit number and add any regrouped tenths. 4 tenths × 6 ones = 24 tenths + 3 tenths = 27 tenths = 2 ones and 7 tenths. Write 7 in the answer section and regroup the 2 ones by writing 2 above the ones column. Write the answer in the provided section.


4

Multiply the ones digit in the decimal number by the one-digit number and add any regrouped ones. 3 ones \times 6 ones = 18 ones + 2 ones = 20 ones = 2 tens and 0 ones. Write the answer in the provided section.


5

 $3.45 \times 6 = 20.70$

Year 6 Measurement



kilo	thousand	one thousand times bigger (than gram/metre/litre)			
gram/metre/litre					
centi	hundredth	one hundred times smaller (than gram/metre/litre)			
milli	thousandth	one thousand times smaller (than gram/metre/litre)			




1 mile = 1.6km

Finding the Area of a Parallelogram

To find the area of parallelogram: multiply the **base** by the **height**

 $8cm \times 3cm = 24cm^2$

See how the parallelogram can be changed into a rectangle






Year 6 Measurement

Finding the Area of a Triangle

To find the area of a triangle: multiply the $base \times the \ height$ and divide the answer by 2



The area:

 $5cm \times 3cm = 15cm^{2}$ $15cm \div 2 = 7.5cm^{2}$ $area = 7.5cm^{2}$



Factors and Multiples

A multiple is a number that can be divided evenly by a given number.

For example, $12 \times 1 = 12$, $12 \times 2 = 24$, $12 \times 3 = 36$

The multiples of 12 include: 12, 24, 36, 48...

A factor is a number that is multiplied by another number to get a product.

For example, $12 \div 1 = 12$, $12 \div 2 = 6$, $12 \div 3 = 4$

The factors of 12 are: 1, 2, 3, 4, 6 and 12.

Common Factors

A common factor is a number which is a factor of two or more other numbers. For example, 3 is a common factor of 6 and 9.

Common Multiple

A number which is a multiple of a set of numbers. For example, 16 is a common multiple of 2, 4 and 8.

Prime Numbers

A natural number greater than 1 with no divisors other than 1 and itself.

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

Long Multiplication

Multiplying by a Two-Digit Number

 154×26

Write to correct	Write the numbers above each other in the correct columns.	1	L 5 4
4	correct columns.	×	2 6

- First, multiply the ones in the three-digit number by the ones in the two-digit number. 154 4 ones × 6 ones = 24 ones = 2 tens and 4 ones. 26 Write 4 in the answer section and regroup the 2 tens by writing 2 above the tens column.
- Next, multiply the tens in the three-digit 3 2 number by the ones digits in the two-digit 154 number and add any regrouped tens. $5 \text{ tens} \times 6 = 30 \text{ tens} + 2 \text{ tens} = 32 \text{ tens} = 3$ 2 4 hundreds and 2 tens

Write 2 in the answer section and regroup the 3 hundreds by writing 3 above the hundreds column.

4	Finally, multiply the hundreds in the three-		3 2
4	Finally, multiply the hundreds in the three- digit number by the ones digits in the two-digit		154
	number and add any regrouped hundreds.	×	2 6
	1 hundred × 6 = 6 hundreds + 3 hundreds =		924

Write 9 in the answer section.

9 hundreds

Because the calculation involves multiplying by 20, a zero needs to be placed in the right-hand column as a place holder.

 $4 \text{ ones} \times 2 \text{ tens} = 8 \text{ tens}$

Write 8 in the answer sections.

Long Multiplication

Multiplying by a Two-Digit Number

154 × 26

6	Multiply the tens in the three-digit number by the tens in the two-digit number and add any
U	the tens in the two-digit number and add any
	regrouped hundreds.

5 tens × 2 tens = 1 thousand

Write 0 in the answer section and regroup the 1 thousands by writing a 1 above the thousands column.

Multiply the hundreds in the three-digit number by the tens in the two-digit number and add any regrouped thousands.

1 hundred × 2 tens = 2 thousands + 1 thousand = 3 thousands

Write 3 in the answer section.

Combine the totals using regrouping if required.

9 154 × 26 = 4004

1	<i>p</i> /	
	154	
×	2 6	
	0.2./	

1 11

9 2 4 0 8 0

1 3 Z 1 5 4

× 26 924 3080

1 3 2 4


× 26

3 0 8 0 4 0 0 4

1 1


Long Division

Dividing by a Two-Digit Number Resulting in a Decimal Answer




First, work out how many 12s there are in 59. The answer to this question is 4, which is written above the 9. We then write the product of 4 and 12 (48) under the 59 and subtract, giving 11. The 1 is then brought down and written next to 11 to make 111.

Next, work out how many 12s there are in 111. The answer to this question is 9, which is written above the 1. Then, write the product of 9 and 12 (108) under 111 and subtract it, giving 3.



Extend 591 into decimals to continue the process of long division. The 0 in the tenths place is then brought down and written next to the 3 to make 30.

Next, work out how many 12s there are in 30. The answer to this question is 2, which is written above the 0 in the tenths place. Then, write the product of 2 and 12 (24) under 30 and subtract it, giving 6. The 0 is then brought down and written next to 6 to make 60.



Next, find out how many 12s there are in 60. The answer to this question is 5, which is written above the 0 in the hundredths place. Then, write the product of 5 and 12 (60) under 60 and subtract it, giving zero.

$$591 \div 12 = 49.25$$

Short Division

Dividing by a Two-Digit Number

5284 ÷ 12


First we divide 5 (thousands) by 12. This gives a result of 0 with a remainder of 5. The remainder 5 (thousands) is exchanged for 50 hundreds and placed into the hundreds column. This is shown by a small 5 in front of the existing 2 hundreds to make 52 hundreds.

Next, we divide 52 (hundreds) by 12. This gives a result 4 (hundreds) remainder 4. The remainder 4 (hundreds) is exchanged for 40 tens and placed into the tens column. This is shown by a small 4 in front of the existing 8 tens to make 48 tens. The 4 is written in the hundreds position of the answer above the line.

Next, we divide 48 (tens) by 12. This gives a result of 4. The 4 is written in the tens position of the answer above the line.

Next, divide 4 (ones) by 12. This cannot be done, so there are four remaining. A zero is placed in the ones answer section as well as remainder 4.


Year 6 Number and Place Value







Year 6 Position and Direction




Coordinates can use positive and negative numbers. Whether positive or negative, always write the x-axis coordinate followed by the y coordinate.

Look at the circle point. It is 3 squares along and 4 down. We write this coordinate as (3,-4).


Translate

A shape is moved without rotating or resizing.




Reflect

A shape is reflected about a line when it is flipped over the mirror line. The shape's size stays the same.



Point


A point has no size, only an exact location.



Vertex/Vertices

A vertex is the corner of a shape.


Vertices is more than one vertex.








Year 6 Properties of Shape








Year 6 Properties of Shape

Finding Missing Angles

Angles on a straight line always add up to 180°




180° - 117° = 63° The missing angle is 63°



180° - 142° = 38° The missing angle is 38°

Missing Vertically Opposite Angles Opposite angles are equal.




The missing angle is 50°



The missing angle is 123°


Angles around a point total 360°



The two known opposite angles total 100°.

260° ÷ 2 = 130°


The missing angle is 130°.



The two known opposite angles total 246°.

$$114^{\circ} \div 2 = 57^{\circ}$$

The missing angle is 57°.





Year 6 Ratio and Proportion

Ratio

Ratio shows the relative sizes of two or more values.

The ratio of yellow spots to blue spots is 3:2.











Proportion

Proportion is a part or share in relation to the whole.

- $\frac{3}{5}$ are yellow spots.
- $\frac{2}{5}$ are blue spots.












Scale and Scale Factor

Scaling is used to enlarge or reduce the size of a shape based on the scale factor.

The scale factor represents the ratio of the lengths of the sides of the shape.

Shape A has been enlarged by scale factor 2 as the length and width of the shape has been doubled.



Solve Ratio and Proportion Problems Involving Unequal Quantities

In a supermarket, washing powder is sold in three sizes:



Standard 2.5kg
Price £3



Large 10kg Price £10



Mega 20kg Price £18

What would be the cheapest way to buy 20kg of washing powder?

Standard:

20kg ÷ 2.5kg

= 8 boxes needed,

8 - 2 (free)

= 6 boxes

 $6 \times £3 =$

£18 for 20kg

Large:

 $\frac{1}{5}$ of £10 = 10 ÷ 5

= £2 (reduction)

£10 - £2 = £8;

2 boxes needed:

 $£8 \times 2 =$

£16 for 20kg

Mega:

£18 - £1.50 = £16.50 for 20kg



Year 6 Ratio and Proportion

Use one of these methods to find a percentage of an amount.

Convert to a Decimal

Find 30% of 80

1. Convert the percentage into a decimal.

$$30 \div 100 = 0.3$$

2. Multiply the amount by the decimal.

$$80 \times 0.3 = 24$$

30% of 80 = 24

Finding 10%

Find 70% of 60

1. Find 10% by dividing the amount by 10.

$$60 \div 10 = 6$$

2. Multiply this answer by the number of tens in the percentage.

$$6 \times 7 = 42$$

Convert to a Decimal

Find 18% of 250

1. Find 1% by dividing the amount by 100.

$$250 \div 100 = 2.5$$


2. Multiply this answer by the number of the percentage.

$$2.5 \times 18 = 45$$

Percent (%)


Percent means 'out of every 100'.

28% means 28/100.



Year 6 Statistics

Continuous Data



Data that is measured and, therefore, can take on infinite values is continuous.

In continuous data, values between whole numbers can be counted.

In this investigation, it is the length of the shadow that is being measured. This is continuous data because it is possible to record the length as 20.5cm, etc.

Mean

The mean is the average.

Add all of the values together.

$$5 + 5 + 6 + 4 + 7 + 3 = 30$$

Divide the total by the number of values that you added together.


$$30 \div 6 = 5$$

The mean is 5.

Pie Chart

Pie charts represent data in a circle divided into segments.

A Pie Chart to Show Children's Favourite Fruit



24 children were asked in total.

Each segment is a different colour or shade, and a key must be included.

