

Complete the gap fill:

Magnetic force is a type of \_\_\_\_\_ force and it is strongest at the \_\_\_\_\_ of the magnet. There are two types of magnetic pole: a \_\_\_\_\_ and a \_\_\_\_\_.

Write what would happen between the poles in each of the magnetic interactions below:



Define the term 'magnetic field':

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

State the factor that affects the strength of the magnetic field:

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Draw the magnetic field lines on the bar magnet below. Remember lines always start at the \_\_\_\_\_ and point towards the \_\_\_\_\_.



List four magnetic materials:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_

Describe the difference between a permanent magnet and an induced magnet.

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Explain how a plotting compass could be used to investigate the magnetic field around a magnet.


\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

In which direction do compass needles always align? Why?



\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Which of these magnets will exert a stronger force on a magnetic material?




Explain your answer.

\_\_\_\_\_  
 \_\_\_\_\_

You are given the following equation in your exam:

$$\text{force} = \text{magnetic flux density} \times \text{current} \times \text{length}$$

A wire with a current of 4.0A is placed between two bar magnets (each has a width of 12mm) in a state of attraction. The magnetic flux density is 0.2T.



Calculate the force acting on the wire.

Note: in other calculations, you may be required to rearrange the formula.


When a current flows through a conducting wire, a magnetic field is produced around the wire.

State two factors the strength of the magnetic field depends on:

1. \_\_\_\_\_
2. \_\_\_\_\_

a A long, straight conducting wire is placed vertically so that it passes through a horizontal piece of board.

Iron filings are sprinkled onto the board. Draw the pattern they would form:



d Describe how you would use the piece of equipment previously stated to investigate the magnetic field you have drawn.

---

---

---

---

---

---

---

---

g How can you find the north pole of a solenoid?

---

---

---

---

---

---

---

---

i What is the motor effect?

---

---

---

---

---

b State the piece of equipment you could use to investigate the magnetic field you have drawn above.

---

e What is a solenoid?

---

---

---

h List four ways in which you can make the magnetic field around a solenoid/ electromagnet stronger:

1. 

---
2. 

---
3. 

---
4. 

---

k State three ways you can increase the force:

1. 

---
2. 

---
3. 

---

c State the method that informs you of the direction of the current in a straight wire.

---

What do your thumb and fingers represent in this method?


thumb:

---

fingers:

---

f Draw the magnetic field pattern around a solenoid below:



What is this pattern similar to?

---

---

---

i Describe what happens to the magnetic field around a straight wire when the current is reversed.

---

---

---

l How can you reverse the direction of the force?

---

---

---

---

m A motor has a magnetic flux density of 1.5T and a current of 8A.

The total length of the wire is 500cm.

Calculate the force on the wire using the equation  $F = BIL$ .



You are given the following equation in your exam.

$$\text{force} = \text{magnetic flux density} \times \text{current} \times \text{length}$$

Complete the table:

Symbol Part of the Equation	What It Represents	Units
	force	
B		
		A
L		

What is the basis of an electric motor?

---



---



---



---

How can the direction of a motor be reversed?

---



---



---

How can the speed of a motor be increased?

---



---



---

What rule can be used to find the direction of the force?

---



---

What angle do your thumb, first and second finger need to be at? \_\_\_\_\_

What does each part represent?

---

thumb: \_\_\_\_\_

first finger: \_\_\_\_\_

second finger: \_\_\_\_\_

Describe how you would use an iron nail, a length of insulated wire and a cell to make an electromagnet that can be used to pick up some steel paper clips.

---



---



---



---



---



---



---



---

Why will a motor not work without a commutator?

---



---



---

Describe a simple electric motor.

---



---



---



---



---



---




---




---

Complete the gap fill:  
Magnetic force is a type of **non-contact** force and it is strongest at the **poles** of the magnet. There are two types of magnetic pole: a **north pole** and a **south pole**.


Write what would happen between the poles in each of the magnetic interactions below:




repulsion



attraction




repulsion



attraction

Define the term 'magnetic field':  
**The region around a magnet where a force acts on another magnet or on a magnetic material.**

State the factor that affects the strength of the magnetic field:  
**The strength of the magnetic field depends on the distance from the magnet.**




- List four magnetic materials:
1. iron
  2. steel
  3. nickel
  4. cobalt

Describe the difference between a permanent magnet and an induced magnet.  
**Permanent magnets produce their own magnetic field. Induced magnets become a magnet when placed in a magnetic field. However, when removed from the magnetic field, an induced magnet loses most/all of its magnetism quickly.**


Explain how a plotting compass could be used to investigate the magnetic field around a magnet.  
**Place the magnet on a blank piece of paper. Place the plotting compass at one end/above the pole of the magnet. Mark on the paper where the point of the needle points. Move the compass to the place you have just marked. Repeat until you have moved to the other pole of the magnet. Repeat on the other length of the magnet (e.g. top and then bottom).**

In which direction do compass needles always align? Why?  
**Magnetic north, because the earth has a magnetic field. This is possibly due to the iron content in the core.**




Which of these magnets will exert a stronger force on a magnetic material? **B**

A.




B.



Explain your answer.  
**B has more lines of magnetic flux.**

You are given the following equation in your exam:  
force = magnetic flux density × current × length

A wire with a current of 4.0A is placed between two bar magnets (each has a width of 12mm) in a state of attraction. The magnetic flux density is 0.2T.



Calculate the force acting on the wire.

Note: in other calculations, you may be required to rearrange the formula.

**convert 12mm into metres = 0.012m**

**place values into equation:**

**force = 0.2T × 4.0A × 0.012m**

**force = 0.0096N (newtons)**

When a current flows through a conducting wire, a magnetic field is produced around the wire.


State two factors the strength of the magnetic field depends on:

1. **size of the current**
2. **distance from the wire**



A long, straight conducting wire is placed vertically so that it passes through a horizontal piece of board.

Iron filings are sprinkled onto the board. Draw the pattern they would form:



Describe how you would use the piece of equipment previously stated to investigate the magnetic field you have drawn.

Place a magnetic compass at one point along the wire. Turn the power supply on and off. Move the magnetic compass further along the wire. Again, turn the power supply on and off. Move the compass further away from the wire to see that the magnetic field is weaker.

How can you find the north pole of a solenoid?

Using the right-hand grip method. Hold the solenoid with your right hand and fingers pointing in the direction the current is flowing. Your thumb should point to the north pole.

What is the motor effect?

If a conductor carrying a current is placed in a magnetic field, the magnet producing the field and the conductor exert a force on each other.

State the piece of equipment you could use to investigate the magnetic field you have drawn above.

plotting compass

What is a solenoid?

A solenoid is formed when a long piece of conducting (and insulated) wire is looped into a coiled cylinder.

List four ways in which you can make the magnetic field around a solenoid/ electromagnet stronger:

1. Use a larger current.
2. Use an iron core.
3. Add more turns to the wire.
4. Place the turns of the wire closer together.

State three ways you can increase the force:

1. Increasing the size of the current.
2. Increasing the length of the conductor in the magnetic field.
3. Increasing the flux density.

State the method that informs you of the direction of the current in a straight wire.

Right-hand grip method/rule.

What do your thumb and fingers represent in this method?


thumb:

The direction of the current.

fingers:

The direction the field lines should be drawn.

Draw the magnetic field pattern around a solenoid below:



What is this pattern similar to?

The magnetic field around a bar magnet.

Describe what happens to the magnetic field around a straight wire when the current is reversed.

The magnetic field is also reversed.

How can you reverse the direction of the force?

By reversing the direction of the current or reversing the direction of the magnetic field.

A motor has a magnetic flux density of 1.5T and a current of 8A.

The total length of the wire is 500cm.

Calculate the force on the wire using the equation  $F = BIL$ .

convert cm into metres = 5m

place values into equation:

force =  $1.5T \times 8.0A \times 5m$

force = 60N (newtons)



You are given the following equation in your exam.

$$\text{force} = \text{magnetic flux density} \times \text{current} \times \text{length}$$

Complete the table:

Symbol Part of the Equation	What It Represents	Units
F	force	N
B	magnetic flux density	T
I	current	A
L	Length of the wire within the field.	m

What is the basis of an electric motor?  
**A coil of wire carrying a current in a magnetic field tends to rotate.**

How can the direction of a motor be reversed?  
**By reversing the direction of the current or reversing the direction of the magnetic field.**

How can the speed of a motor be increased?  
**By increasing the size of the current or increasing the magnetic field/use a larger magnet.**


What rule can be used to find the direction of the force?  
**Fleming's left-hand rule**

What angle do your thumb, first and second finger need to be at? **90°**

What does each part represent?  
 thumb: **movement**

first finger: **field**

second finger: **current**



Describe how you would use an iron nail, a length of insulated wire and a cell to make an electromagnet that can be used to pick up some steel paper clips.

**Wrap the wire around the iron nail. Connect the wire to the power supply (with connecting leads and crocodile clips). Switch on the power supply. Use de-magnetised paper clips. Suspend the nail near the paperclips and record how many collected. The more paperclips suspended, the stronger the electromagnet is. Change the number of turns (on the coil). Change the current (through the coil).**

Why will a motor not work without a commutator?

**The commutator ensures that the current stays in the same direction. Also the coil would not be free to spin. This means the coil would remain still and not rotate.**

Describe a simple electric motor.

**A coil of wire is fixed (on an axle). The ends of the wire are connected via a split-ring commutator. To a battery/power supply. The carbon brush contacts at the commutator ensures the current direction in the coil is always the same. The coil is placed between two (flat) magnets. With opposite poles facing each other. The coil rotates continuously and this is the basis of an electric motor.**

