Oakdene Primary School



	Number and Place Value	Addition and Subtraction	Multiplication and Division	Fractions, Decimals, Ratio and Percentages	Measures	Geometry	Statistics
Y4 Autumn	Recognise the place value of each digit in a 4-digit number (1000s, 100s, 10s, and 1s); order and compare numbers with up to 4 digits.  Begin to place 4-digit numbers on number lines and round these to the nearest 10, 100 or 1000.  Example: 4782 rounds to 4780, 4800, 5000	Know bonds to the next 100.  Example: 54 + 46 653 + 47  Use place value and number facts to add numbers with up to 4 digits, including fluency in adding any pair of 2-digit numbers.  Example: 147 + 36 4286 + 199	Use the distributive law to multiply 2-digit numbers by a 1-digit number using formal written layout or mental methods.  Example: 4 × 65 94 × 7  Use table facts and commutativity to perform multiplications involving multiples of 10.  Example: 40 × 6 300 × 8	Find unit fractions of amounts.  Example:  1/4 of 24  1/8 of 32  Begin to recognise and show families of common equivalent fractions.	Read, write and convert time between analogue and digital 12-hour clocks.  Example: 6:05 = five minutes past six  Solve problems involving converting from hours to minutes; minutes to seconds; years to months; weeks to days.  Example: 1 minute 23 seconds = 83 seconds		Use mathematical reasoning to answer a question by collecting, displaying and interpreting data in a frequency table and bar chart, choosing an appropriate scale.
		Use counting up to subtract numbers with up to 3 digits crossing one multiple of 100.  Example: 134 - 88 809 - 742	Recall multiplication and division facts for multiplication tables, for 2, 5, 10, 3, 4, 8, 6 and 9 times tables.	Count in fractions, expressing each fraction in its simplest form.	231 minutes = 3 hours 51 minutes  Read scales to the nearest 100 g and draw a bar chart where one step represents 100.		

# Oakdene Primary School



Choose a method to subtract that is appropriate to the numbers in the calculation.  Example: 456 - 199 134 - 88 134 - 6	Use the distributive law to multiply 2-digit and 3-digit numbers by a 1- digit number using formal written layout (grid).  Example: 3 × 34 7 × 145	Recognise and write decimal and fraction equivalents of tenths and a $^{1}/_{2}$ .	Solve simple measures problems and convert between different units of measure - mm, cm, m; ml, l; g, kg.  Example:  0.7 L = ml Write 1250 g in kilograms.	
Solve addition and subtraction problems for numbers with up to 3-digits, including in contexts of word problems, deciding which written or mental operations and methods to use and why.  Example: 354 + 205 402 - 378	Double and halve 3-digit numbers using partitioning and be able to describe, explain and predict patterns.  Example: Halve 684. Write a doubles chain past 1000 and write about the pattern in the units digits.	Find the effect of dividing a 1-digit or 2-digit number by 10, and recognise that the first place after the decimal point is a tenth.  Example: 5 ÷ 10 = 5/10 = 0.5 36 ÷ 10 = 36/10 = 3.6		
Use column addition to add 3-digit numbers; begin to add 4-digit numbers.  Use expanded column subtraction to subtract 3-digit numbers.  Example: 376 - 263 838 - 556	Begin to use place value and known and derived facts to divide numbers above tables facts.  Example: 56 ÷ 4 176 ÷ 8  Work systematically and predict patterns.			

Oakdene Primary School



Us	e logical thinking to look			
for	r patterns in numbers.			

# Oakdene Primary School



	Number and Place Value	Addition and Subtraction	Multiplication and Division	Fractions, Decimals, Ratio and Percentages	Measures	Geometry	Statistics
	Count on and back in multiples of 6, 7, 9, 25 and 1000 and work systematically, predicting and explaining patterns.	Add and subtract 1s, 10s or 100s from numbers with up to 4 digits crossing multiples of 10, 100, or 1000.  Example: 8417 + 66 3460 - 403	Recognise and use factor pairs and commutativity in mental calculations, to solve multiplications and divisions involving 2-digit and 3-digit multiples of 10.  Example:  4 × 60 240 ÷ 6	Recognise and show families of common equivalent fractions and begin to compare fractions with non-like denominators.	Begin to convert between metric units of length, e.g. kilometres to metres, and solve problems involving different measures.  Example: Fred has run 645 m of a 2 km race when he slips. How far does he have to go?	Identify acute and obtuse angles and compare and order angles up to 2 right angles by size.	
Y4 Spring	Place 4-digit numbers on number lines, recognise the place value of each digit and round these to the nearest 10, 100 or 1000.  Example: 7236 rounds to 7240, 7200, 7000	Use counting up subtraction to subtract 3-digit numbers and 4-digit numbers from multiples of 1000 and describe and explain patterns in digit sums.  Example: 1000 - 347 4000 - 2693	Recall multiplication and division facts for multiplication tables, for 2, 3, 4, 5, 6, 7, 8, 9 and 10 times tables.	Begin to multiply and divide numbers by 10 and 100, understanding that this involves a shift of the digits on a place-value grid and identify the value of the digits in the answer as ones, tenths and hundredths.	Estimate, compare and calculate different measures, including solving simple money problems involving decimals to 2 decimal places.  Example: The Smiths have £30 to buy games. They buy 6 jigsaws, each costing £4·39. Roughly how much would that be?	Draw shapes with given properties and explain reasoning.  Example: Acute/obtuse angles Parallel sides	
	Explain and justify reasoning about what happens when numbers are multiplied and divided by 10.	Use compact column subtraction to subtract 3-digit numbers.  Example: 642 - 326	Use doubling and halving to multiply and divide by 4, and to multiply by 5 and 20.  Example:	Solve simple problems involving fractions and find non-unit fractions of amounts where the answer is a whole number.	Solve simple problems involving finding the perimeter of rectilinear shapes.  Example:	Identify lines of symmetry in 2D shapes presented in different orientations.	
	Example:	951 - 647	•		8 + 4 + 8 + 4 = 24 cm or		

# Oakdene Primary School



Explain rules and		636 ÷ 4 246 × 20	Example: 3 of 48	double 12 = 24 cm 9 + 11 + 9 + 11 = 40 cm		
patterns when dividing		246 × 20	4 of 30	or 18 cm + 22 cm = 40		
2-digit numbers and 3-			4 01 30			
digit multiples of 10 × 10.				cm		
10.						
Add amounts of money mentally using place value and number facts.	Read and interpret addition word problems.	Multiply 2-digit and 3-digit numbers by a 1-digit number using a formal written layout (vertical algorithm - ladder).  Example:	Compare two 1-place decimals, place on a line and round decimals with 1 decimal place to the nearest whole number.  Example:	Read, write and convert time between analogue and digital 12- and 24-hour clocks.  Example: 1 o'clock = 13:00	Complete a simple symmetric figure with respect to a specific line of symmetry.	
		3 × 154	3.05 < 3.45 < 3.54 < 3.7	3:45 pm = 15:45 =		
		6 × 257	5.9 rounds to 6	quarter to 4 in the afternoon		
	Add 2 numbers with up to	Notice patterns; make				
	4 digits using the formal written method of	and test predictions.				
	columnar addition,	Example:				
	including answers that are	234 × 9				
	greater than 10 000.	456 × 9				
		Predict and explain the				
	Example:	patterns.				
	3416 + 756					
	2370 + 7630					
	الله مماريسية مطالفات عمران	Has place welve and				
	Use column addition to add several 2-digit numbers.	known and derived facts				
	Sever ar 2-aight numbers.	to divide numbers above				
	Example:	table facts.				
	24 + 76 + 58	14510 14615.				
	Investigate and reason					
	methodically and					
	systematically.					

Oakdene Primary School



Add and subtraction me	ip to 4 mal ion and thods.		
<b>Example</b> : 603 + 4001 - 3675	520		
Identify the conneeded to solve problem.			
Example: Amy wins 4214 game. She finds 6 tro 250 points each her new score?	phies worth n. What is		
Solve addition subtraction 2-problems in con	and step		
Example: 345 people wer If 128 get off on, how many ar ride now?	and 143 get		

# Oakdene Primary School



	Number and Place Value	Addition and Subtraction	Multiplication and Division	Fractions, Decimals, Ratio and Percentages	Measures	Geometry	Statistics
	Find 1, 10, 100 and 1000 more or less than a given number.  Example: 5720 - 1000 8065 + 10	Confidently add numbers with up to 4 digits using place value and number facts, including fluency in adding any pairs of 2-digit numbers.  Example: 38 + 45 2649 + 741	Use place value and known and derived facts to multiply 2-digit and 3-digit numbers by a 1-digit number (including multiplying by 0 and 1) and to multiply three 1-digit numbers.  Example: 199 × 3 2 × 3 × 5	Use equivalent fractions to simplify and compare fractions with non-like denominators.  Example:  4/6 = 2/3  8/10 = 4/5	Convert between different metric units of measure, e.g. km to m; solve problems involving different measures.  Example: True or false? Five 200 g weights are the same as 1 kg.	Compare and classify geometric shapes, including quadrilaterals and triangles, based on their properties and sizes.	Interpret and present discrete and continuous data using appropriate graphical methods, including bar charts and time graphs.
y4 Summer	Count backwards through zero to include negative numbers; use knowledge of factors and reasoning to solve problems.  Example: You have £30 in your bank and then spend £50 on your bank card. How much money is left in your bank?	When appropriate, use counting up to subtract numbers with up to 4 digits.  Example: 2001 - 1865 4010 - 2968	Use a written method to multiply amounts of money by 1-digit numbers.  Example: 4 × £4.67 7 × £3.27	Find non-unit fractions of amounts and solve problems involving harder fractions to calculate quantities.  Example:  4/5 of 85  7/9 of 18	Measure and calculate the perimeter of a rectilinear figure (including squares) in centimetres and metres.  Example: 6+6+6+6=24 cm/ 4×6=24 cm	Describe positions on a 2D grid as coordinates in the first quadrant.	Solve comparison, sum and difference problems using information presented in bar charts, pictograms, tables and other graphs.
	Order and compare numbers beyond 1000.  Example: 3421 > 2167 4892 < 9173	Use counting up and subtraction to find change or solve money problems.  Example: £10 - £4.25 £38.54 - £15.75	Estimate and use inverse operations to check answer to a multiplication or division calculation.  Example:	Recognise that tenths and hundredths arise when dividing by 10 and 100; multiply decimal numbers by 10 and 100, understanding that this involves a shift of the	Solve problems involving money.  Example:  4/5 of £30 6 × £6.05	Describe movements between positions as translations of a unit left/right and up/down.	

# Oakdene Primary School



		76 ÷ 4 = ¬, ¬ × 4 = 76 78 ÷ 3 = ¬, ¬ × 3 = 78	digits on a place-value grid.  Example: 213 ÷ 100 = 2·13 12·3 ÷ 10 = 2·13			
Identify, represent and estimate numbers using different representations.	Add numbers with up to 4 digits using the formal written method of columnar addition.  Example: 3861 + 4513	Multiply 2- and 3-digit numbers by a 1-digit number using formal written layout where appropriate. Example: 294 × 6 648 × 7	Count up and down in tenths and hundredths.	Find the area of rectilinear shapes.	Plot specified points and draw sides to complete a given polygon.	
Solve number and practical problems with increasingly large positive numbers.  Example: It is approximately 4591 km from Istanbul to Delhi, and 1770 km from Delhi to Chennai. Abdul travels from Istanbul to Chennai, via Delhi. How far does he travel altogether?	Subtract numbers with up to 4 digits using the formal written method of expanded or compact columnar subtraction.  Example: 7842 - 3498 6347 - 5192	Multiply 2-digit numbers by 2-digit numbers using the distributive law (grid method).	Compare numbers with up to 2 decimal places, identify the value of the digits as ones, tenths and hundredths, and round decimal numbers to the nearest whole.			
Read Roman numerals to 100 (I to C) and know that, over time, the numeral system changed to include the concept of zero and place value.	Use inverse operations to check answers to a calculation.	Use place value and known and derived facts to divide larger numbers (answers up to 50) including dividing by 1.  Example: 83 ÷ 3 432 ÷ 8	Solve simple measure and money problems using fractions and decimals to 2 decimal places.  Example: One shampoo bottle contains			

# Oakdene Primary School



			400 ml and another contains 0.3 L. Which holds more? By how much?		
	Use logical reasoning to create additions of 4-digit numbers to a given total.  Example: Write 4-digit + 4-digit column additions that equal 10 000.	Use doubling and halving to multiply and divide mentally.  Example: 45 × 6 432 ÷ 8	Add and subtract 0·1 and 0·01.  Example: 6·9 + 0·1 9·17 - 0·01		
		Recall multiplication and division facts for multiplication tables up to 12 × 12 and describe patterns in the tables.	Recognise and write decimal and fraction equivalents of tenths, hundredths, 1/4, 1/2 and 3/4.  Example: 3/4 = 0.75 1.3 = 1 3/10		
		Solve problems involving multiplying and adding, including integer scaling and correspondence.  Example: The area is of a rectangle is 24 cm2. Enlarge the rectangle by a factor of 2	Write additions of fractions with different denominators with a total of 1.  Example:  1/2 + 3/6  1/4 + 4/8 + 2/8		
		and find its new area.  Sustain a line of enquiry; make and test a hypothesis.  Example: Multiply 356 by 3 (1068);	Add and subtract fractions with the same denominator, including totals greater than 1.		

Oakdene Primary School



	find the digital root of 1068 (6). The digital root of 356 is 5. Multiply 5 by 3 (15); find the digital root of 15 (6). Notice a pattern in the digital roots.	Example:  3/8 + 2/8  3/5 + 4/5		
	Look for patterns and			
	write rules.			
	Example:			
	11 × 34 = 374, 37 = 34 + 3			
	11 × 47 = 517, 51 = 47 + 4			
	(The original 2-digit			
	number plus the 10s digit			
	of that number.)			