

Dorset School Age Immunisations Team

Acorn Building
St Leonards Hospital
Ringwood Road
Dorset
BH24 2DW

Tel: 01425 891162

e-mail: dhc.immsenquiries@nhs.net

Service Hours: Mon – Fri 09:00 – 17:00

09 January 2023

Dear Parent/Guardian

Human Papillomavirus (HPV) Vaccine: offer of second dose to students in Years 9, 10 and 11

Your child is now due their second and final dose of HPV vaccine. Please see the date below when we will be delivering this in school.

School	Poole High School
Date of session	Monday 06 February 2023 – Wednesday 08 February 2023

As per national policy, we will be using the consent form completed prior to their first dose. You will not need to complete a new consent form. in order for your child to receive the second dose of the HPV vaccine, we ask that you complete the questionnaire that you will have been sent from: no-reply@inhealthcare.co.uk to inform us if:

- your child has changed schools since receiving their first dose;
- there have been any changes to your child's health since they received their first dose;
- or if your child has received their second dose elsewhere (i.e. GP surgery).

If your child received their first dose of the HPV vaccination outside Dorset or at a GP surgery, you will need to complete a consent form for them to be able to receive this vaccination in school. Please contact the School Age Immunisation Team on **01425 891162** or email dhc.immsenquiries@nhs.net to complete the form, or if you have any other queries.

Yours faithfully

Dorset School Age Immunisations Team

For further information go to <http://www.nhs.uk/hpv>

Dorset HealthCare

Our vision is to lead and inspire through excellence, compassion and expertise in all we do

HPV

vaccination

Protecting against HPV infection to help reduce your risk of cancer



The universal HPV

immunisation programme

The HPV vaccine has been offered to all girls in school year 8 for over ten years. Since September 2019 the vaccine has also been offered to year 8 boys.

This is because the evidence is clear that the HPV vaccine helps protect both boys and girls from HPV-related cancers.

The HPV vaccine helps protect you from being infected by the human papillomavirus (HPV).

This virus increases the risk of developing some cancers later in life, such as:

- cervical cancer
- some mouth and throat cancers
- some cancers of the anus and genital areas.


The HPV vaccine does not protect against other sexually transmitted infections.

HPV and how it spreads


HPV infection is very common. More than 70% of unvaccinated people will get it

70%

HPV lives on the skin in and around the whole genital area, so using condoms does not provide complete protection from HPV



There are **many different types** of HPV



Most HPV infections do not cause any symptoms and **get better on their own**



Some do not clear up and can lead to cancer whilst others cause genital warts



What difference has the HPV vaccine made so far?

Over 80 million people have received the vaccine worldwide.

In time it is expected that the vaccine will save hundreds of lives every year in the UK. A recent Scottish study has already shown a 71% reduction in pre-cancerous cervical disease in young women.

Since the start of the vaccination programme in the UK there has been a big decline in the number of young people with genital warts.

Having the HPV vaccine

The vaccine is given in your arm and you need two doses to be fully protected.

The first injection is given in year 8 and the second one usually 6 to 12 months later. You will be informed when you are due the second dose.

To give you the best protection, the vaccine should be given before you become sexually active.

If you are sexually active you should still have the vaccine.



What if I have not had my first HPV vaccine by the age of 15?

If you have not had any HPV vaccine before you are 15 years old you will need three doses. This is because the response to two doses in older girls and boys is not as good.

The second dose will be given around a month after the first dose, and a final dose is given around six months after the first dose.

If you have missed your vaccine you should speak to the immunisation team or your GP practice about making an appointment as soon as possible.

I missed my vaccination, can I still have it?

Yes. If you missed either of your vaccinations at school, you can have them up to your 25th birthday. Contact your school nurse or GP practice as soon as possible.



Women who have had the vaccine will still need to go for cervical screening

All women aged 25 and over in England are offered cervical screening tests.

The vaccine will prevent around 70% of cervical cancer cases, but screening is still needed to pick up any other cervical abnormalities.

.....

What about the other cancers?

There are currently no screening programmes for other HPV-related cancers. If you are worried about any symptoms speak to your GP practice.

For more information about the side effect of the vaccine or to see the patient information leaflet for the vaccine, visit www.nhs.uk/hpv



Remember



to get your two doses of HPV vaccine at least 6 months apart



to get your HPV vaccine now, to protect yourself against a number of cancers in the future



in time it is expected that the vaccine will save hundreds of lives every year in the UK.

For more information, visit www.nhs.uk/hpv

A complete list of ingredients for the vaccine is given in the: Patient Information Leaflet (PIL):

www.medicines.org.uk/emc/medicine/19033

The Summary of Product Characteristics (SPC):

www.medicines.org.uk/emc/medicine/19016/SPC/gardasil/



This leaflet has been produced by Public Health England.
Immunisation, helping to protect everyone at every age.