















# Health & Safety and Premises Management Policy

|                     |          |               | <u></u>                             |
|---------------------|----------|---------------|-------------------------------------|
| LAST REVIEW<br>DATE | May 2025 | REVIEW PERIOD | Annually                            |
| NEXT REVIEW<br>DATE | May 2026 | APPROVED BY   | Premises Manager<br>and Headteacher |

## Table of Contents

| 1. AIMS                               | s  |
|---------------------------------------|----|
| 2. Guidance                           | 3  |
| 3. Legislation                        | 3  |
| 4. Roles and responsibilities         | 4  |
| 5. Site security                      | 5  |
| 6. Fire                               | 5  |
| 7. Inspection and testing             | 5  |
| 8. COSHH                              | 9  |
| 9. Equipment                          | 10 |
| 10. Risk assessments and other checks | 11 |
| 11. Lettings                          | 12 |
| 12. Violence at work                  | 12 |
| 13. Smoking                           | 12 |
| 14. Infection prevention and control  | 12 |
| 15. New and expectant mothers         | 14 |
| 16. Occupational stress               | 14 |
| 17. Accident reporting                | 14 |
| 18. Training                          | 16 |
| 19. Monitoring                        | 16 |
| 20. Links with other policies         | 16 |
| Appendix 1. Fire safety checklist     | 17 |
| Appendix 2. Accident report form      | 19 |
| Appendix 3. Asbestos record           | 24 |

#### 1. Aims

Our Academy aims to ensure that it:

Establish and maintain safe working procedures amongst staff, pupils and all visitors

Have robust procedures in place in case of emergencies

Ensure that the premises and equipment are maintained safely, and are regularly inspected

Manages its buildings and equipment in an efficient, legally compliant way

Inspects and tests buildings and equipment regularly, taking into account statutory requirements and best practice recommendations

Promotes the safety and wellbeing of our staff, pupils, parents and visitors through effective maintenance of buildings and equipment in accordance with the Health and Safety at Work etc. Act 1974

Academies, including free schools: Complies with the requirements of <u>The Education (Independent School Standards)</u> Regulations 2014

#### 2. Guidance

This document is based on the Department for Education's guidance on good estate management for schools.

This policy complies with our funding agreement and articles of association.

## 3. Legislation

This policy is based on advice from the Department for Education on <u>health and safety in Academy's</u> and the following legislation:

The Health and Safety at Work etc. Act 1974, which sets out the general duties employers have towards employees and duties relating to lettings

<u>The Management of Health and Safety at Work Regulations 1992</u>, which require employers to make an assessment of the risks to the health and safety of their employees

<u>The Management of Health and Safety at Work Regulations 1999</u>, which require employers to carry out risk assessments, make arrangements to implement necessary measures, and arrange for appropriate information and training

<u>The Control of Substances Hazardous to Health Regulations 2002</u>, which require employers to control substances that are hazardous to health

The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR) 2013, which state that some accidents must be reported to the Health and Safety Executive and set out the timeframe for this and how long records of such accidents must be kept

<u>The Health and Safety (Display Screen Equipment) Regulations 1992</u>, which require employers to carry out digital screen equipment assessments and states users' entitlement to an eyesight test

The Gas Safety (Installation and Use) Regulations 1998, which require work on gas fittings to be carried out by someone on the Gas Safe Register

<u>The Regulatory Reform (Fire Safety) Order 2005</u>, which requires employers to take general fire precautions to ensure the safety of their staff

The Work at Height Regulations 2005, which requires employers to protect their staff from falls from height

The Trust follows <u>national guidance published by Public Health England</u> when responding to infection control issues.

## 4. Roles and responsibilities

#### 4.1 The Trust Board & Academy Councils/Advisory Boards

The Trust Board and Academy Councils/Advisory Boards have ultimate responsibility for health and safety matters in each of its Academies, but will delegate day-to-day responsibility to the Headteacher.

The Trust Board and Academy Councils/Advisory Boards have a duty to take reasonable steps to ensure that its staff and pupils are not exposed to risks to their health and safety. This applies to activities on or off the Academy premises.

The Trust Board and Academy Councils/Advisory Boards as the employer, also has a duty to:

Assess the risks to staff and others affected by Academy activities in order to identify and introduce the health and safety measures necessary to manage those risks

Inform employees about risks and the measures in place to manage them

Ensure that adequate health and safety training is provided

#### 4.2 Headteacher

The Headteacher is responsible for health and safety day-to-day. This involves:

Implementing the Trust Health and Safety policy

Ensuring there is enough staff to safely supervise pupils

Ensuring that the Academy building and premises are safe and regularly inspected

Providing adequate training for all Academy staff

Reporting to the Academy Council/Advisory Board on health and safety matters

Ensuring appropriate evacuation procedures are in place and regular fire drills are held

Ensuring that in their absence, health and safety responsibilities are delegated to another member of staff

Ensuring all risk assessments are completed and reviewed

Monitoring cleaning contracts, and ensuring cleaners are appropriately trained and have access to personal protective equipment, where necessary

In the Headteacher's absence, members of the SLT assumes the above day-to-day health and safety responsibilities.

#### 4.3 Staff

Academy staff have a duty to take care of pupils in the same way that a prudent parent would do so.

Staff will:

Take reasonable care of their own health and safety and that of others who may be affected by what they do at work

Co-operate with the Academy on health and safety matters

Work in accordance with training and instructions

Inform the appropriate person of any work situation representing a serious and immediate danger so that remedial action can be taken

Model safe and hygienic practice for pupils

Understand emergency evacuation procedures and feel confident in implementing them

#### 4.4 Pupils and parents

Pupils and parents are responsible for following the Academy's health and safety advice, on-site and off-site, and for reporting any health and safety incidents to a member of staff.

#### 4.5 Contractors

Contractors will agree health and safety practices with the Headteacher/Premises Manager before starting work. Before work begins the contractor will provide evidence that they have completed an adequate risk assessment of all their planned work.

#### 4.6 Premises Management

The governing board, Headteacher and premises manager will ensure this premises management policy is properly implemented, and that tests and inspections are carried out in accordance with this policy.

The Headteacher and premises manager are responsible for ensuring relevant risk assessments are conducted and for reporting to the governing board, as required.

The premises manager is responsible for:

- > Inspecting and maintaining the Academy premises
- > Conducting repairs and maintenance
- > Being the first point of contact for any issues with the premises
- Conducting and keeping a record of risk assessments and incident logs related to the academy premises
- > Liaising with the Headteacher about what actions need to be taken to keep the academy premises safe

This list is not intended to be exhaustive.

## 5. Site security

Premises staff are responsible for the security of the Academy site in and out of Academy hours. They are responsible for visual inspections of the site, and for the intruder and fire alarm systems.

A list of key holders must be in place in the event that a response is required in an emergency. A copy of this list is displayed on the notice board in the main school office.

#### 6. Fire

Emergency exits, assembly points and assembly point instructions are clearly identified by safety signs and notices. Fire risk assessment of the premises will be reviewed regularly.

Emergency evacuations are practised at least once a term.

New staff will be trained in fire safety and all staff and pupils will be made aware of any new fire risks.

In the event of a fire:

The alarm will be raised immediately by whoever discovers the fire and emergency services contacted. Evacuation procedures will also begin immediately

Fire extinguishers may be used by staff only, and only then if staff are trained in how to operate them and are confident they can use them without putting themselves or others at risk Staff and pupils will congregate at the designated assembly points.

Class teachers will take a register of pupils, which will then be checked against the attendance register of that day

The Headteacher to delegate that a register is taken of all staff

Staff and pupils will remain outside the building until the emergency services say it is safe to re-enter

The Academy will have special arrangements in place for the evacuation of people with mobility needs and fire risk assessments will also pay particular attention to those with disabilities.

A fire safety checklist can be found in appendix 1.

## 7. Inspection and testing

We maintain accurate records and details of all statutory tests which are undertaken at our premises. This includes relevant paperwork and certificates.

All requirements and recommendations highlighted in inspection reports and certificates are reviewed and acted on as necessary.

As part of the records of completed works, we include the dates when the works were undertaken and the details of the individual or company who completed them, along with their qualifications/certifications and/or experience.

The table below sets out the issues we inspect, the inspection frequency, and the person responsible for checking each issue and, where appropriate, engaging a suitably qualified person to carry out inspection, testing or maintenance. It covers statutory checks as well as recommended good practice checks from relevant guidance. It is based on the checks and testing sections of the DfE estates guidance.

| ISSUE TO INSPECT   | FREQUENCY   | PERSON RESPONSIBLE   |
|--|---|--|
| Portable appliance testing (PAT)                                     | Variable, according to risk and how the equipment is constructed.   | Premises Manager Dave Poulter                                    |
|  | Regular visual inspections where PAT is not required.   | Contractor - Direct 365.   |
|  | We will refer to HSE guidance on maintaining portable electric equipment for suggested intervals and types of testing/inspection.   |  |
|  | and types of testing/inspection.  |  |
| Fixed electrical installation tests (including lightning conductors) | Variable, according to the number and severity of faults found at last inspection.  | Premises Manager Dave Poulter  Contractor - GP Masons            |
|  | Inspection and testing always carried out by a competent person.  | (5 year electrical check) and EK<br>Young (lightning conductors) |
| Emergency lighting   | Monthly flash test.   | Premises Manager Dave Poulter                                    |
|  | 6-monthly condition test (including 3-hour battery test) by a competent person.   | Contractor - WFP   |
| Gas appliances and fittings  | Routinely, in accordance with manufacturer recommendations (or other professional advice if   | Premises Manager Dave Poulter                                    |
|  | unavailable).  Annual safety checks (in line with good practice / required if the premises are used for residential accommodation). | Contractor – J T Edwards   |
|  | All work carried out by a Gas Safe Registered engineer.   |  |
| Air conditioning systems   | Inspections by an energy assessor at regular intervals (not exceeding 5   | Premises Manager Dave Poulter                                    |
|  | years). Annual certificated inspection to ensure no refrigerant leakage.  | Contractor - JP Air Con LTD                                      |
|  | Bi-annual checks and an annual maintenance schedule (in line with good practice).   |  |
| ISSUE TO INSPECT   | FREQUENCY   | PERSON RESPONSIBLE   |

| Pressure systems                       | No fixed maintenance requirement (our programme takes account of the list on page 44 of the HSE's Safety of Pressure Systems guidance, and an examination of the system is carried out by a competent person by the date set at the previous examination – see pages 35 to 37 of the HSE guidance). | Premises Manager and AGM                   |
|--|---|--|
| Legionella checks on all water systems | Risk assessment of each site carried out and reviewed regularly by a competent person. The frequency of monitoring checks varies for evaporative cooling systems, hot and cold water systems and other risk systems – specific details can be found in guidance for each type from the HSE.         | Premises Manager and Primec                |
| Asbestos                               | Regular inspections as part of the asbestos register and management plan. Reviews of the asbestos register annually. Refurbishment and demolition surveys before any refurbishment or demolition work.  | Premises Manager and Euro<br>Environmental |
| Equipment used for working at height   | Inspected before use, and at suitable intervals appropriate to the environment it's used in and how it's used.  In addition, inspections after anything that may affect the safety or stability of equipment, e.g. adverse weather or accidental damage.  | Premises Manager                           |
| Fire detection and alarm systems       | Weekly alarm tests, with a different call point tested each week where applicable.  Quarterly and annual inspections and tests by a competent person.  Annual fire risk assessment by a competent person also includes the maintenance of fire detection and alarm systems.                         | Premises Manager and WFP                   |
| Fire doors                             | Regular checks by a competent person.   | Premises Manager                           |
| ISSUE TO INSPECT                       | FREQUENCY   | PERSON RESPONSIBLE                         |

| Firefighting equipment             | Most equipment – extinguishers, fire blankets, hose reels, fixed systems (such as sprinkler systems) and fire service facilities (such as dry risers and access for emergency vehicles) – inspected annually (by a competent person where required) unless manufacturers' guidelines suggest differently.  | Premises Manager and The Fire Extinguisher Man           |
|------------------------------------|--|--|
| Extraction systems                 | Regular removal and cleaning of grease filters and cleaning of ductwork for kitchen extraction systems.  Local exhaust ventilation systems (such as those for working with hazardous substances) examined and tested at least every 14 months by a competent person.  More routine checks also set out in system logbooks.   | Premises Manager, Lodge<br>Cleaning Services and VES Ltd |
| Chemical storage                   | Inventories are kept up-to-date. Risk assessments for the Control of Substances Hazardous to Health (COSHH) are reviewed on a regular basis, plus whenever it's considered that the original assessment may no longer be valid, or where the circumstances of the work change significantly and may affect employees' exposure to a hazardous substance (in line with HSE guidance on COSHH assessment). | Premises Manager   |
| Swimming pools                     | In addition to inclusion as part of the legionella checks, we follow the operation and maintenance guidance on pages 32 to 43 of the HSE's guide for spa-pool systems. Swimming pools are subject to risk assessments and included in legionella checks and COSHH assessments.   | Premises Manager   |
| Playground and gymnasium equipment | Regular inspections – at least annually, and more regularly where any equipment is used more frequently than normal (e.g. where community use increases how often equipment is used).  | Premises Manager and Gymfix                              |
|                                    | Outdoor fixed play equipment – periodic and annual inspections by a competent person.  | Fresh Air Fitness  |

| ISSUE TO INSPECT | FREQUENCY  | PERSON RESPONSIBLE             |
|------------------|--|--------------------------------|
| Tree safety      | As part of risk assessment responsibilities, periodic visual checks for stability are carried out, with more detailed assessments if suspected structural faults or other risks are found.   | Premises Manager and Bartletts |
| Radon            | Risk assessments including radon measurements will be carried out in all of our above-ground workplaces in radon-affected areas, and all of our below-ground workplaces.  Radon measurements will last for 3 months, using radon monitors, in line with Public Health England radon guidance for schools. Where measurements show radon levels below 300Bq/m3, radon levels will be remeasured at least every 10 years. If significant changes are made to the buildings or work processes, remeasurement will also be considered.  For any sites with radon levels above 300Bq/m3 we will work with a radiation protection adviser to manage reduction and decide on risk assessment and remeasurement frequency. | Premises Manager               |

#### 8. COSHH

Academies are required to control hazardous substances, which can take many forms, including:

Chemicals

Products containing chemicals

**Fumes** 

Dusts

Vapours

Mists

Gases and asphyxiating gases

Germs that cause diseases, such as leptospirosis or legionnaires disease

Control of substances hazardous to health (COSHH) risk assessments are completed by the Premises Manager and circulated to all employees who work with hazardous substances. Staff will also be provided with protective equipment, where necessary.

Our staff use and store hazardous products in accordance with instructions on the product label. All hazardous products are kept in their original containers, with clear labelling and product information.

Any hazardous products are disposed of in accordance with specific disposal procedures.

Emergency procedures, including procedures for dealing with spillages, are displayed near where hazardous products are stored and in areas where they are routinely used.

#### 8.1 Gas safety

Installation, maintenance and repair of gas appliances and fittings will be carried out by a competent Gas Safe registered engineer

Gas pipework, appliances and flues are regularly maintained

All rooms with gas appliances are checked to ensure that they have adequate ventilation

#### 8.2 Legionella

A water risk assessment is the responsibility of the Premises Manager who ensures that the identified operational controls are conducted and recorded in the Academy's water log book

This risk assessment will be reviewed every year and when significant changes have occurred to the water system and/or building footprint

#### 8.3 Asbestos

Staff are briefed on the hazards of asbestos, the location of any asbestos in the Academy and the action to take if they suspect they have disturbed it

Arrangements are in place to ensure that contractors are made aware of any asbestos on the premises and that it is not disturbed by their work

Contractors will be advised that if they discover material which they suspect could be asbestos, they will stop work immediately until the area is declared safe

A record is kept of the location of asbestos that has been found on the Academy site

## 9. Equipment

All equipment and machinery is maintained in accordance with the manufacturer's instructions. In addition, maintenance schedules outline when extra checks should take place

When new equipment is purchased, it is checked to ensure that it meets appropriate educational standards

All equipment is stored in the appropriate storage containers and areas. All containers are labelled with the correct hazard sign and contents

#### 9.1 Electrical equipment

All staff are responsible for ensuring that they use and handle electrical equipment sensibly and safely

Any pupil or volunteer who handles electrical appliances does so under the supervision of the member of staff who so directs them

Any potential hazards will be reported to the Headteacher and Premises Manager immediately

Permanently installed electrical equipment is connected through a dedicated isolator switch and adequately earthed

Only trained staff members can check plugs

Where necessary a portable appliance test (PAT) will be carried out by a competent person

All isolators switches are clearly marked to identify their machine

Electrical apparatus and connections will not be touched by wet hands and will only be used in dry conditions

Maintenance, repair, installation and disconnection work associated with permanently installed or portable electrical equipment is only carried out by a competent person

#### 9.2 PE equipment

Pupils are taught how to carry out and set up PE equipment safely and efficiently. Staff check that equipment is set up safely

Any concerns about the condition of the gym floor or other apparatus will be reported to the Premises Manager

#### 9.3 Display screen equipment

All staff who use computers daily as a significant part of their normal work have a display screen equipment (DSE) assessment carried out. 'Significant' is taken to be continuous/near continuous spells of an hour or more at a time

Staff identified as DSE users are entitled to an eyesight test for DSE use upon request, and at regular intervals thereafter, by a qualified optician (and corrective glasses provided if required specifically for DSE use)

#### 10. Risk assessments and other checks

Please refer to our risk assessment policy for information about the academy's approach to risk assessment.

In addition to the risk assessments, we are required to have in place we ensure we have risk assessments in place, regularly updated, to cover:

- > Premises risk assessments
- > H&S site risk assessments

We also make sure further checks are made to confirm the following:

- > Correct and up-to-date information is displayed in all notices
- Compliance with the Construction (Design and Management) Regulations 2015 during construction projects
- > Contractors have the necessary qualifications to carry out the specified work
- Compliance with the Equality Act 2010 when making changes or alterations to a building or the external environment

#### 10.1 Lone working

Lone working may include:

Late working

Home or site visits

Weekend working

Site manager duties

Site cleaning duties

Working in a single occupancy office

Potentially dangerous activities, such as those where there is a risk of falling from height, will not be undertaken when working alone. If there are any doubts about the task to be performed then the task will be postponed until other staff members are available.

If lone working is to be undertaken, a colleague, friend or family member will be informed about where the member of staff is and when they are likely to return.

The lone worker will ensure that they are medically fit to work alone. Please refer to the PLT Lone Working Policy for further information.

#### 10.2 Working at height

We will ensure that work is properly planned, supervised and carried out by competent people with the skills, knowledge and experience to do the work.

In addition:

The Premises Manager retains ladders for working at height

Pupils are prohibited from using ladders

Staff will wear appropriate footwear and clothing when using ladders

Contractors are expected to provide their own ladders for working at height

Before using a ladder, staff are expected to conduct a visual inspection to ensure its safety access to high levels, such as roofs, is only permitted by trained persons

#### 10.3 Manual handling

It is up to individuals to determine whether they are fit to lift or move equipment and furniture. If an individual feels that to lift an item could result in injury or exacerbate an existing condition, they will ask for assistance.

The Academy will ensure that proper mechanical aids and lifting equipment are available in Academy, and that staff are trained in how to use them safely.

Staff and pupils are expected to use the following basic manual handling procedure:

Plan the lift and assess the load. If it is awkward or heavy, use a mechanical aid, such as a trolley, or ask another person to help

Take the more direct route that is clear from obstruction and is as flat as possible

Ensure the area where you plan to offload the load is clear

When lifting, bend your knees and keep your back straight, feet apart and angled out. Ensure the load is held close to the body and firmly. Lift smoothly and slowly and avoid twisting, stretching and reaching where practicable

#### 10.4 Off-site visits

When taking pupils off the Academy premises, we will ensure that:

Risk assessments will be completed where off-site visits and activities require them

All off-site visits are appropriately staffed

Staff will take a mobile phone, a portable first aid kit, information about the specific medical needs of pupils along with the parents' contact details

There will always be at least one first aider on Academy trips and visits

## 11. Lettings

This policy applies to lettings. Those who hire any aspect of the Academy site or any facilities will be made aware of the content of the Academy's health and safety policy, and will have responsibility for complying with it.

#### 12. Violence at work

We believe that staff should not be in any danger at work, and will not tolerate violent or threatening behaviour towards our staff.

All staff will report any incidents of aggression or violence (or near misses) directed to themselves to their line manager/Headteacher immediately. This applies to violence from pupils, visitors or other staff.

## 13. Smoking

Smoking is not permitted anywhere on the Academy premises. Please refer to the PLT Smoking Policy for further information.

## 14. Infection prevention and control

We follow national guidance published by Public Health England when responding to infection control issues. We will encourage staff and pupils to follow this good hygiene practice, outlined below, where applicable. **14.1 Handwashing** 

Wash hands with liquid soap and warm water, and dry with hand driers.

Always wash hands after using the toilet, before eating or handling food, and after handling animals Cover all cuts and abrasions with waterproof dressings

#### 14.2 Coughing and sneezing

Cover mouth and nose with a tissue

Wash hands after using or disposing of tissues

Spitting is discouraged

#### 14.3 Personal protective equipment

Wear disposable non-powdered vinyl or latex-free CE-marked gloves and disposable plastic aprons where there is a risk of splashing or contamination with blood/body fluids

Wear goggles if there is a risk of splashing to the face

Use the correct personal protective equipment when handling cleaning chemicals

#### 14.4 Cleaning of the environment

Clean the environment frequently and thoroughly

#### 14.5 Cleaning of blood and body fluid spillages

Clean up all spillages of blood, faeces, saliva, vomit, nasal and eye discharges immediately and wear personal protective equipment

When spillages occur, clean using a product that combines both a detergent and a disinfectant and use as per manufacturer's instructions. Ensure it is effective against bacteria and viruses and suitable for use on the affected surface

Never use mops for cleaning up blood and body fluid spillages – use disposable paper towels and discard clinical waste as described below

Make spillage kits available for blood spills

#### 14.6 Laundry

Wash laundry in a separate dedicated facility

Wash soiled linen separately and at the hottest wash the fabric will tolerate

Wear personal protective clothing when handling soiled linen

Bag children's soiled clothing to be sent home, never rinse by hand

#### 14.7 Clinical waste

Always segregate domestic and clinical waste, in accordance with local policy

Used nappies/pads, gloves, aprons and soiled dressings are stored in correct clinical waste bags in foot operated bins

Remove clinical waste with a registered waste contractor

Remove all clinical waste bags when they are two-thirds full and store in a dedicated, secure area while awaiting collection

#### 14.8 Animals

Wash hands before and after handling any animals

Keep animals' living guarters clean and away from food areas

Dispose of animal waste regularly, and keep litter boxes away from pupils

Supervise pupils when playing with animals

Seek veterinary advice on animal welfare and animal health issues, and the suitability of the animal as a pet

### 14.9 Pupils vulnerable to infection

Some medical conditions make pupils vulnerable to infections that would rarely be serious in most children. The Academy will normally have been made aware of such vulnerable children. These children are particularly vulnerable to chickenpox, measles or slapped cheek disease (parvovirus B19) and, if exposed to either of these, the parent/carer will be informed promptly and further medical advice sought. We will advise these children to have additional immunisations, for example for pneumococcal and influenza.

#### 14.10 Exclusion periods for infectious diseases

The Academy will follow recommended exclusion periods outlined by Public Health England, summarised in appendix 4.

In the event of an epidemic/pandemic, we will follow advice from Public Health England about the appropriate course of action.

## 15. New and expectant mothers

Risk assessments will be carried out whenever any employee or pupil notifies the Academy that they are pregnant.

Appropriate measures will be put in place to control risks identified. Some specific risks are summarised below:

Chickenpox can affect the pregnancy if a woman has not already had the infection. Expectant mothers should report exposure to antenatal carer and GP at any stage of exposure. Shingles is caused by the same virus as chickenpox, so anyone who has not had chickenpox is potentially vulnerable to the infection if they have close contact with a case of shingles

If a pregnant woman comes into contact with measles or German measles (rubella), she should inform her antenatal carer and GP immediately to ensure investigation

Slapped cheek disease (parvovirus B19) can occasionally affect an unborn child. If exposed early in pregnancy (before 20 weeks), the pregnant woman should inform her antenatal care and GP as this must be investigated promptly

## 16. Occupational stress

The Trust is committed to promoting high levels of health and wellbeing and recognise the importance of identifying and reducing workplace stressors through risk assessment.

Systems are in place within the Trust for responding to individual concerns and monitoring staff workloads. The Trust provides emergency support for all staff 24 hours a day through APL Health: **0845 862 2113** or staff can contact hello@aplhealth.com for further support.

## 17. Accident reporting

#### 17.1 Accident record book

An accident form will be completed as soon as possible after the accident occurs by the member of staff or first aider who deals with it. An accident form template can be found in appendix 2

As much detail as possible will be supplied when reporting an accident

Information about injuries will also be kept in the pupil's educational record

Records held in the first aid and accident book will be retained by the Academy for a minimum of 3 years, in accordance with regulation 25 of the Social Security (Claims and Payments) Regulations 1979, and then securely disposed

#### 17.2 Reporting to the Health and Safety Executive

The main school office will keep a record of any accident which results in a reportable injury, disease, or dangerous occurrence as defined in the RIDDOR 2013 legislation (regulations 4, 5, 6 and 7).

The Headteacher will report these to the Health and Safety Executive as soon as is reasonably practicable and in any event within 10 days of the incident.

Reportable injuries, diseases or dangerous occurrences include:

Death

Specified injuries. These are:

- o Fractures, other than to fingers, thumbs and toes
- Amputations
- o Any injury likely to lead to permanent loss of sight or reduction in sight
- Any crush injury to the head or torso causing damage to the brain or internal organs
- Serious burns (including scalding)
- Any scalping requiring hospital treatment
- Any loss of consciousness caused by head injury or asphyxia
- Any other injury arising from working in an enclosed space which leads to hypothermia or heat-induced illness, or requires resuscitation or admittance to hospital for more than 24 hours

Injuries where an employee is away from work or unable to perform their normal work duties for more than 7 consecutive days

Where an accident leads to someone being taken to hospital

Where something happens that does not result in an injury, but could have done

Near-miss events that do not result in an injury, but could have done. Examples of near-miss events relevant to Academy's include, but are not limited to:

- The collapse or failure of load-bearing parts of lifts and lifting equipment
- The accidental release of a biological agent likely to cause severe human illness
- The accidental release or escape of any substance that may cause a serious injury or damage to health
- An electrical short circuit or overload causing a fire or explosion Information on how to make a RIDDOR report is available here:

How to make a RIDDOR report, HSE

http://www.hse.gov.uk/riddor/report.htm

#### 17.3 Notifying parents

The Headteacher will inform parents of any accident or injury sustained by a pupil, and any first aid treatment given, on the same day, or as soon as reasonably practicable.

#### 17.4 Reporting to Ofsted and child protection agencies

The Headteacher will notify the CEO of the Trust after any serious accident or injury to, or the death of, a pupil while in the Academy's care.

Any serious incident will automatically trigger a serious case review.

The Headteacher will notify Ofsted of any serious accident, illness or injury to, or death of, a pupil while in the Academy's care. This will happen as soon as is reasonably practicable, and no later than 14 days after the incident.

The Headteacher will also notify Local Authority child protection agencies of any serious accident or injury to, or the death of, a pupil while in the Academy's care.

## 18. Training

Our staff are provided with health and safety training as part of their induction process.

Staff who work in high-risk environments, such as in science labs or with woodwork equipment, or work with pupils with special educational needs (SEN), are given additional health and safety training.

## 19. Monitoring

The application of this policy is monitored by the premises manager and Headteacher through, among other things, visual checks of the academy site and equipment, and checks of risk assessments.

Copies of risk assessments and paperwork relating to any checks are kept in the premises office and school office.

This policy will be reviewed by the Trust yearly.

At every review, the policy will be approved by Staffing, Safeguarding and Performance Committee.

## 20. Links with other policies

This health and safety policy links to the following policies:

- Supporting pupils with medical conditions
- · Accessibility plan
- · Smoking
- · Lone Working

## Appendix 1. Fire safety checklist - Carried out each term

| Issue to check  | Yes/No |
|---|--------|
| Are fire regulations prominently displayed?   | YES    |
| Is fire-fighting equipment, including fire blankets, in place?                        | YES    |
| Does fire-fighting equipment give details for the type of fire it should be used for? | YES    |
| Are fire exits clearly labelled?  | YES    |
| Are fire doors fitted with self-closing mechanisms?                                   | YES    |
| Are flammable materials stored away from open flames?                                 | YES    |
| Do all staff and pupils understand what to do in the event of a fire?                 | YES    |

|  | YES |
|--|-----|
| Can you easily hear the fire alarm from all areas? |     |

## Appendix 2. Accident report form

| About the person affected by this acc  | ident      |
|--|------------|
| Full name of affected person:  |            |
| Is the affected person an employee?  | C Yes C No |
| Status of the Non-Employee:  |            |
| You have selected non-employment status as 'other', please provide the status below: |            |
| Contractor name (If available):  |            |
| Affected person's telephone number (if available):                                   |            |
| Affected person's e-mail (if available):   |            |
| Affected persons Job Role (if relevant and available):                               |            |
| Do you know the address of the injured party?  | C Yes C No |
| Address Line 1:  |            |
| Address Line 2   |            |
| Address Line 3   |            |
| Town/ City:  |            |
| County   |            |
| Postcode:  |            |
| Age of the injured party:  |            |
| Gender of the injured party:   |            |
| dender of the injured party.   |            |
|  |            |
| About the Accident   |            |
| Select the location of the incident:   |            |
| Other location:  |            |
| Describe where on the premises or outside space this                                 |            |
| happened?  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |

| What work/ activity was being undertaken at the time  |            |
|---|------------|
| of the incident?                                      |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
| Incident Type   |            |
|   |            |
| Main contributory factor involved in the incident:    |            |
|   |            |
| What was the other cause:                             |            |
| What was the apparent cause of the Accident?          |            |
| what was the apparent cause of the Accident:          |            |
| What was the fall from height in metres?              |            |
|   |            |
| Describe in as much detail as possible what happened: |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
| Was there any property, equipment or vehicle damaged  | C Yes C No |
| as a result of this incident?                         |            |
| Please describe how the damage was caused:            |            |
| ricuse describe now the damage was caused.            |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
|   |            |
| What damage was caused:                               |            |
| dumuge was edused.                                    |            |
|   |            |
|   |            |
|   |            |
|   |            |

| Inium Contain ad  |                             |
|---|-----------------------------|
| Injury Sustained  |                             |
| Injuries sustained:   |                             |
| Other not known: Please explain why it is not known:  |                             |
| Please describe the natural cause:  |                             |
| In the list above, did you select any of the injuries specified under RIDDOR Reportable?                                | C Yes C No                  |
| Was the non-employee taken directly to hospital for treatment of that injury?   | C Yes C No                  |
| Was the injury as a result of a playtime or sporting activity?  | C Yes C No                  |
| Did this incident result in death of the affected person?   | C Yes C No                  |
| Injury location(s)  |                             |
|   |                             |
| Injury details:   |                             |
| Please confirm that the incident resulted in the affected person losing consciousness due to a head injury or asphyxia: | C Yes C No                  |
| Was first aid treatment received?   | C Yes C No C Not applicable |
| Who gave the first aid treatment?   |                             |
| What treatment was given:   |                             |

| Why was first aid treatment not required:   |                             |
|---|-----------------------------|
|   |                             |
|   |                             |
|   |                             |
| Was treatment by a medical professional required?   | C Yes C No C Not applicable |
| Was the person absent from work following the accident?   | C Yes C No                  |
| Is this person likely to be absent from work for a period of 7 consecutive days, or is unable to return to full duties within 7 days? | C Yes C No                  |
| The first full day the affected person was away from work   |                             |
| Has the person returned to work   | C Yes C No C Not applicable |
| Date person returned to work:   |                             |
| In what capacity did the person return to work  |                             |
| Do you have any documentation that you wish to upload relating to this injury?  | C Yes C No                  |
| If relevant, please attach any relevant documentation relating to the injury:   |                             |
| Were immediate actions needed to prevent a re-<br>occurence?  | C Yes C No                  |
|   |                             |
| What actions were taken to stop a re-occurrence of this incident:   |                             |
| ·   |                             |
| ·   |                             |
| ·   |                             |
| ·   |                             |

| RIDDOR Confirmation                                      |            |
|--|------------|
| >  | C Yes C No |
| Please select the city, borough or district in which the |            |
| premises is located:                                     |            |
| Main activity carried out at the incident location:      |            |
| Work being undertaken at the time of the incident        |            |
|  |            |
|  |            |
| Witness to incident                                      |            |
| Was there a witness to the incident                      | C Yes C No |
| Name of witness:   |            |
| Job title of witness (if applicable)                     |            |
| Telephone number of witness (where available)            |            |
|  |            |
| E-mail address of witness (where available)              |            |
| Address of witness (where available):                    |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
| What the person witnessed:                               |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |
|  |            |

C Yes C No

C Yes C No

Has a written statement been provided:

Was there additional witnesses to this incident?

Please attach statement:

## Appendix 3. Asbestos record

| Location  | Product              | How<br>much       | Surface<br>coating | Condition | Ease of access | Asbestos<br>type | Comment                 |
|---|----------------------|-------------------|--------------------|-----------|----------------|------------------|-------------------------|
| Boiler room  – Legacy building                                  | Gaskets              | 12                | Metal              | Good      | Good           | Chrysotile       |                         |
| Boiler<br>room–<br>Legacy<br>building                           | Walls<br>insultation | On the walls 30m2 | Insulation         | Good      | Good           | Amosite          | Been<br>incapulated     |
| Windows<br>main<br>building<br>external –<br>Legacy<br>building | Grey mastic          | 100 Lin<br>m      | Paint              | Good      | Difficult      | Chrysotile       | Been sealed and painted |
| Canopy<br>rear of<br>laundry –<br>Legacy<br>building            | Asbestos<br>cement   | 2m2               | Paint              | Good      | Difficult      | Chrysotile       |                         |
|   |                      |                   |                    |           |                |                  |                         |