
Year 6         PROMPT sheet         6/1 Place value in numbers to 10million         The position of the digit gives its size	6/2 <u>Negative numbers</u> -3 -2 -1 0 1 2 3 2 > -2→ We say 2 is bigger than -2			
The position of the digit gives its size $ \begin{array}{c c c c c c c c c c c c c c c c c c c $	-2 < 2 We say -2 is less than 2 The difference between 2 and -2 = 4 (see line) Remember the rules: When subtracting go down the number line When adding go up the number line 8 + - 2 is the same as 8 - 2 = 6 8 - + 2 is the same as 8 - 2 = 6 8 - + 2 is the same as 8 - 2 = 6 8 2 is the same as 8 + 2 = 10 6/3 Multiply numbers & estimate to check e.g. 152 × 34 COLUMN METHOD 152 <u>34x</u> 608 (x4) <u>4560</u> (x30) <u>5168</u> 6/3 Use estimates to check calculations 152 × 34 ≈ 150 × 30 ≈ 4500 $x^{0}$ is the symbol for 'roughly equals' 6/3 Divide numbers & estimate to check With a remainder also expressed as a fraction e.g. 4928 ÷ 32 $x^{0} \neq x^{0}$ $x^{0} \Rightarrow x^{0$			
	12 ANSWER - 432 ÷ 15 = <b>28 r 12</b> = $28\frac{12}{15}$			

6/3 continued With a remainder expressed as a decimal $15 \frac{028.8}{15 \frac{4}{32.0}} \frac{028.8}{15 \frac{4}{3^{13}2.2^{12}0}} \frac{028.8}{15 \frac{4}{3^{13}2.2^{12}0}} \frac{1}{2} \frac{1}{20} \frac{1}{132}} \frac{1}{132} \frac{1}{12} \frac{1}{2} \frac{1}{20}}{12}$ ANSWER - 432 ÷ 15 = 28.8 6/3 Use estimates to check calculations 432 ÷ 15 $\approx 450 \div 15$ $\approx 30$ 6/4 Factors, multiples & primes 6/4 Factors of 12 are: Factors of 18 are: $1 \frac{12}{26}$ $3 \frac{4}{36}$ The common factors of 12 & 18 are: $1, 2, 3, 6, \frac{1}{18} \frac{1}{29}$ $3 \frac{6}{3}$ The common factors of 12 & 18 are: $1, 2, 3, 6, \frac{1}{113}$ $1 \frac{1}{12}$ $2 \frac{1}{113}$ 507 and 13 are both prime numbers e.g. Factors of 7 are: Factors of 13 are $1 \frac{1}{7}$ $1 \frac{1}{13}$ 507 and 13 are both prime numbers $\frac{1}{10}$ $\frac{1}{15}$ $\frac{1}{20}$ $\frac{1}{25}$ $\frac{1}{48}$ $12 \frac{16}{20}$ $\frac{1}{25}$ $\frac{1}{48}$ $12 \frac{16}{20}$ $\frac{1}{25}$ $\frac{1}{48}$ $12 \frac{16}{20}$ $\frac{1}{25}$ $\frac{1}{48}$ $\frac{12}{26}$ $\frac{1}{26}$ $\frac{1}{26}$ $\frac{1}{26}$ $\frac{1}{2}$	e.g. $3 + \frac{4 \times 6}{5} - 5 = 22$ first (2+1) $\times 3 = 9$ first 6/6 Addition • Line up the digits in the correct columns e.g. $48p + £2.84 + £9$ 0.48 2.84 9.00+ £1 <u>2.32</u> 11 1 6/6 Subtraction • Line up the digits in the correct columns e.g. $645 - 427$ H T U $6^{3}/4^{15}$ $\frac{4 2 7}{2 1 8}$ 6/7 Equivalent fractions $e.g. \frac{10 \text{ simplify a fraction}}{Example: \frac{27}{36}}$ First find the highest common factor of the numerator and denominator - which is 9, then divid $\frac{27}{36 + 9} = \frac{3}{4}$ o  To change fractions to the same $\frac{10}{2} \frac{10}{3} \frac{10}{4} \frac{2}{3}$
The Lowest Common Multiple of 5 and 4 is: 20	Example: $\frac{3}{4}$ and $\frac{2}{3}$
6/5 Order of operations Bracket Indices Divide Multiply } Do these in the order they appear Add Subtract } Do these in the order they appear	Find the highest common multiple of the denominators - which is 12, then multiply: $\frac{3}{4} \frac{x^3}{x^3} = \frac{9}{12} \text{ and } \frac{2^{x4}}{3^{x4}} = \frac{8}{12}$

## 6/8 Add & subtract fractions

 $\circ$  Make the denominators the same



## 6/9 Multiply fractions

• Write 5 as 
$$\frac{5}{1}$$
  
• Multiply numerators & denominators  
e.g.  $5 \times \frac{2}{3}$  e.g.  $\frac{4}{5} \times \frac{2}{3}$   
 $= \frac{5}{1} \times \frac{2}{3}$   $= \frac{8}{15}$   
 $= \frac{10}{3} = 3\frac{1}{3}$ 

## 6/9 Divide fractions

• Write 5 as 
$$\frac{5}{1}$$

- Invert the fraction after ÷ sign
- Multiply numerators & denominators

e.g. 
$$\frac{2}{3} \div 5$$
 e.g.  $\frac{4}{5} \div \frac{2}{3}$ 

 =  $\frac{3}{2} \times \frac{1}{5}$ 
 =  $\frac{4}{5} \times \frac{3}{2}$ 

 =  $\frac{3}{10}$ 
 =  $\frac{12}{10}$  =  $\mathbf{1}\frac{2}{10}$  =  $\mathbf{1}\frac{1}{5}$ 

## 6/10 <u>Multiply/divide decimals by 10, 100</u>

thousands	hundreds	tens	units	•	tenths	hundredths	thousandths
4	3	5	2	•	6	1	7

• To <u>multiply</u> by 10, move each digit one place to the <u>left</u>

e.g. 35.6 x 10 = 356

Hundreds	Tens	Units	•	tenths
	3	5	•	- 6
3	5	6	•	

• To <u>divide</u> by 10, move each digit one place to the <u>right</u>

e.g. 35.6 ÷ 10 = 356= 3.56

Tens	Units	•	tenths	hundredths
3 🔨	5 _	•	6	
	3	•	5	6

- To <u>multiply</u> by 100, move each digit 2 places to the <u>left</u>
- To <u>divide</u> by 100, move each digit 2 places to the <u>right</u>

## AN ALTERNATE METHOD

Instead of moving the <u>digits</u> Move the <u>decimal point the opposite way</u>

## 6/11 <u>Multiply decimals</u>

Step 1 - remove the decimal point Step 2 - multiply the two numbers Step 3 - Put the decimal back in

<u>Example</u> :	0.06 × 8			
	=>	6 x 8		
	=>	48		
	=> (	0.48		

## 6/11 Divide decimals

Use the bus shelter method Keep the decimal point in the same place Add zeros for remainders

<u>Example</u>: 6.28 ÷ 5 <u>1 . 2 5 6</u> 5 ) 6 . <sup>1</sup>2<sup>2</sup>8<sup>3</sup>0

#### 6/12 <u>Fraction, decimal, percentage</u> <u>equivalents</u>

#### LEARN THESE:

$$\frac{1}{4} = 0.25 = 25\%$$
$$\frac{1}{2} = 0.5 = 50\%$$
$$\frac{3}{4} = 0.75 = 75\%$$
$$\frac{1}{10} = 0.1 = 10\%$$

• Percentage to decimal to fraction  $27\% = 0.27 = \frac{27}{100}$   $7\% = 0.07 = \frac{7}{100}$  $70\% = 0.7 = \frac{70}{100} = \frac{7}{10}$ 

# • Decimal to percentage to fraction $0.3 = 30\% = \frac{3}{10}$

 $0.03 = 3\% = \frac{3}{100}$  $0.39 = 39\% = \frac{39}{100}$ 

#### • Fraction to decimal to percentage

 $\frac{4}{5} = \frac{80}{100} = 80\% = 0.8$ Change to 100

 $\frac{0.375}{8} = 3 \div 8 = 8) \overline{3.^{3}0^{6}0^{4}0} = 0.375 = 37.5\%$ 

$$\frac{9}{12} = \frac{3}{4} = 0.75 = 75\%$$
  
Cancel by 3

6/13 Fraction of quantity
4 means ÷ 5 × 4 5
e.g. To find 4 of £40 5
£40 ÷ 5 × 4 = £40

#### 6/13 <u>Percentage of quantity</u>


<u>Use only</u>


 $\circ \quad 50\% - \frac{1}{2} \\ \circ \quad 10\% - \frac{1}{10} \\ \circ \quad 1\% - \frac{1}{100}$ 

Example : To find 35% of £400 10% = £40 20% = £80 5% = £20 35% = £140

## 6/14 <u>Similar shapes</u>

When a shape is enlarged by a scale factor the two shapes are called SIMILAR shapes





## 6/20 Perimeter and area of shapes


Shapes can have the SAME area but different perimeters

The area of each shape is 9 squares

				В	
	A				
	С				

Perimeter of each shape is different A - 12; B - 14; C -16






<u>20cm<sup>2</sup></u>

8cm

2


6/22 Volume



### 6/23 Construct 2D shapes


Example : Triangle with side and angles given

- Draw line AB = 7cm 0
- Draw angle 34° at point A from line AB 0
- Draw angle 47<sup>0</sup> at point B from line AB
- Extend to intersect the lines at C




# 6/23 Construct 3D shapes


CUBE & its net




#### CUBOID & its net




#### TRIANGULAR PRISM & its net





• Sum of exterior angles is always 360°




interior & exterior angle add up to 180°


• the interior angles add up to: Triangle  $=1 \times 180^{\circ} = 180^{\circ}$ Quadrilateral  $=2 \times 180^{\circ} = 360^{\circ}$ Pentagon  $=3 \times 180^{\circ} = 540^{\circ}$ Hexagon  $=4 \times 180^{\circ} = 720^{\circ}$  etc

#### 6/25 Parts of a circle

0

- The circumference is the distance all the way around a circle.
- The diameter is the distance right across the middle of the circle, passing through the centre.
- The radius is the distance halfway across the circle.
- The radius is always half the length of the diameter. (d =  $2 \times r$ ) or (r =  $\frac{1}{2} \times d$ )






## 6/29 <u>Graphs</u>

#### • Pie chart


Transport	Frequency	Angle
Car	13	13 × 9=117 <sup>0</sup>
Bus	4	4 x 9=36 <sup>0</sup>
Walk	15	15 x 9=135
Cycle	8	8 x 9=72
- /		

Total frequency = 40 $360^{\circ} \div 40 = 9^{\circ}$  per person



#### • Line graph

Line graphs show changes in a single variable – in this graph changes in temperature can be observed.




#### 6/30 The mean

The mean is usually known as the average. The mean is not a value from the original list. It is a typical value of a set of data

## Mean = total of measures ÷ no. of measures

e.g.- Find mean speed of 6 cars travelling on a road

- Car 1 66mph Car 2 - 57mph Car 3 - 71mph
- Car 4 54mph
- Car 5 69mph Car 6 - 58mph



6

= 62.5mph

Mean average speed was 62.5mph