

St. Joseph's Catholic Primary School COVID-19 Risk Assessment

Preamble

This risk assessment has been developed and written in consultation with staff, governors and union representatives; with advice from Diocese of Westminster and Ealing Local Authority. It is a working document and will be updated systematically when new information becomes available.

Most adults have been double vaccinated but can still become infected with COVID-19. Some may still experience unpleasant symptoms such as a fever and cough but are unlikely to become severely ill. Children who become infected rarely show any symptoms and are very unlikely to experience severe illness. However, both adults and children who have contracted COVID-19 are able to infect others.

It follows therefore, that there is a greater risk through adult to adult transmission and child to adult transmission than child to child transmission. This risk assessment looks to reduce risk as much as possible.

The following on-going actions for staff and children greatly reduce the likelihood of COVID-19 transmission:

- Washing hands frequently for at least 20 seconds, using soap and water, or hand sanitiser where soap and water are not immediately available
- Coughing or sneezing into tissues before binning them
- Avoiding touching the eyes, nose or face
- Cleaning and disinfecting regularly touched surfaces and objects using cleaning products
- Ensuring that if staff (or anyone in their household) or children (or anyone in their household) develop symptoms of COVID-19, they stay at home and follow guidance on self-isolation
- Ensuring that staff or children at higher risk of illness from COVID-19 because they are extremely clinically vulnerable are supported
- Following government advice and guidance

Changes made to reflect Step 4 of the Government Roadmap from 19th July 2021.

School: St Joseph's Catholic Primary School			School address: York Avenue, Hanwell, London W7 3HU		Review date: 26.5.2020 Governor working party 1.6.2020 Staff and union review 2.9.2020 Staff and union review 1.09.2021 Staff and union review					
Assessment Date: 1.09.2021				Dynamic document which will be reviewed and updated systematically [hat/who is being assessed?] ological hazard - COVID-19 within St Joseph's Catholic Primary School						
Name of Assessor: Julian Rakowski				Have staff been consulted in RA? Yes/No			Headteacher approval:			1.09.2021
Responsible p Julian Rakows					Chai	r of Governor	s approval:		Date:	1.09.2021
Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures		Action by who/when?	Likelihood of occurrence after recommended controls added (L) 1-Very Unlikely 2-Unlikely 3- Possible 4- Likely 5- Very Likely Likelihood = Probability of occurrence based on specific activity being assessed	1-Negligible 2- Minor 3- Modera 4- Major 5- Extrem Impact = Estimate of harm base specific actions assets	le ate e of ed on ctivity	Overall Risk (L X I) + I <10 = Low 10-19 = Medium 20-30 = High

Early	Clinical	Staff and children	Hand sanitise on	Wet weather procedure is to bring	HLT/Staff		(2X3) +3 =
		Starr and children		children into hall.	i i Li / Staii		(2X3) +3 =
Morning	risk to		entry to school and	children into hall.			
Drop-Off	people		classrooms				9
	from						
	COVID-19		Wash hands in				(Low)
			classrooms				
			Supervising adults				
			maintain social				
			distancing.				
			distanting.				

Entering the Biological hazard COVID-19	infected with COVID-19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this could lead to acute respiratory	paration arents not to enter hool grounds mildren to enter rectly into assrooms sitors by opointment only	Minimising contact with individuals who are unwell by ensuring that those who have coronavirus symptoms, or who have someone in their household who does, do not attend childcare settings or schools. Staff wear face covering/PPE on gate duty. On entry to school all staff, children and visitors hand sanitise/wash their hands with soap and water for at least 20 seconds.	Staff	2	3	(2X3) +3 = 9 (Low)
---	--	--	---	-------	---	---	--------------------------

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
Social distancing - Early Years and Reception	Biological hazard COVID- 19	could become infected with COVID- 19. If so, they are likely to experience	Display social distancing posters.	Social distancing between children in these settings is more difficult to achieve. EYFS aged children are not expected to stay apart, but where they can be kept 1m+ from staff, they should be. Staff/child ratios within Early Years Foundation Stage (EYFS) continue to apply. Minimise contact with individuals who are unwell. Hand sanitise/Clean hands thoroughly and regularly - when arriving at school, when returning from breaks, before and after eating. Pupils with complex needs may need help to sanitise/clean their hands properly. Promote 'Hands, Face, Space' slogan but remembering 'catch it, bin it, kill it' approach. Ensure sufficient number of tissues and bins are available. Continue with enhanced cleaning - including cleaning frequently touched surfaces often, using standard products such as detergents.	HLT Staff	3	3	(3X3) +3 = 12 (Medium)

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
– Yrs 1 and 2	Biological hazard COVID-19	could become infected with COVID-19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this could lead to acute	Avoid contact with anyone with symptoms Class groups to minimise contact with peer classes. Display social distancing poster at all entrances	Social distancing between children in these settings is still difficult to achieve. Staff to try to keep to 1m+ from the children. If social distancing (1m+) is impractical, then a face covering must be worn.	HLT Staff	Yrs 1 and 2 -3 Yrs 3, 4, 5 and 6 - 2	3	Yrs 1 and 2 (3X3) +3 = 12 (Medium) Yrs 3, 4, 5 and 6 (2X3) +3 = 9 (Low)
Moving around school	Biological hazard COVID-19		Moving in school Fire evacuation drills – all classes to practice drills in first week back to familiarise children with exits	One-way circulation in Middle Phase and Upper Phase staircase. Prop doors open, where safe to do so (bearing in mind fire safety and safeguarding), to limit use of door handles and aid ventilation. Avoid multiple groups queuing in same shared areas/ narrow corridors etc.	Staff	2	3	(2X3) +3 = 9 (Low)

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
Cleaning and Hygiene	Biological hazard COVID-19	could become infected with COVID-19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this could lead to acute respiratory syndrome respiratory symptoms, and, in rare cases, even death	classrooms and equipment Keep spaces well ventilated using natural ventilation Ensure adequate supplies of soap, paper hand towels and hand sanitiser,	One cleaner employed full time to clean common surfaces, doors, toilets continually throughout school. Clean surfaces that children and young people are touching, such as toys, desks, chairs, doors, sinks, toilets, light switches, bannisters, etc. more regularly than normal Ensure soap, sanitiser and hand towels are regularly topped up at all washing stations. Provide suitable and sufficient rubbish bins for hand towels with regular removal and disposal. Hand sanitiser provided at key points in school. Tissues will be provided for classrooms. Staff to replenish as needed. Enhance the cleaning regimes for toilet facilities, particularly door handles, locks and the toilet flush, etc.	HLT Staff Site managers	2	3	(2X3) +3 = 9 (Low)
Classrooms	Biological hazard COVID-19		Adults to follow social distancing guidance.	Staff and children to use their own equipment but can share resources within the year group. Classroom based resources, such as books and games, can be used and shared, these should be cleaned regularly.	HLT Staff	2	3	(2X3) +3 = 9 (Low)

severe cases, this could lead to acute respiratory syndrome respiratory symptoms, and, in rare cases, even death	Resources that are shared between classes or bubbles, such as sports, art and science equipment should be cleaned frequently and meticulously, or rotated to allow them to be left unused and out of reach for a period of 72 hours between use by different bubbles. Children and teachers can take books and other shared resources home, although unnecessary sharing should be avoided, especially where this does not contribute to pupil education and development. Adults in classrooms to try to keep to 1m+ separation Doors to be kept open as much as possible.
--	---

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
activities	Biological hazard COVID-19	could become infected with COVID-19. If so, they are likely to experience mild symptoms such as	Some lessons or activities can take place outdoors but there must be reduced movement around the buildings, PE lessons outside if possible.	Children will line up to re-enter school buildings	Staff	2	3	(2X3) +3 = 9 (Low)
	Biological hazard COVID-19		Keep office public face window shut.	Office workstation seating acceptable distance apart 1m+ Care taken when photocopying, sanitise/wash hands after use of machine. Cleaner will sanitise buttons and drawers regularly.	Staff	2	3	(2X3) +3 = 9 (Low)

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
	Biological hazard COVID-19	could become infected with COVID-19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this	Before eating, Pupils to wash their hands with soap and water for at least 20 seconds/sanitiser. Pupils are encouraged not to touch their mouth, eyes and nose.	Home packed lunches to be brought into school and placed on trollies. Parents to ensure packed lunches can be opened easily by all children – Frubes, yoghurts etc ISS staff give children cutlery, cup, plate and tray All spaces should be well ventilated using natural ventilation (opening windows).	HLT Staff SMSAs	2	3	(2X3) +3 = 9 (Low)
	Biological hazard COVID-19		Play equipment to be used e.g. clamber stacks etcon a rota. No toys to be brought in by the children.	Equipment brought in from outside must be kept in school.	Staff	2	3	2X3) +3 = 9 (Low)

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
Arrangements	Biological hazard COVID-19	could become infected with COVID-19. If so, they	Staff, parents and children encouraged to walk or cycle to school or use private vehicles.	Staff, parents and children are encouraged to avoid public transport. If staff need to use public transport, face masks are available from the office – 2 at a time (inward and outward journey). Please wash your hands/sanitise before handling your mask. When you are not using your mask, place it in a sealed bag.	All	2	3	(2X3) +3 = 9 (Low)
Dealing with suspected cases of COVID-19	Biological hazard COVID-19		Where a child or staff member begins to feel unwell during the school day, welfare will determine the likelihood of COVID-19 from symptoms	If a child or staff member develops symptoms compatible with coronavirus, they will be sent home and follow stay at home guidance. Parent or staff member and their family needs to book into a test centre as soon as possible. Family can be sent home with a test kit if they cannot get to a testing station. When there is proof that a child or staff member tests negative, they can return to school. When awaiting collection, child should be taken to ventilated Welfare room to be isolated behind a closed door if practicable and safe to do so (safeguarding).	HLT Welfare staff	2	3	(2X3) +3 = 9 (Low)

	If a child needs to use toilet, the disabled toilets are used. Afterwards, the toilet should be cleaned and disinfected using standard cleaning products before being used by anyone else.		
	Ensure stock of PPE in case further symptomatic cases on site.		

Task / Activity Area Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
confirmed cases of COVID-19 hazard COVID-19	infected with COVID- 19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this could lead to acute respiratory syndrome respiratory symptoms, and, in rare cases, even death	member tests positive for COVID-19 they must self-isolate in line with 'stay at home' guidance. They must get a PCR test. If they have tested positive whilst not experiencing symptoms but develop symptoms during the isolation period, they should restart the 10-day isolation period from the day they develop symptoms. Welfare staff have awareness of COVID-19 related Kawasaki syndrome: rash, swollen glands in the neck, dry cracked lips, red fingers or toes, red eyes.		HLT Welfare staff Site managers	3	4	(3X4) + 4 = 16 (Medium)

	Public Health England should work with the school to: Undertake a risk assessment. Identify and notify close contacts (e.g. pupils and staff within the relevant 'bubble') of the need to follow guidance for contacts of people with possible or confirmed coronavirus who do not live with the person including isolation for 14 days. Identify any further actions needed. Local outbreaks If a local area sees a spike in infection rates that is resulting in localised community spread, it will be decided which measures to implement to help contain the spread.	
--	---	--

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
Use of PPE	Biological hazard COVID-19	could become infected with COVID-19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this could lead to acute respiratory	Staff not required to wear PPE but may do so in areas where social distancing between adults is difficult e.g. staffroom. Face masks available for staff who have no alternative but to use Public Transport.	All staff to wear face covering whilst on school premises (except when eating) where 1m+ distancing is difficult. PPE is available for staff to utilise - gloves, face masks or visors. Training to be given in how to wear masks/visors. PPE should be disposed of in line with Government guidance on cleaning in non-healthcare settings. For Welfare staff needing to give direct personal care the following PPE will be available for use by school staff: disposable gloves, disposable apron, fluid resistant (type IIR) surgical mask, eye protection where there is a risk of splashing of bodily fluids. PPE is also available should members of staff need to use them to give intimate care to a child e.g.	Staff	2	3	(2X3) +3 = 9 (Low)

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
aid/	Biological hazard COVID-19	COVID-19. If so, they are likely to	We have a suitable number of trained staff on duty. Administering Medication policy in place.	If the level of risk is manageable, Welfare can take charge of first aid arrangements – call ambulance if required, document any accidents/ incidents and look after any first aid equipment/facilities. Acting in loco parentis, Welfare can also deal with minor first aid issues such as small cuts, abrasions and minor bumps. PPE must be worn when administering first aid. HSE guidance on first aid followed. This includes first aid cover and qualifications as well as guidance for first aiders	First Aiders Welfare staff	3	3	(3X3) +3 = 12 (Medium)
	Biological hazard COVID-19		Contractors sign in. Site managers direct them to area of work. Only contractors carrying out essential maintenance deemed necessary to the safe running of the school are to be allowed on site.	Staff and contractors are to maintain a safe distance between themselves and others. All contractors are to wash their hands or use alcohol-based hand sanitiser upon entering and leaving the St Joseph's. Contractors to receive H & S briefing from site managers. Agree approach to scheduled / ongoing building works. Site inductions are to be carried out following social distancing principles.	Admin staff Site staff	2	4	(2X4) +4 = 12 (Medium)

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
Black, Asian and Minority Ethnic (BAME) staff	Biological hazard COVID-19	Staff and children could become infected with COVID-19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this could lead to acute respiratory syndrome respiratory symptoms, and, in rare cases, even death	Well-being. Personal Protection Equipment (PPE). Testing.	On-going wellness checks (physical and mental health) by leadership. Face masks, face visors and gloves are available for all staff. Training on how to put on and take off visors has been given. Test, Track and Trace is up and running. Suggest vitamin D supplements to BAME staff.	Leadership Staff	2	3	(2X3) +3 = 9 (Low)
Mental Health	Biological hazard COVID-19		School SDP priority Mental Health awareness course completed by some staff Bereavement Anxiety	On-going wellness checks (physical and mental health) by adults leading 'bubbles'. Any concerns about the children report to SENCO. On-going wellness checks (physical and mental health) by leadership on staff. Any concerns reported to headteacher. Staff/children – bereavement counselling made available at earliest opportunity. Staff/children – Anxiety. Consultative Risk Assessment, PPE, clear routines and expectations of staff and children.				(2X3) +3 = 9 (Low)

Task / Activity Area	Hazard	Who might be harmed and how?	What are your existing controls?	Recommended Control Measures	Action by who/when?	Likelihood of occurrence after recommended controls (L)	Impact (I)	Overall Risk (L X I) + I
	Biological hazard COVID-19	Staff and children could become infected with COVID-19. If so, they are likely to experience mild symptoms such as fever or cough. In severe cases, this could lead to acute respiratory syndrome respiratory symptoms, and, in rare cases, even death		Children reminded to wash hands before they leave school and when they arrive home. Children brought to playgrounds and lined up. Parents file through playground and pick children up along way.	Staff	2	3	(2X3) +3 = 9 (Low)
	Biological hazard COVID-19		Posters displayed around school. Clear and regular communication with parents/ carers and wider community.	Clear briefing for all staff on site, warning them of the risks posed by the virus as well as the control measures. Parents need to make appointments through the office if they wish to see a teacher.	Staff Parents Children	1	1	(1X1) + 1 = 2 (Low)

Educational visits	Biological	Staff, parents and	Provision	Keep pupils with consistent	Staff	2	3	(2X3) +3
	hazard-	pupils could become	previously closed	groups.	Parents			=
	Covid-19	infected with	can resume		Children			
		COVID-19. If so, they		Following the Covid-19 secure				9
		are likely to		measures at the destination.				(Low)
		experience mild						
		symptoms such as		Make use of the local outdoor				
		fever or cough. In		spaces. Early years providers				
		severe cases, this		can take small groups of				
		could lead to severe		children to outdoor public				
		illness and		spaces, provided that they can				
		hospitalisation, and,		demonstrate that they can stay				
		in rare cases, even		1m+away from other people at				
		death.		all times.				
				To carry out a risk assessment				
				of all educational visits as per				
				the Ealing Council 'There and				
				Back Again' policy.				
				Keep attendance records (staff,				
				pupils and any contacts).				
Catch-Up	Biological	Staff, parents and	Staff working	Availability of space may	Staff	2	3	(2X3) +3 =
programme	hazard-	pupils could become	with very small	necessitate sharing of	Children			
	Covid-19	infected with	groups of	ventilated group rooms as a				0
		COVID-19. If so, they	children in group	last resort.				9
		are likely to	rooms.					
		experience mild		Desks and chairs to be sanitised				(Low)
		symptoms such as fever or cough. In	Staff wearing face coverings	upon entry and exit by adult.				
		severe cases, this	where separation	Children to bring their own				
			of 1m+ cannot be	equipment.				
		illness and	guaranteed.	equipment.				
		hospitalisation, and,	guaranteeu.	All to hand sanitise/wash hands				
		in rare cases, even		before entry to room and after				
		death.		exit.				
		acatri.		CAIC.				

Likelihood:						
Very Likely	5	6	12	18	24	30
Likely	4	5	10	15	20	25
Possible	3	4	8	12	16	20
Unlikely	2	3	6	9	12	15
Very Unlikely	1	2	4	6	8	10
		1	2	3	4	5
Impact:		Negligible	Minor	Moderate	Major	Extreme